Civil Engineering
Design and Permitting


Environmentally
Sensitive Development

Due-Diligence
Property Investigations

Environmental Restoration
Contamination Remediation

EnviroDesign Associates inc.
www.envdesign.com

APPLE PROFESSIONAL CENTER
298 PINEAPPLE GROVE WAY
DELRAY BEACH, FL 33444
PH (561) 274-6500 • FX (561) 274-8558



October 21, 2010

Prepared For:

Delray Beach CRA
20 North Swinton Avenue
Delray Beach, FL 33444
Attn: Mr. Vince Wooten
Development Manager
(561) 276-8640

10062-shulers PH1.doc

Table of Contents

1.0 EXECUTIVE SUMMARY 3

2.0 INTRODUCTION 5

2.1 Detailed Scope of Work 5
2.2 Significant Assumptions 5
2.3 Deviations 5
2.4 Limitations and Exceptions 6
2.5 Special Terms and Conditions 6
2.6 Statement of User Reliance 6

3.0 SITE DESCRIPTION 7

3.1 Property Location and Legal Description 7
3.2 Site and Vicinity General Characteristics 7
3.3 Current and Past Uses of the Property 8
3.4 Descriptions of Structures, Roads, Other Improvements 8
3.5 Current and Past Uses of Adjoining/Surrounding Properties 8
3.6 Geologic, Hydrogeologic, Hydrologic, and Topographic Conditions 8

4.0 USER PROVIDED INFORMATION 8

4.1 Specialized Knowledge 8
4.2 Owner, Property Manager, and Occupant Information 9
4.3 Other 9

5.0 SITE RECONNAISSANCE 9

5.1 Methodology and Limiting Conditions 9
5.2 General Site Setting 9
5.3 Site Observations 10
5.4 Asbestos 13
5.5 Lead-based Paint 13
5.6 Mold 13

6.0 INTERVIEWS 13

7.0 RECORDS REVIEW 15

7.1 Standard Environmental Record Sources 15
7.2 Deviations 15
7.3 Additional Environmental Record Sources 18
7.4 Physical Setting Sources 19
7.5 Historical Use Information on the Property 20
7.6 Historical Use Information on Adjoining Properties 23
7.7 Data Gaps 23

8.0 FINDINGS 23

9.0 CONCLUSIONS 23

10.0 OPINIONS AND RECOMMENDATIONS 24

11.0 CERTIFICATION STATEMENT 25

ENVIRONMENTAL PROFESSIONAL STATEMENT 26

Appendices:

I. Figures
II. Photographs
III. Regulatory Records Review
IV. Supporting Documents

1.0 Executive Summary

Delray Beach CRA (Client) retained EnviroDesign Associates, Inc., (EDA) to perform a Phase I Environmental Site Assessment (ESA) on the "Shuler's Memorial Chapel" located at 606 W. Atlantic Avenue, in Delray Beach, Palm Beach County, Florida (Site). The purpose of the Phase I ESA is to identify Recognized Environmental Conditions (REC's), to the extent feasible, under the processes prescribed in the ASTM Practice E 1527-05 titled "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process" (ASTM Standard).

Recognized Environmental Conditions (REC's) are defined by ASTM 1527-05 as: "The presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, groundwater, or surface water of the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include de-minimus conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be de-minimus are not Recognized Environmental Conditions."

Our investigation embodies the four components of the Phase I ESA including records review, site reconnaissance, interviews, and evaluation by an environmental professional.

The Executive Summary is to be used only in conjunction with the complete Phase I ESA report (as attached) entitled "Shuler's Memorial Chapel, October 21, 2010" (the Report). All definitions used in this Executive Summary have the same meaning in the Report, and the use of this Executive Summary is subject to the limitations and conditions contained in the Report. The Report shall govern the event of any inconsistency between this Executive Summary and the Report.

We have performed a Phase I Environmental Site Assessment in accordance with the scope and limitations of ASTM Practice E 1527 on the Shuler's Memorial Chapel located at 606 W. Atlantic Avenue, Delray Beach, Palm Beach County, Florida. This assessment has revealed no evidence of recognized environmental conditions on the property except for the following:

Phase I Environmental Site Assessment Summary of Environmental Conditions Shuler's Memorial Chapel, EDA Site #10062				
Area of Investigation	**No Further Assessment**	**REC**	**Issue Further Investigation**	**Comments**
Current Property Uses	☒	☐	NO	None
Historical Property Uses	☒	☐	NO	None
Current Adjacent Property Uses	☒	☐	NO	None
Historical Adjacent Property Uses	☒	☐	NO	None
Hazardous Substances	☒	☐	NO	None
Underground Storage Tanks	☒	☐	NO	None
Aboveground Storage Tanks	☒	☐	NO	None
Strong Pungent or Noxious Odors	☒	☐	NO	None
Standing Surface Water	☒	☐	NO	None
Pools or Sumps	☒	☐	NO	None
Drums Containers	☒	☐	NO	None
Unidentified Substance Containers	☒	☐	NO	None
Electrical or Hydraulic Equipment	☒	☐	NO	None
Pits, Ponds or Lagoons	☒	☐	NO	None
Stained Soil or Pavement	☒	☐	NO	None
Stressed Vegetation	☒	☐	NO	None
On-Site Waste Disposal	☒	☐	NO	None
Waste Water Discharges	☒	☐	NO	None
Potable Water Sources	☒	☐	NO	None
Wells	☒	☐	NO	None
Septic Systems	☒	☐	NO	None
Environmental Record Sources	☒	☐	NO	None

Recognized Environmental Condition (REC)

Finding: The review of historical street directory listings and Sanborn Fire Insurance maps reveals that a gas station was formerly located approximately 50-feet east of the Site at 546 W. Atlantic Avenue.

☼ **Issue:** No testing or regulatory records are on-file for this historical facility.

☞ **Recommendation:** *Limited soil and groundwater testing should be completed to rule out any potential impacts stemming from this adjacent historical land use.*

2.0 Introduction

On October 7, 2010 EnviroDesign Associates, Inc. (EDA) received authorization (EDA Proposal No. 10131) from the Delray Beach CRA (Client) to complete a Phase I Environmental Site Assessment (ESA). The scope of this investigation is the commercial-zoned property "Shuler's Memorial Chapel" (Site) located at 606 W. Atlantic Avenue, in Delray Beach, Palm Beach County, Florida (EDA Project No. 10062). The purpose of this assessment is to identify Recognized Environmental Conditions on the property resulting in a potential liability to the owner and/or operator of the Site.

2.1 Detailed Scope of Work

The Phase I ESA conducted at the Subject Property was in general accordance with ASTM Standard E 1527-05 and included the following:

- Review of previous environmental site assessments;
- Records review;
- Interviews with regulatory officials and personnel associated with the subject and adjoining properties;
- A site visit; and
- Evaluation of information and preparation of the report provided herein.

Typically, a Phase I ESA does not include sampling or testing of air, soil, groundwater, surface water, or building materials. These activities would be carried out in a Phase II ESA, if required. For this Phase I ESA, no additions to the ASTM E 1527-05 standard were made.

2.2 Significant Assumptions

It is assumed that this investigation is being conducted to identify recognized environmental conditions concerning the subject property, and to permit the user to satisfy one of the requirements to qualify for the innocent landowner defense to CERCLA liability. This investigation may mention but does not fully address non-scope considerations such as, but not limited to, asbestos containing materials (ACM), radon, lead-based paint (LBP), lead in drinking water, mold, wetlands, regulatory compliance, cultural and historical resources, industrial hygiene, health and safety, ecological resources, endangered species, indoor air quality, and/or high voltage power lines, although, one or more may be mentioned in the report as a business environmental risk concern.

2.3 Deviations

No deviations from the recommended scope of ASTM Standard E 1527-05 were performed as part of this Phase I ESA with the exception of any additions noted in the Detailed Scope of Work.

2.4 Limitations and Exceptions

Along with all of the limitations set forth in various sections of the ASTM E 1527-05 protocol, the accuracy and completeness of this report may be limited by the following:

- Access Limitations – Access to embalming room not provided
- Physical Obstructions to Observations - None
- Outstanding Information Requests - None
- Historical Data Source Failure - None
- Other - None

It should be noted that this assessment did not include a review or audit of operational environmental compliance issues, or of any environmental management systems (EMS) that may exist on the property. Where required, the documents listed in Appendices IV were used as reference material for the completion of the Phase I ESA. Some of the information presented in this report was provided through existing documents and interviews. Although attempts were made, whenever possible, to obtain a minimum of two confirmatory sources of information, EnviroDesign Associates, Inc. in certain instances has been required to assume that the information provided is accurate.

The information and conclusions contained in this report are based upon work undertaken by trained professional and technical staff in accordance with generally accepted engineering and scientific practices current at the time the work was performed. The conclusions and recommendations presented represent the best judgment of EnviroDesign Associates, Inc. based on the data obtained from the work. Due to the nature of the investigation and the limited data available, EnviroDesign Associates, Inc., cannot warrant against undiscovered environmental liabilities. Conclusions and recommendations presented in this report should not be construed as legal advice.

Should additional information become available which differs significantly from our understanding of conditions presented in this report, we request that this information be brought to our attention so that we may reassess the conclusions provided herein.

2.5 Special Terms and Conditions

No deviations from the recommended scope of ASTM Standard E 1527-05 were performed as part of this Phase I ESA.

2.6 Statement of User Reliance

This report has been prepared for the sole benefit of the client. This report may not be relied upon by any other person or entity without the express written

consent of EnviroDesign Associates, Inc. and the client with the following exceptions(s): None

3.0 SITE DESCRIPTION

3.1 Property Location and Legal Description

General Information

Site Name:	Shuler's Memorial Chapel
Street Address:	606 W. Atlantic Avenue
City:	Delray Beach
County:	Palm Beach
State:	Florida
Zip Code:	33444
Nearest Cross Street:	SW 6th Avenue

Geographic Information

Latitude:	26° 27' 39.76" North Latitude
Longitude:	80 ° 04' 45.84" West Longitude
Section:	17
Township:	46 South
Range:	43 East

The Palm Beach Tax Assessment Identification Number for the Site is 12-43-46-16-01-013-0090. A copy of the Palm Beach County Property Appraiser Tax Information which includes an abbreviated Legal Description is included in Appendix IV.

3.2 Site and Vicinity General Characteristics

Site General Characteristics

Acreage:	0.8953
Shape:	irregular
Zoning:	commercial
Number of Buildings:	one (1) single story building

Vicinity Characteristics

General Characteristics:	commercial frontage along W. Atlantic Avenue with residential uses in interior roadway areas
Age of Community:	Developed before 1960

3.3 Current and Past Uses of the Property

The Site consists of one (1) lot of irregular shaped commercial property. The property shares approximately 150-feet of frontage along W. Atlantic Avenue. The property is currently used as a funeral home and mortuary. The Site has historically been used for mortuary purposes as early as 1926 (Sanborn fire insurance maps).

3.4 Descriptions of Structures, Roads, Other Improvements

FEATURE	DESCRIPTION
Structures:	5,811 single story building
Roads:	W. Atlantic Avenue (south bounding)
Other Improvements:	None

Comments: The Site consists of a funeral home and mortuary. The interior is occupied by a lobby, office area, chapel, casket room, embalming room, common areas and a second-story apartment. Potable water and sewer services are provided by the City of Delray Beach.

3.5 Current and Past Uses of Adjoining/Surrounding Properties

Surrounding Properties (Current Uses)

- North – Commercial
- South – Residential
- East – Residential
- West – Vacant

Historical uses on surrounding properties are detailed in Section 7.7.

3.6 Geologic, Hydrogeologic, Hydrologic, and Topographic Conditions

Site geology, hydrogeology, hydrology, and topography are detailed in Section 7.6.

4.0 USER PROVIDED INFORMATION

4.1 Specialized Knowledge

No specialized knowledge in connection with the property was provided by the user/client. Based on research completed by EDA no environmental cleanup liens or activity and use limitations are reported for this facility.

4.1.1 Commonly Known or Reasonably Ascertainable Information

- None

4.1.2 Valuation Reduction for Environmental Issues

The Client responded that the purchase price reflects fair market value of the property without consideration to potential contamination.

4.1.3 Reason for Performing the Phase I ESA

The client indicated to EDA that the Phase I ESA was being performed as part of a broader due diligence evaluation of the Subject property associated with the potential acquisition/refinancing of the Site.

4.2 Owner, Property Manager, and Occupant Information

According to information obtained from the Palm Beach County Property Appraiser, the property owner is Shuler's Memorial Chapel, Inc. The property manager is Mr. Tony A. Austin, L.F.D./EMB. The property is occupied by Shuler's Memorial Chapel.

4.3 Other

The client did not provide other information for the property including information from previous environmental assessments.

5.0 SITE RECONNAISSANCE

5.1 Methodology and Limiting Conditions

The Site reconnaissance was conducted on October 12, 2010 by Scot Wehmeyer, Project Manager with EnviroDesign Associates, Inc. Seasonal weather conditions were average and did not impede the Site inspection. Our visual reconnaissance consisted of observing the boundaries of the property and systematically traversing the site to provide an overlapping field of view, wherever possible. Photographs of pertinent site features identified during the site reconnaissance are included in Appendix II.

5.2 General Site Setting

The property consists of approximately 0.8953-acres of commercial zoned property. The Site is situated at the southwest corner of the intersection of W. Atlantic Avenue and SW 6th Street. Areas immediately surrounding the Site are occupied by primarily commercial frontage along W. Atlantic Avenue with residential uses in interior roadway areas. Groundcover at the Site consists of asphalt paved parking, decorative landscape buffers and manicured St.

Augustine type grasses. A concrete driveway is present on the north side of the Site, which connects the property to W. Atlantic Avenue. Similarly, a concrete access driveway access apron is positioned near the southeast corner of the Site connecting the property to SW 6th Avenue. Municipal water and sewer services are provided to the area by The City of Delray Beach. The Site is bordered on the front side by W. Atlantic Avenue with commercial land uses bordering both sides of frontage. Residential land uses occupy the areas north and south of the Atlantic Avenue frontage. Based on our physical observations, no identified sources of soil and groundwater contamination such as gas stations and dry cleaners are situated in the immediate vicinity of the Site.

5.3 Site Observations

Observations	Yes	No
Hazardous Substances and Petroleum Products - *in Connection with identified uses*	☐	☒
Aboveground Storage Tanks	☐	☒
Underground Storage Tanks	☐	☒
Strong, Pungent or Noxious Odors	☐	☒
Standing Surface Water	☐	☒
Pools or Sumps	☐	☒
Drums or containers	☐	☒
Hazardous Substances and Petroleum Products - *Not Necessarily in Connection with identified uses*	☐	☒
Unidentified Substance Containers	☐	☒
Electrical or hydraulic equipment *-likely to contain PCB's*	☐	☒
Pits, Ponds, or Lagoons *– used in connection with waste disposal or waste treatment.*	☐	☒
Stained Soil or Pavement	☐	☒
Stressed Vegetation	☐	☒
On-site Solid Waste Disposal	☐	☒
Waste Water Discharges	☐	☒
Wells *– including dry wells, irrigation wells, injection wells, abandoned wells.*	☐	☒
Septic Systems	☐	☒

5.3.1 Hazardous Substances or Petroleum Products

No Hazardous Substances or Petroleum Products were noted during our Site reconnaissance. No significant environmental concerns are noted.

5.3.2 Aboveground Storage Tanks

No Aboveground Storage Tanks were noted during our Site reconnaissance. No significant environmental concerns are noted.

5.3.3 Underground Storage Tanks

No Underground Storage Tanks (UST's) were noted during our Site reconnaissance. No significant environmental concerns are noted.

5.3.4 Strong Pungent or Noxious Odors

No Strong Pungent or Noxious Odors were noted during our Site reconnaissance. No significant environmental concerns are noted.

5.3.5 Standing Surface Water

No standing surface water in connection with waste disposal or waste treatment was noted during our Site Reconnaissance. No significant environmental concerns are noted.

5.3.6 Pools or Sumps

No pool or sumps were noted during our Site reconnaissance. No significant environmental concerns are noted.

5.3.7 Drums or Containers

No drums or containers were noted during our Site Reconnaissance. No significant environmental concerns are noted.

5.3.8 Unidentified Substance Containers

No unidentified substance containers were noted during our Site Reconnaissance. No significant environmental concerns are noted.

5.3.9 Electrical or Hydraulic Equipment

One pole-mounted electrical transformer is located central to the western property boundary of the Site. The observed equipment is of recent installation with no stains or corrosion or other evidence of discharge. It is advisable to contact FPL in the event of a discharge, because they may accept full responsibility for cleanup of a discharge without regard to PCB content. The presence of this condition does not pose a significant risk due to the apparent age and condition of the observed equipment. No hydraulic equipment was noted during our Site reconnaissance.

5.3.10 Pits, Ponds or Lagoons

No pits, ponds, or lagoons associated with waste treatment or waste disposal were noted during our Site reconnaissance. No significant environmental concerns are noted.

5.3.11 Stained Soil or Pavement

No stained soils or pavement were noted during our Site Reconnaissance. No significant environmental concerns are noted.

5.3.12 Stressed Vegetation

No stressed vegetation not occurring from natural conditions was noted during our Site Reconnaissance. No significant environmental concerns are noted.

5.3.13 On-Site Solid Waste Disposal

No on-site waste disposal was noted during our Site Reconnaissance. No significant environmental concerns are noted.

5.3.14 Waste Water Discharges

Based on our Site Reconnaissance, a review of environmental record sources and interviews with the operators of the Site, as applicable, the Site has no on-site waste water discharges. Municipal waste water service for the areas surrounding the Site is provided by the City of Delray Beach. No significant environmental concerns are noted.

5.3.15 Potable Water Sources

The surrounding properties are provided potable water service by The City of Delray Beach, a municipal provider. No significant environmental concerns are noted.

5.3.16 Wells

No evidence of potable, irrigation, dry, groundwater monitoring, or injection wells were noted during our Site Reconnaissance. No significant environmental concerns are noted. The Site is located within Zone 4 of the drawdown contour of the Delray Beach municipal wellfield. All nonresidential activities within Zone 4 which store, handle, use or produce any Regulated Substance are prohibited, unless they qualify as a general exemption or receive an operating permit from Palm Beach County Environmental Resources Management (ERM). Palm Beach County ERM should be contacted for any nonresidential activities which store, handle, use or produce any Regulated Substance at: (561) 233-2400. A copy of the wellfield map for this area is included as Figure-4 in Appendix I.

5.3.17 Septic Systems

Based on our Site Reconnaissance, a review of environmental record sources and interviews with the owners and operators of the Site, as applicable, the Site has no on-site septic systems. No significant environmental concerns are noted.

5.4 Asbestos

Based on our review of building records available at the Palm Beach County Property Appraiser, the commercial structure was constructed in 1964. The federal government placed a moratorium on the production of most asbestos products in the early 1970's, however, installation of these products continued through the late 1970's and even into the early 1980's. It is EDA's interpretation of EPA Guidelines that buildings constructed after 1981 are not likely to support Asbestos Containing Materials. Consequently, a comprehensive asbestos survey or affidavit certifying that no asbestos is present within the building materials may be required by Palm Beach County prior to acquiring a building renovation or demolition permit. Prior to any disturbance caused by renovation or demolition of the on-site residences, an asbestos survey should be performed by a State-licensed Asbestos Consultant.

5.5 Lead-based Paint

The evaluation for the presence of Lead Based Paint was not included in the scope of this investigation.

5.6 Mold

The evaluation of mold was not included in the scope of this investigation.

6.0 INTERVIEWS

Role:	Owner
Name:	Dr. Barbara Carey-Shuler
Company:	Shuler's Memorial Chapel
Method:	Via phone
Comments	Dr. Carey-Shuler provided the following supplemental information relating to the facility: • Husband and founder James Lamar Shuler was responsible for operations of the business prior to his death in 2006. Dr. Carey-Shuler assumes that a Phase I Environmental Assessment was completed for the building additions completed in 1999-2000. Because Mr. Schuler was responsible for the operations and oversight of the Shuler's Memorial Chapel and construction project, no additional information is available. Based on the fact that the construction was completed and approved, it is her position that no environmental conditions were identified at that time.

Role:	Director of Operations
Name:	Tony A. Austin
Company:	Shuler's Memorial Chapel, LFD/EMB
Method:	In person
Comments	Mr. Austin provided answers to the Phase I Environmental Questionnaire during his assessment. The following information was gleaned during the interview process: • Site operates as a funeral home, mortuary, and embalming facility. • No retort "cremation" is on-site. • Embalming fluid is stored in individual containers ranging in sizes including: 8oz, 12oz, and 16oz. • There are no provisions for on-site fuel storage including aboveground and underground tanks. • No hazardous materials are stored on-site. • No septic systems are present on the property. • A hydraulic table for preparing cadavers is present within the embalming room. The table includes a small self-contained hydraulic cylinder. No leaks have occurred from the cylinder.

Role:	Building Records Research
Name:	Kris Buzzen
Company:	City of Delray Beach Building Department
Method:	Via email
Comments	Ms. Buzzen located the historical property card for the Site. We gleaned the following from this historic record source: • Building has no provisions for heat. • Permit records are available for the Site beginning in 1962. Additions and modifications include the following: • 1961 – Convert 10' x 21' area to livings quarters. • 1964 – Two story addition to north end of old building includes commercial uses first floor and apartment second floor. • 1984/85 – Interior remodel. • 1999 – Addition of Chapel and covered driveway on south side of building. • No additional information is on-file.

Comments: Interviews did not identify any REC's.

- In lieu of an interview with the State of Florida Department of Environmental Protection (FDEP), EDA conducted an interactive query of the FDEP Storage Tank/Contaminated Facility Latitude/Longitude Search for the Site and surrounding areas. The review of this information did not reveal any additional environmental concerns. Interview documentation is included in Appendix IV.

7.0 RECORDS REVIEW

7.1 Standard Environmental Record Sources

ASTM Minimum Search Distances		
Standard Environmental Record Sources	**Approx. Minimum Search Distance**	**Facilities Identified within AMSD**
Federal Record Sources		
NPL Site List	1.0	0
Deleted NPL Site List	0.5	0
CERCLIS List	0.5	0
CERCLIS NFRAP List	0.5	0
RCRA Corracts list	1.0	0
RCRA Non-Corracts, TSD List	0.5	0
RCRA Generators	Property and Adjoining	0
Institutional Control/Engineering Control Registry	Property Only	0
ERNS List	Property Only	0
State and Tribal		
Hazardous Waste Sites	1.0	0
State/Tribal Equivalent NPL	0.5	0
State/Tribal Equivalent CERCLIS	0.5	0
Landfill	0.5	0
Leaking Underground Storage Tank	0.5	5
Registered Storage Tanks	Property and Adjoining	0
Institutional/Engineering Control Registry	Property Only	0
Voluntary Cleanup Sites	0.5	1
Dry Cleaning Sites	0.5	0
Brownfield sites	0.5	1

EnviroDesign Associates, Inc. reviewed ASTM standard environmental record sources to identify the likelihood of Recognized Environmental Conditions in proximity to the Site. A search of Federal and State databases containing known and suspected sites of environmental contamination was completed by a commercial third party vendor in accordance with ASTM E1527-05 requirements. The detail summary is sorted by distance from the Site as summarized in the following tables. A copy of the Regulatory Database Search is included in Appendix III of this report.

The following facilities were identified in the database search.

Detail Summary:

Due to the sheer number of facilities identified in the search of standard environmental record sources, only facilities of significant relevance are detailed in this section. All facilities in the records search were reviewed; however, the ones not included in the Detail Summary were determined to present a de-minimus threat to the Site due either to the insignificance of the listing or their distance from the Site, and include but are not limited to permitted or closed facilities such as AST's, UST's, IW's, ENF's, RCRA's, and LUST's where cleanup is not required or has since been completed.

Underground Storage Tanks

Site Name:	JEROME FIGARO STORES
Databases:	UST, LUST
Address:	601 W. Atlantic Avenue, Delray Beach, Florida
Distance:	150-feet
Direction:	North
Elevation:	Equal
Comments:	• Tank Closure Assessment completed by Custom Solutions Intl. on October 12, 2001. No appreciable levels of petroleum hydrocarbons were detected in the soil or the groundwater during this investigation. • Palm Beach County Environmental Resources Management issued a letter on October 23, 2001 requiring no additional assessment. **NOT A REC.**

Leaking Underground Storage Tanks

Site Name:	Neal's Station
Databases:	LUST, UST
Address:	507 W. Atlantic Avenue, Delray Beach, Florida
Distance:	300-feet
Direction:	Northeast
Elevation:	Equal
Comments:	• Discharge Reported June 18, 1992. • Supplemental Phase II investigation completed by CH2M Hill September 14, 1992. Investigation included two soil borings and two groundwater samples collected from the southwest and southeast corners of the tankfield. No appreciable levels of petroleum hydrocarbons were detected in the soil or the groundwater during this investigation. • Palm Beach County Environmental Resources Management issued a letter on November 9, 1992 requiring no additional assessment. **NOT A REC.**

Site Name:	Unique Oil #8
Databases:	LUST, UST
Address:	905 W. Atlantic Avenue, Delray Beach, Florida
Distance:	575-feet
Direction:	West northwest
Elevation:	Lower
Comments:	• Discharge Reported May 15, 1987. • Contaminant source (UST's) removed from Site. Pilot Test Plan report prepared April 13, 2010 shows the groundwater contaminant plume located approximately 500-feet northwest and hydraulically cross-gradient to the Site. Facility is far enough removed. • Groundwater flow mapped toward the southwest. **NOT A REC.**

Site Name:	Phillips Market
Databases:	LUST
Address:	945 W. Atlantic Avenue, Delray Beach, Florida
Distance:	1,125-feet
Direction:	West, Northwest
Elevation:	Higher
Comments:	• Discharge Reported June 1, 1992. • Natural Attenuation Monitoring report prepared March 29, 2010 shows contamination confined to the southwest corner of this property. Facility is far enough removed **NOT A REC.**

Site Name:	Former Standard Oil
Databases:	LUST
Address:	142-150 NW 4th Ave., Delray Beach, Florida
Distance:	1,500-feet
Direction:	East
Elevation:	Equal
Comments:	• Discharge Reported June 27, 2001 • Facility received a Site Completion Rehabilitation Order (SRCO) December 3, 2009 from FDEP requiring no additional assessment. **NOT A REC.**

Voluntary Cleanup Sites

Site Name:	Florida Drycleaners Delray Phoenix, Phoenix Place
Databases:	ENG Controls, INST Control, VCP
Address:	710 W. Atlantic Avenue, Delray Beach, Florida
Distance:	175-feet
Direction:	West
Elevation:	Higher
Comments:	• Phase II environmental site assessments were completed for the Delray Beach CRA by this office on April 5, 2006 and August 29, 2008 for the properties bordering the southern and eastern property boundaries of the south and east of the Florida Drycleaners Delray Phoenix property. The results of these investigations indicated that contaminants on this property do not extend off site. **Not a REC.**

Brownfields Sites

Site Name:	Carver Square Dump
Databases:	SWF, Brownfields
Address:	Delray Beach, FL
Distance:	1,240-feet
Direction:	South
Elevation:	Equal
Comments:	• Closed, No Groundwater Monitoring. Far enough removed and hydraulically down-gradient **NOT A REC.**

COMMENTS:

The EDR Radius Map Report identified 20 unmappable 'orphan' facilities. EDA carefully reviewed all of these listings and did not identify any facilities of concern due either to the insignificance of the listing or their distance from the Site. The review of standard environmental record sources assisted in the evaluation of the Site, but did not identify Recognized Environmental Conditions associated with the property. Supplemental environmental records, as relevant and available, are included in Appendix IV of this report.

7.2 Deviations

Standard Federal, State, and tribal environmental record sources were reviewed in accordance with the most current AAI regulations and ASTM Standard E 1527-05 using the ASTM specified search distances. No deviations are noted.

7.3 Additional Environmental Record Sources

Additional environmental record sources are checked in the reasonable judgment of the environmental professional in accordance with ASTM E 1527-05 Section 8.2.2. These record sources can include (as applicable):

- Local Brownfield Lists
- Local Lists of Landfill/Solid Waste Disposal Sites
- Local Lists of Hazardous waste/contaminated Sites
- Local lists of registered storage tanks
- Local Land Records (for AUL's)
- Records of Emergency Response Release Reports (42 U.S.C. 11004)
- Records of contaminated public wells

Comments:

- o No other additional record sources were reasonably ascertainable or otherwise available for review during the course of this investigation.

7.4 Physical Setting Sources

EDA reviewed physical setting sources to obtain general information on the topographic, geologic and hydrogeologic conditions as they relate to the Site and vicinity.

USGS Topographic Maps			
Date:	1984	**Anticipated GW flow direction:**	southeast
Quad ID#	Delray Beach, Florida		
Ft. Above MSL:	17 feet	**Distance to SW Bodies**	> 1 mile
Latitude:	N 26^0 27' 39.76"		
Longitude:	W 80^0 04' 45.84"		
Site land use	commercial		
Adjoining property land use	**North:** Commercial **South:** Residential **East:** Residential **West:** Vacant		

NRCS Soil Information	
Area:	Palm Beach County Area, Florida
Name:	Myakka-fine sand
Soil Description:	The Myakka component makes up 50 percent of the map unit. Slopes are 0 to 2 percent. This component is on flatwoods on marine terraces on coastal plains. The parent material consists of sandy marine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 12 inches during June, July, August, September. Organic matter content in the surface horizon is about 4 percent. Non-irrigated land capability classification is 4w. This soil does not meet hydric criteria. The soil has a slightly sodic horizon within 30 inches of the soil surface.

Regional geologic and hydrogeologic details are included in the Physical Setting Sources section of the attached standard environmental record sources (Appendix III).

7.5 Historical Use Information on the Property

7.5.1 Historical Summary

	Past Use*	Recommendations
Site:	Vacant (1922) & Undertaker (1926)	None

* Earliest historical reference source: Sanborn Fire Insurance Map, circa 1922.

7.5.2 Aerial Photography Review

To evaluate the previous land uses of the Site and surrounding area, a series of aerial photographs were reviewed. The aerial photographs provide a progressive overview of historic land use on the Site and surrounding areas. EDA reviewed aerial photographs dating from 1953 to 2009, available from several on-line sources. Please refer to Appendix I for copies of aerial photographs.

Year	Observations
1953	The Site is occupied by a single-story structure in this photo. Commercial land uses are evident along the north side of Atlantic Avenue in this photo. Residential land uses are present south of the Site. Vacant property borders the east and west sides of the Site in this photo.
1964	The Site is occupied by two single-story buildings in this photo. Commercial land uses are evident along the north side of Atlantic Avenue in this photo. One retail petroleum facility is located approximately 150-feet north of the Site at the northwest corner of the intersection of W. Atlantic Avenue and NW 6th Avenue (Jerome Figaro Stores). Residential land uses are present south of the Site. One retail petroleum facility (gas station) is present approximately 50 feet east of the Site at the southeast corner of the intersection of W. Atlantic Avenue and SW 6th Street (Neal's Station). One retail petroleum facility (gas station) is present approximately 200 feet east of the Site at the southeast corner of the intersection of W. Atlantic Avenue and SW 5th Street (BP #370627). The property west of the Site is vacant in this photo.
1975	The on-site structure has been expanded with an addition to one of the two single story buildings. Commercial land uses are evident along the north side of Atlantic Avenue in this photo. Residential land uses are present south of the Site. The properties east and west of the Site are vacant in this photo.
1986, 1995	The Site supports four individual buildings in this photo. Commercial land uses are evident along the north side of Atlantic Avenue in this photo. Residential land uses are present south of the Site. The area east of the Site is occupied by a single commercial structure in this photo. The property west of the Site is vacant in this photo.

Year	Observations
2009	The Site and surrounding properties are similar to previous aerials, and are similar to present conditions. A new structure has been constructed north of the Site.
Comments: Our review of historic aerial photographs indicates that the property has historically supported a mortuary. The review of this information did not reveal any additional cause for environmental concern on the Site.	

7.5.3 Property Ownership Records

The historical property ownership chain-of-title report for the subject property was not provided to EDA during this investigation. According to the Palm Beach County Property Appraiser's website, Shuler's Memorial Chapel, Inc. is listed as the current property owner.

7.5.4 Sanborn Fire Insurance Map Review

Historical Sanborn Fire Insurance Map coverage is available for the Site area for the following years: 1922, 1926, 1949 and 1963.

Date(s)	Property Comments	Surrounding Area Comments
1922	The Site is vacant in this map image.	**North** – Vacant Lot **South** – Vacant Lot **East** – Residential **West** - Unmapped
1926	Undertaker	**North** – Residential **South** – Church **East** – Residential **West** - Residential
1949	Undertaker	**North** – Residential **South** – Church **East** – Residential **West** - Residential
1963	Undertaker	**North** – Movies, Restaurant, Filling Station **South** – Residential **East** – Filling Station **West** - Residential

Note: The 1963 Sanborn Fire Insurance Map shows a filling station located approximately 50-feet east of the Site. No testing or regulatory records are on-file for this historical installation. Limited soil and groundwater testing should be completed to rule out any potential impacts stemming from this adjacent historical land use.

7.5.5 Local Street Directory Review

The review of this information assisted in our investigation but did not reveal any additional environmental concerns.

Date(s)	Property Comments	Surrounding Area Comments
Street Listing - W. Atlantic Avenue		
1948, 49	606 - Not listed	Residential listings
1953, 54	606 - Not listed 636 - Freeman & McCollum Mortuary	Residential, Taxi, Grocery, Liquor
1959	606 - Not listed 636 – Coleman Funeral Home	o 408 - Wrights Gulf Station o 546 – Deem Oil & Gasoline o 601 – Johnson's Service Station
1966	606 - Not listed 636 – Coleman Funeral Home	o 442 – Townsend Gulf Service Station o 501 - Gillion Willie Pure Oil Gasoline o 546 – Bill's National Oil Gasoline o 601 W. Atlantic Ave. – Joe's Gulf Station Auto Repair
1970	606 - Not listed 636 – Coleman Funeral Home	442 – Gulf Service Station Gasoline 601 – Joe's Gulf Station Auto Repair
1975	606 - Not listed 636 – Coleman Funeral Home	442 – Pullum Gulf Service 601 – Neal's Automotive Repair
1982	606 - Not listed 636 Francois Davidson	442 – Poor Jakes Gulf Service 501 – Neal's Union 76
1987	606 – Shuler's Memorial Chapel	501 – Neal's Union 76
1992	606 – Shuler's Memorial Chapel	Commercial listings
1999, 2004, 2009	606 – Shuler's Memorial Chapel	Commercial listings

The review of historical street directory listings reveals that a gas station was formerly located approximately 50-feet east of the Site at 546 W. Atlantic Avenue. No testing or regulatory records are on-file for this historical installation. Limited soil and groundwater testing should be completed to rule out any potential impacts stemming from this adjacent historical land use.

7.5.6 Land Use Records

According to information obtained from the Palm Beach County Property Appraiser's Office, the subject property is zoned commercial.

7.5.7 Other Historical Resources

Historical building records were not reviewed as part of this assessment.

7.6 Historical Use Information on Adjoining Properties

	Past Use*	Recommendations
North:	Commercial - Gas Station (Jerome Figaro Stores, 1963)	None
South:	Church & Residential (1922)	None
East:	Commercial - Gas Station (Neil's Station, 1963)	None
West:	Residential (1926)	None

* Earliest historical reference source: Sanborn Fire Insurance Map, circa 1922.

7.7 Data Gaps

Data gaps are deviations in the ASTM recommended guidelines for records review, site reconnaissance and interview processes. Significant data gaps can affect the ability of the environmental professional to identify Recognized Environmental Conditions associated with the current and past uses of the subject property. The earliest historical record source referenced in this report is the Sanborn Fire Insurance Map, circa 1922. Historical record sources indicate that the facility was occupied by Vacant (1922) & Undertaker (1926). Residential listings are recorded in the vicinity of the Site during this period. In accordance with ASTM, the historical use of the subject property should be identified back to 1940, if possible. Therefore, this historical reference satisfies the ASTM Criteria. No significant data gaps were identified.

8.0 FINDINGS

Recognized Environmental Condition (REC)

Finding: The review of historical street directory listings and Sanborn Fire Insurance maps reveals that a gas station was formerly located approximately 50-feet east of the Site at 546 W. Atlantic Avenue.

☼ **Issue:** No testing or regulatory records are on-file for this historical facility.

☞ **Recommendation:** *Limited soil and groundwater testing should be completed to rule out any potential impacts stemming from this adjacent historical land use.*

9.0 CONCLUSIONS

We have performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E 1527-05 on the Shuler's Memorial Chapel located at 606 W. Atlantic Avenue in Delray Beach, Palm Beach County, Florida 33444 (Site). Any exceptions to, or deletions from, this practice are described in *Section 2.3* of this report. This assessment has revealed no evidence of Recognized Environmental Conditions (REC) in connection with the property except for those listed in Section 8.0 above.

10.0 OPINIONS AND RECOMMENDATIONS

This assessment has revealed evidence of Recognized Environmental Conditions (REC) in connection with the property. Supplemental Phase II soil and groundwater testing should be completed to detemine whether the REC's have negatively impacted the soil and/or groundwater quality at the Site.

11.0 CERTIFICATION STATEMENT

October 21, 2010

Delray Beach CRA
20 North Swinton Avenue
Delray Beach, FL 33444
Attn: Mr. Vince Wooten
Development Manager
(561) 276-8640

RE: Phase I Environmental Site Assessment of:

Shuler's Memorial Chapel
606 W. Atlantic Avenue
Delray Beach, Palm Beach County, Florida 33444
EDA Project # 10062

Dear Mr. Wooten:

EnviroDesign Associates, Inc. (EDA) has completed a Phase I Environmental Site Assessment (ESA) for the above referenced property. This investigation was conducted in accordance with ASTM Practice E 1527-05 entitled "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process" (ASTM Standard), and EDA's professional judgment. We certify the contents of this report to be complete and accurate to the above referenced standards.

We appreciate the opportunity to offer our professional services. Please do not hesitate to contact us if you have any questions or if we can be of further assistance.

Sincerely,

EnviroDesign Associates, Inc.

Scot E. Wehmeyer	Joseph A. Pike, P.E.
Senior Project Manager	President

ENVIRONMENTAL PROFESSIONAL STATEMENT


I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in § 312.10 of 40 CFR 312. I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

Scot E. Wehmeyer
Sr. Project Manager



APPENDIX I

FIGURES



SITE LOCATION MAP

EnviroDesign Associates inc.
www.envdesign.com

298 Pineapple Grove Way,
Delray Beach, FL
Phone (561) 274-6500
Fax (561) 274-8558

Phase I Environmental Site Assessment
"Shulers Memorial Chapel"
606 W. Atlantic Ave., Delray Beach, FL

Drawn By:	Date: October 2010	Figure No.:
SEW	**Project No.:**10062	1



North


SITE LOCATION MAP

EnviroDesign Associates inc.
www.envdesign.com

298 Pineapple Grove Way,
Delray Beach, FL
Phone (561) 274-6500
Fax (561) 274-8558

Phase I Environmental Site Assessment
"Shulers Memorial Chapel"
606 W. Atlantic Ave., Delray Beach, FL

Drawn By:	Date: October 2010	Figure No.:
SEW	**Project No.:**10062	2



North

2009 Aerial Photograph

Approximate Scale 1" = 200'

EnviroDesign Associates inc.
www.envdesign.com

298 Pineapple Grove Way,
Delray Beach, FL
Phone (561) 274-6500
Fax (561) 274-8558

Phase I Environmental Site Assessment
"Shulers Memorial Chapel"
606 W. Atlantic Ave., Delray Beach, FL

Drawn By:	Date: October 2010	Figure No.:
SEW	**Project No.:**10062	3-1



North

1991 Aerial Photograph

Approximate Scale 1" = 200'

EnviroDesign Associates inc.
www.envdesign.com

298 Pineapple Grove Way,
Delray Beach, FL
Phone (561) 274-6500
Fax (561) 274-8558

Phase I Environmental Site Assessment
"Shulers Memorial Chapel"
606 W. Atlantic Ave., Delray Beach, FL

Drawn By:	Date: October 2010	Figure No.:
SEW	**Project No.:** 10062	3-2



North

1986 Aerial Photograph

Approximate Scale 1" = 200'

EnviroDesign Associates inc.
www.envdesign.com

298 Pineapple Grove Way,
Delray Beach, FL
Phone (561) 274-6500
Fax (561) 274-8558

Phase I Environmental Site Assessment
"Shulers Memorial Chapel"
606 W. Atlantic Ave., Delray Beach, FL

Drawn By:	Date: October 2010	Figure No.:
SEW	**Project No.:** 10062	3-3



North

1975 Aerial Photograph

Approximate Scale 1" = 200'

EnviroDesign Associates inc.
www.envdesign.com

298 Pineapple Grove Way,
Delray Beach, FL
Phone (561) 274-6500
Fax (561) 274-8558

Phase I Environmental Site Assessment
"Shulers Memorial Chapel"
606 W. Atlantic Ave., Delray Beach, FL

Drawn By:	Date: October 2010	Figure No.:
SEW	**Project No.:**10062	3-4



North

1964 Aerial Photograph

Approximate Scale 1" = 200'

EnviroDesign Associates inc.
www.envdesign.com

298 Pineapple Grove Way,
Delray Beach, FL
Phone (561) 274-6500
Fax (561) 274-8558

Phase I Environmental Site Assessment
"Shulers Memorial Chapel"
606 W. Atlantic Ave., Delray Beach, FL

Drawn By:	Date: October 2010	Figure No.:
SEW	**Project No.:**10062	3-5



North

1953 Aerial Photograph


Approximate Scale 1" = 300'

EnviroDesign Associates inc.
www.envdesign.com

298 Pineapple Grove Way,
Delray Beach, FL
Phone (561) 274-6500
Fax (561) 274-8558

Phase I Environmental Site Assessment
"Shulers Memorial Chapel"
606 W. Atlantic Ave., Delray Beach, FL

Drawn By:	Date: October 2010	Figure No.:
SEW	**Project No.:**10062	3-6



North

PBC Wellfield Protection Zones

EnviroDesign Associates inc.
www.envdesign.com
298 Pineapple Grove Way,
Delray Beach, FL
Phone (561) 274-6500
Fax (561) 274-8558

Phase I Environmental Site Assessment
"Shulers Memorial Chapel"
606 W. Atlantic Ave., Delray Beach, FL

Drawn By:	Date: October 2010	Figure No.:
SEW	**Project No.:**10062	4



APPENDIX II

COLOR PHOTOGRAPHS

Photo-1: View of Shuler's Memorial Chapel "Site" as seen from the northwest property corner, facing southeast.





Photo-2: View of the south facing covered driveway of Shuler's Memorial Chapel. This photo was taken from a point near the southern property boundary, facing north.

Photo-3: View of the east facing side of Shuler's Memorial Chapel, as seen from a point near the southeast building corner, facing north. This area is a service driveway for the mortuary.





Photo-4: View of the interior lobby of Shuler's Memorial Chapel.

Photo-5: View of the Chapel area.





Photo-6: View of the casket sales room.

Photo-7: View of the family conference room within the funeral parlor.





Photo-8: View of the entrance to the embalming room. Access was not provided to this interior area.



APPENDIX III

ENVIRONMENTAL DATABASE

Delray Beach CRA Acquisitions
SW 12th Avenue
Delray Beach, FL 33444

Inquiry Number: 2833930.1s
August 04, 2010

The EDR Radius Map™ Report with GeoCheck®

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

FORM-NULL-JUR

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	7
Orphan Summary	139
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-6
Physical Setting Source Map	A-12
Physical Setting Source Map Findings	A-14
Physical Setting Source Records Searched	A-106

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2010 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

SW 12TH AVENUE
DELRAY BEACH, FL 33444

COORDINATES

Latitude (North):	26.459310 - 26° 27' 33.5''
Longitude (West):	80.085300 - 80° 5' 7.1''
Universal Tranverse Mercator:	Zone 17
UTM X (Meters):	591186.1
UTM Y (Meters):	2926710.8
Elevation:	15 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	26080-D1 DELRAY BEACH, FL
Most Recent Revision:	1986

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL ---------- National Priority List
Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL ---------- National Priority List Deletions

Federal CERCLIS list

CERCLIS ---- Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY ---- Federal Facility Site Information listing

Federal CERCLIS NFRAP site List

CERC-NFRAP ---- CERCLIS No Further Remedial Action Planned

Federal RCRA CORRACTS facilities list

CORRACTS ---- Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF ---- RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG ---- RCRA - Large Quantity Generators

Federal institutional controls / engineering controls registries

US ENG CONTROLS ---- Engineering Controls Sites List
US INST CONTROL ---- Sites with Institutional Controls

Federal ERNS list

ERNS ---- Emergency Response Notification System

State- and tribal - equivalent CERCLIS

SHWS ---- Florida's State-Funded Action Sites

State and tribal leaking storage tank lists

INDIAN LUST ---- Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

INDIAN UST ---- Underground Storage Tanks on Indian Land
FF TANKS ---- Federal Facilities Listing
FEMA UST ---- Underground Storage Tank Listing

State and tribal voluntary cleanup sites

INDIAN VCP ---- Voluntary Cleanup Priority Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS ---- A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

ODI ---- Open Dump Inventory
DEBRIS REGION 9 ---- Torres Martinez Reservation Illegal Dump Site Locations
INDIAN ODI ---- Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL ---- Clandestine Drug Labs
Fl Sites ---- Sites List
PRIORITYCLEANERS ---- Priority Ranking List
US HIST CDL ---- National Clandestine Laboratory Register

Local Land Records

LIENS 2 ---- CERCLA Lien Information
LUCIS ---- Land Use Control Information System

Records of Emergency Release Reports

HMIRS ---- Hazardous Materials Information Reporting System
SPILLS ---- Oil and Hazardous Materials Incidents

Other Ascertainable Records

RCRA-NonGen ---- RCRA - Non Generators
DOT OPS ---- Incident and Accident Data
DOD ---- Department of Defense Sites
FUDS ---- Formerly Used Defense Sites
CONSENT ---- Superfund (CERCLA) Consent Decrees
ROD ---- Records Of Decision
UMTRA ---- Uranium Mill Tailings Sites
MINES ---- Mines Master Index File
TRIS ---- Toxic Chemical Release Inventory System
TSCA ---- Toxic Substances Control Act
FTTS ---- FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS ---- FIFRA/TSCA Tracking System Administrative Case Listing
SSTS ---- Section 7 Tracking Systems
ICIS ---- Integrated Compliance Information System
PADS ---- PCB Activity Database System
MLTS ---- Material Licensing Tracking System
RADINFO ---- Radiation Information Database
RAATS ---- RCRA Administrative Action Tracking System
UIC ---- Underground Injection Wells Database Listing
DRYCLEANERS ---- Drycleaning Facilities
DEDB ---- Ethylene Dibromide Database Results
NPDES ---- Wastewater Facility Regulation Database
AIRS ---- Permitted Facilities Listing
FL Cattle Dip. Vats ---- Cattle Dipping Vats
TIER 2 ---- Tier 2 Facility Listing
INDIAN RESERV ---- Indian Reservations
SCRD DRYCLEANERS ---- State Coalition for Remediation of Drycleaners Listing
COAL ASH DOE ---- Sleam-Electric Plan Operation Data

FINANCIAL ASSURANCE Financial Assurance Information Listing
COAL ASH EPA Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER PCB Transformer Registration Database

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants EDR Proprietary Manufactured Gas Plants

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 02/17/2010 has revealed that there are 4 RCRA-SQG sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
PALM BEACH COUNTY CARVER MIDDL	***301 SW 14TH AVE***	***SSW 1/4 - 1/2 (0.256 mi.)***	***5***	***14***
CHO, CENTER FOR HEMOTOLOGY AND	101 NW 13TH AVE STE 201	NNW 1/4 - 1/2 (0.299 mi.)	7	16
AMOCO SERVICE STATION #6305	***725 W ATLANTIC AVE***	***ENE 1/4 - 1/2 (0.342 mi.)***	***B9***	***25***
ECONO AUTO PAINTING & BODY WOR	***65 NW 18TH AVE***	***WNW 1/4 - 1/2 (0.460 mi.)***	***14***	***49***

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 02/17/2010 has revealed that there are

3 RCRA-CESQG sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
POMPEY PARK COMMUNITY CENTER	1100 NW 2ND ST	N 1/4 - 1/2 (0.419 mi.)	11	38
ANYTHING & EVERYTHING AUTOMOTI	***1865 DR ANDRES WAY***	***WSW 1/4 - 1/2 (0.463 mi.)***	***D17***	***65***
Lower Elevation	**Address**	**Direction / Distance**	**Map ID**	**Page**
EXXON CO USA #46701	***1909 W ATLANTIC AVE***	***WNW 1/4 - 1/2 (0.463 mi.)***	***C16***	***64***

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the Department of Environmental Protection's Facility Directory (Solid Waste Facilities).

A review of the SWF/LF list, as provided by EDR, and dated 04/26/2010 has revealed that there is 1 SWF/LF site within approximately 0.75 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WITTMER ENVIRONMENTAL SERVICES	80 DEPOT AVE.	NW 1/2 - 1 (0.522 mi.)	23	99

State and tribal leaking storage tank lists

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Protection's PCTO1--Petroleum Contamination Detail Report.

A review of the LUST list, as provided by EDR, and dated 05/07/2010 has revealed that there are 20 LUST sites within approximately 0.75 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
PHILLIPS MARKET INC	***945 W ATLANTIC AVE***	***NE 1/8 - 1/4 (0.211 mi.)***	***A2***	***8***
Discharge Cleanup Status: RA - RA ONGOING				
DIRECT TRANSPORT-DELRAY SPILL	ATLANTIC AVE / WOOLBR	NW 1/8 - 1/4 (0.220 mi.)	3	11
Discharge Cleanup Status: NFA - NFA COMPLETE				
UNIQUE OIL #8	***805 W ATLANTIC AVE***	***ENE 1/4 - 1/2 (0.299 mi.)***	***B8***	***18***
Discharge Cleanup Status: RA - RA ONGOING				
AMOCO SERVICE STATION #6305	***725 W ATLANTIC AVE***	***ENE 1/4 - 1/2 (0.342 mi.)***	***B9***	***25***
Discharge Cleanup Status: NFA - NFA COMPLETE				
Discharge Cleanup Status: NFA - NFA COMPLETE				
CEMEX-DELRAY BEACH READY-MIX &	***1700 W ATLANTIC AVE***	***WNW 1/4 - 1/2 (0.445 mi.)***	***C13***	***45***
Discharge Cleanup Status: NFA - NFA COMPLETE				
ANYTHING & EVERYTHING AUTOMOTI	***1865 DR ANDRES WAY***	***WSW 1/4 - 1/2 (0.463 mi.)***	***D17***	***65***
Discharge Cleanup Status: SRCR - SRCR COMPLETE				
NEALS STATION	***507 W ATLANTIC AVE***	***ENE 1/4 - 1/2 (0.466 mi.)***	***E18***	***76***
Discharge Cleanup Status: NREQ - CLEANUP NOT REQUIRED				
CLIMATE CTRL SRVCS INC	***1900 MCNAB AVE***	***W 1/4 - 1/2 (0.484 mi.)***	***F19***	***80***
Discharge Cleanup Status: NFA - NFA COMPLETE				

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BP #370627	***442 W ATLANTIC AVE***	***ENE 1/2 - 1 (0.500 mi.)***	***E21***	***85***
Discharge Cleanup Status: NFA - NFA COMPLETE				
FORMER STAMDARD OIL FACILITY	142-150 NW 4TH AVE	NE 1/2 - 1 (0.604 mi.)	29	124
Discharge Cleanup Status: SRCR - SRCR COMPLETE				

Lower Elevation	Address	Direction / Distance	Map ID	Page
ATLANTIC & 95 INC	***1909 W ATLANTIC AVE***	***WNW 1/4 - 1/2 (0.463 mi.)***	***C15***	***53***
Discharge Cleanup Status: INEL - INELIGIBLE FOR CLEANUP ASSISTANCE				
Discharge Cleanup Status: RA - RA ONGOING				
SHELL #1093	***1960 W ATLANTIC AVE***	***W 1/2 - 1 (0.507 mi.)***	***F22***	***90***
Discharge Cleanup Status: SRCR - SRCR COMPLETE				
Discharge Cleanup Status: NREQ - CLEANUP NOT REQUIRED				
DELRAY BEACH AUTO RECYCLING	***110 NW 18TH AVE***	***NW 1/2 - 1 (0.524 mi.)***	***G24***	***99***
Discharge Cleanup Status: NFA - NFA COMPLETE				
Discharge Cleanup Status: NFA - NFA COMPLETE				
CHEVRON #50128	***2001 W ATLANTIC AVE***	***W 1/2 - 1 (0.534 mi.)***	***F25***	***103***
Discharge Cleanup Status: SRCR - SRCR COMPLETE				
Discharge Cleanup Status: SRCR - SRCR COMPLETE				
CRUMBO MORTAR SERVICE INC	***230 NW 18TH AVE***	***NW 1/2 - 1 (0.555 mi.)***	***G26***	***108***
Discharge Cleanup Status: NREQ - CLEANUP NOT REQUIRED				
CONTINENTAL FL MATERIALS INC	***1860 NW 1ST ST***	***WNW 1/2 - 1 (0.559 mi.)***	***G27***	***111***
Discharge Cleanup Status: NREQ - CLEANUP NOT REQUIRED				
HUNTER CRANE	***2189 W ATLANTIC AVE***	***W 1/2 - 1 (0.602 mi.)***	***28***	***117***
Discharge Cleanup Status: RA - RA ONGOING				
MASTEC NORTH AMERICA INC	***2020 NW 1ST ST***	***WNW 1/2 - 1 (0.649 mi.)***	***30***	***126***
Discharge Cleanup Status: NFA - NFA COMPLETE				
DAVID JONES BUILDER INC	***3401 W ATLANTIC AVE***	***W 1/2 - 1 (0.676 mi.)***	***31***	***131***
Discharge Cleanup Status: NREQ - CLEANUP NOT REQUIRED				
DELRAY BEACH CITY-20 SERIES WE	***1449 SW 8TH ST***	***SSW 1/2 - 1 (0.723 mi.)***	***32***	***134***
Discharge Cleanup Status: NFA - NFA COMPLETE				

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. Shortly after the September 11 event, the DEP was instructed to remove the detail about some of the storage tank facilities in the state from their reports. Federal-owned facilities and bulk storage facilities are included in that set.

A review of the UST list, as provided by EDR, and dated 05/07/2010 has revealed that there are 10 UST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
S & R BEAUTY SUPPLY	1034 W ATLANTIC AVE	NE 1/8 - 1/4 (0.184 mi.)	A1	8
PHILLIPS MARKET INC	***945 W ATLANTIC AVE***	***NE 1/8 - 1/4 (0.211 mi.)***	***A2***	***8***
UNIQUE OIL #8	***805 W ATLANTIC AVE***	***ENE 1/4 - 1/2 (0.299 mi.)***	***B8***	***18***
AMOCO SERVICE STATION #6305	***725 W ATLANTIC AVE***	***ENE 1/4 - 1/2 (0.342 mi.)***	***B9***	***25***
JEROME FIGARO STORES	601 W ATLANTIC AVE	ENE 1/4 - 1/2 (0.411 mi.)	10	36
CEMEX - DELRAY BEACH READY-MIX	***1700 W ATLANTIC AVE***	***WNW 1/4 - 1/2 (0.445 mi.)***	***C12***	***41***

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NEALS STATION	***507 W ATLANTIC AVE***	***ENE 1/4 - 1/2 (0.466 mi.)***	***E18***	***76***
CLIMATE CTRL SRVCS INC	***1900 MCNAB AVE***	***W 1/4 - 1/2 (0.484 mi.)***	***F19***	***80***
MCEWEN LUMBER CO	1860 SW 2ND ST	WSW 1/4 - 1/2 (0.485 mi.)	D20	84

Lower Elevation	Address	Direction / Distance	Map ID	Page
ATLANTIC & 95 INC	***1909 W ATLANTIC AVE***	***WNW 1/4 - 1/2 (0.463 mi.)***	***C15***	***53***

AST: Shortly after the Sept 11 event, the DEP was instructed to remove the detail about some of the storage tank facilities in the state from their reports. Federal-owned facilities and bulk storage facilities are included in that set.

A review of the AST list, as provided by EDR, and dated 05/07/2010 has revealed that there are 2 AST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CEMEX - DELRAY BEACH READY-MIX	***1700 W ATLANTIC AVE***	***WNW 1/4 - 1/2 (0.445 mi.)***	***C12***	***41***
ANYTHING & EVERYTHING AUTOMOTI	***1865 DR ANDRES WAY***	***WSW 1/4 - 1/2 (0.463 mi.)***	***D17***	***65***

State and tribal institutional control / engineering control registries

ENG CONTROLS: The registry is a database of all contaminated sites in the state of Florida which are subject to engineering controls. Engineering Controls encompass avariety of engineered remedies to contain and/or reduce , contamination , and/or physical barriers intended to limit access to property ECs include fences, signs, guards, landfill caps, provision of potable water , slurry walls, sheet pile (vertical caps), pumping and treatment of groundwater, monitoring wells, and vapor extraction systems.

A review of the ENG CONTROLS list, as provided by EDR, and dated 07/07/2010 has revealed that there is 1 ENG CONTROLS site within approximately 0.75 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
FLORIDA DRYCLEANERS DELRAY PHO	***710 WEST ATLANTIC AVE***	***ENE 1/4 - 1/2 (0.291 mi.)***	***B6***	***15***

INST CONTROL: The registry is a database of all contaminated sites in the state of Florida which are subject to institutional and engineering controls.

A review of the INST CONTROL list, as provided by EDR, and dated 07/07/2010 has revealed that there is 1 INST CONTROL site within approximately 0.75 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
FLORIDA DRYCLEANERS DELRAY PHO	***710 WEST ATLANTIC AVE***	***ENE 1/4 - 1/2 (0.291 mi.)***	***B6***	***15***

State and tribal voluntary cleanup sites

VCP: The Florida Voluntary Cleanup Program database.

A review of the VCP list, as provided by EDR, and dated 06/01/2010 has revealed that there is 1 VCP site within approximately 0.75 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
FLORIDA DRYCLEANERS DELRAY PHO	***710 WEST ATLANTIC AVE***	***ENE 1/4 - 1/2 (0.291 mi.)***	***B6***	***15***

State and tribal Brownfields sites

BROWNFIELDS: Brownfield Areas.

A review of the BROWNFIELDS list, as provided by EDR, and dated 07/12/2010 has revealed that there is 1 BROWNFIELDS site within approximately 0.75 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CARVER SQUARE BROWNFIELD AREA		ESE 1/4 - 1/2 (0.297 mi.)	0	7

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: A listing of recycling centers located in the state of Florida.

A review of the SWRCY list, as provided by EDR, and dated 10/19/2009 has revealed that there is 1 SWRCY site within approximately 0.75 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ALL FLORIDA METALS RECYCLING L	800 SOUTHWEST 17TH AVE.	SSW 1/2 - 1 (0.734 mi.)	33	138

Other Ascertainable Records

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 04/14/2010 has revealed that there is 1 FINDS site within approximately 0.25 miles of the target property.

EXECUTIVE SUMMARY


Lower Elevation	Address	Direction / Distance	Map ID	Page
VILLAGE ACADEMY ELEMENTARY	400 SW 12TH AVE	S 1/8 - 1/4 (0.246 mi.)	4	13

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

Site Name	Database(s)
TUSCANY ON THE INTRACOASTAL	UIC
JUPITER OCEAN & RACQUET CLUB CONDO	UIC
SOUTHERN CROP SERVICES INC	CERCLIS-NFRAP,FINDS,RCRA-SQG
JIM'S AUTO AIR AND REPAIR	CERCLIS-NFRAP
DELRAY BEACH CITY	UST
O C TAYLOR MOTORS	UST
O C TAYLOR JEEP EAGLE	UST
PUBLIX SITE	UST
CARLOS TRUCKING SPILL SITE	UST
STEVE MOORE CHEVROLET DELRAY	AST
DENNIS FRONRATH CHEVROLET-ROSS OIL	AST
DAVES AUTO BODY & REPAIRS INC	FINDS,RCRA-CESQG
DELRAY TOYOTA - PHASE 1 & 2	FINDS
MILESTONE	FINDS,WW
DELRAY COLD STORAGE	FINDS
CITY WALK IN PINEAPPLE GROVE	FINDS,WW
DELRAY BEACH, CITY OF - ASR WELL R	FINDS
DELRAY TOYOTA - PHASE 1 & 2	WW
O C TAYLOR MOTORS	FINANCIAL ASSURANCE
TAYLOR MOTORS INC	FINANCIAL ASSURANCE

OVERVIEW MAP - 2833930.1s




- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- County Boundary
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands
- FL Brownfield

SITE NAME:	Delray Beach CRA Acquisitions	CLIENT:	Enviro Design Assoc., Inc.
ADDRESS:	SW 12th Avenue Delray Beach FL 33444	CONTACT:	Scot Wehmeyer
LAT/LONG:	26.4593 / 80.0853	INQUIRY #:	2833930.1s
		DATE:	August 04, 2010 1:21 pm

Copyright © 2010 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

DETAIL MAP - 2833930.1s



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone
- FL Brownfield

SITE NAME:	Delray Beach CRA Acquisitions	CLIENT:	Enviro Design Assoc., Inc.
ADDRESS:	SW 12th Avenue Delray Beach FL 33444	CONTACT:	Scot Wehmeyer
LAT/LONG:	26.4593 / 80.0853	INQUIRY #:	2833930.1s
		DATE:	August 04, 2010 1:22 pm

Copyright © 2010 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL		1.250	0	0	0	0	0	0
Proposed NPL		1.250	0	0	0	0	0	0
NPL LIENS		0.250	0	0	NR	NR	NR	0
Federal Delisted NPL site list								
Delisted NPL		1.250	0	0	0	0	0	0
Federal CERCLIS list								
CERCLIS		0.750	0	0	0	0	NR	0
FEDERAL FACILITY		1.250	0	0	0	0	0	0
Federal CERCLIS NFRAP site List								
CERC-NFRAP		0.750	0	0	0	0	NR	0
Federal RCRA CORRACTS facilities list								
CORRACTS		1.250	0	0	0	0	0	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF		0.750	0	0	0	0	NR	0
Federal RCRA generators list								
RCRA-LQG		0.500	0	0	0	NR	NR	0
RCRA-SQG		0.500	0	0	4	NR	NR	4
RCRA-CESQG		0.500	0	0	3	NR	NR	3
Federal institutional controls / engineering controls registries								
US ENG CONTROLS		0.750	0	0	0	0	NR	0
US INST CONTROL		0.750	0	0	0	0	NR	0
Federal ERNS list								
ERNS		0.250	0	0	NR	NR	NR	0
State- and tribal - equivalent CERCLIS								
SHWS		1.250	0	0	0	0	0	0
State and tribal landfill and/or solid waste disposal site lists								
SWF/LF		0.750	0	0	0	1	NR	1
State and tribal leaking storage tank lists								
LUST		0.750	0	2	7	11	NR	20
INDIAN LUST		0.750	0	0	0	0	NR	0
State and tribal registered storage tank lists								
UST		0.500	0	2	8	NR	NR	10

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
AST		0.500	0	0	2	NR	NR	2
INDIAN UST		0.500	0	0	0	NR	NR	0
FF TANKS		0.500	0	0	0	NR	NR	0
FEMA UST		0.500	0	0	0	NR	NR	0
State and tribal institutional control / engineering control registries								
ENG CONTROLS		0.750	0	0	1	0	NR	1
INST CONTROL		0.750	0	0	1	0	NR	1
State and tribal voluntary cleanup sites								
INDIAN VCP		0.750	0	0	0	0	NR	0
VCP		0.750	0	0	1	0	NR	1
State and tribal Brownfields sites								
BROWNFIELDS		0.750	0	0	1	0	NR	1
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS		0.750	0	0	0	0	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
ODI		0.750	0	0	0	0	NR	0
DEBRIS REGION 9		0.750	0	0	0	0	NR	0
SWRCY		0.750	0	0	0	1	NR	1
INDIAN ODI		0.750	0	0	0	0	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US CDL		0.250	0	0	NR	NR	NR	0
Fl Sites		1.250	0	0	0	0	0	0
PRIORITYCLEANERS		0.750	0	0	0	0	NR	0
US HIST CDL		0.250	0	0	NR	NR	NR	0
Local Land Records								
LIENS 2		0.250	0	0	NR	NR	NR	0
LUCIS		0.750	0	0	0	0	NR	0
Records of Emergency Release Reports								
HMIRS		0.250	0	0	NR	NR	NR	0
SPILLS		0.250	0	0	NR	NR	NR	0
Other Ascertainable Records								
RCRA-NonGen		0.500	0	0	0	NR	NR	0
DOT OPS		0.250	0	0	NR	NR	NR	0
DOD		1.250	0	0	0	0	0	0
FUDS		1.250	0	0	0	0	0	0
CONSENT		1.250	0	0	0	0	0	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
ROD		1.250	0	0	0	0	0	0
UMTRA		0.750	0	0	0	0	NR	0
MINES		0.500	0	0	0	NR	NR	0
TRIS		0.250	0	0	NR	NR	NR	0
TSCA		0.250	0	0	NR	NR	NR	0
FTTS		0.250	0	0	NR	NR	NR	0
HIST FTTS		0.250	0	0	NR	NR	NR	0
SSTS		0.250	0	0	NR	NR	NR	0
ICIS		0.250	0	0	NR	NR	NR	0
PADS		0.250	0	0	NR	NR	NR	0
MLTS		0.250	0	0	NR	NR	NR	0
RADINFO		0.250	0	0	NR	NR	NR	0
FINDS		0.250	0	1	NR	NR	NR	1
RAATS		0.250	0	0	NR	NR	NR	0
UIC		0.250	0	0	NR	NR	NR	0
DRYCLEANERS		0.500	0	0	0	NR	NR	0
DEDB		0.750	0	0	0	0	NR	0
NPDES		0.250	0	0	NR	NR	NR	0
AIRS		0.250	0	0	NR	NR	NR	0
FL Cattle Dip. Vats		0.750	0	0	0	0	NR	0
TIER 2		0.250	0	0	NR	NR	NR	0
INDIAN RESERV		1.250	0	0	0	0	0	0
SCRD DRYCLEANERS		0.750	0	0	0	0	NR	0
COAL ASH DOE		0.250	0	0	NR	NR	NR	0
FINANCIAL ASSURANCE		0.250	0	0	NR	NR	NR	0
COAL ASH EPA		0.750	0	0	0	0	NR	0
PCB TRANSFORMER		0.250	0	0	NR	NR	NR	0
EDR PROPRIETARY RECORDS								
EDR Proprietary Records								
Manufactured Gas Plants		1.250	0	0	0	0	0	0

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

ESE **CARVER SQUARE BROWNFIELD AREA** **BROWNFIELDS** **S108634466**
1/4-1/2 **N/A**
1569 ft. **DELRAY BEACH, FL**

BROWNFIELDS:

Area Id:	BF500701000
Acreage:	2.54283
Resolution Date:	4/3/2007
DEP District:	Southeast
User Name:	CLARKE_C
Dt Graphics Finished:	4/30/2007
Source:	City of Delray Beach
Resolution:	20-07
Obj Id:	211
Latitude:	26.4567835432
Latitude Degree:	26
Latitude Minute:	27
Latitude Second:	24.42075552
Longitude:	-80.0805953286
Longitude Degree:	80
Longitude Minute:	4
Longitude Second:	50.14318296
X Coordinate:	790081.3466
Y Coordinate:	278644.8627
Area:	10290.467716
Method:	paper

Brownfield Area Name:	Carver Square Brownfield Area
Brownfield Program Site Id:	BF500701001
Brownfield Program Site Id:	BF500701001
Brownfield Site Name:	Delray Beach CRA Brownfield Site
Brownfield Site Addr:	Southeast Corner of SW 8th Avenue and SW 2nd Court
BSRA City:	DELRAY BEACH
City Code:	1000
BSRA County:	PALM BEACH
County Code:	50
FDEP District:	Southeast
District Code:	SED
Acreage:	2.542831
Obj Id:	122
Site Remediation Progress:	AWAITING CLEANUP
Tech/Analyst Who Processed The Graphics:	CLARKE_C
Date Graphics Finished For Each Feature:	2/13/2008
BSRA Date:	2/1/2008
SRCO Date:	12:00:00 AM
Latitude:	26.4567835464
Latitude Degree:	26
Latitude Minute:	27
Latitude Second:	24.3737
Longitude:	-80.0805953289
Longitude Degree:	80
Longitude Minute:	4
Longitude Seconds:	50.0624
X Coordinate:	790081.3466
Y Coordinate:	278644.8627
Verification:	DPHO
Verification Date:	12:00:00 AM
Comments:	Not reported
Source Of Info And/or Data For Each Feature:	Copied from City of Delray Beach area designation
Processing Methodology:	shp

A1 **S & R BEAUTY SUPPLY** **UST** **U001378989**
NE **1034 W ATLANTIC AVE** **N/A**
1/8-1/4 **DELRAY BEACH, FL**
0.184 mi.
973 ft. **Site 1 of 2 in cluster A**

Relative:
Higher

Actual:
16 ft.

UST:
Facility ID: 9202492
Facility Phone: Not reported
Facility Status: CLOSED
Facility Type: Fuel User / Non-retail
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 22 40 / 80 5 2
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 15000
Owner Name: MR & MRS BUTLER
Owner Address: 5567 NAYLOR CT
Owner Address 2: Not reported
Owner City,St,Zip: NORCROSS, GA 30092
Owner Contact: Not reported
Owner Phone: (000) 000-0000

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Waste oil
Content Description: Waste Oil
Vessel Indicator: TANK
Gallons: 550
Install Date: Not reported
Status: Removed
Status Date: 30-JUN-1992

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

A2 **PHILLIPS MARKET INC** **LUST** **U001367636**
NE **945 W ATLANTIC AVE** **UST** **N/A**
1/8-1/4 **DELRAY BEACH, FL 33444**
0.211 mi.
1114 ft. **Site 2 of 2 in cluster A**

Relative:
Higher

Actual:
16 ft.

LUST:
Region: STATE
Facility Id: 9047030
Facility Status: CLOSED
Facility Type: A - Retail Station -

PHILLIPS MARKET INC (Continued) **U001367636**

Facility Phone: Not reported
Facility Cleanup Rank: 2597
District: Southeast District
Lat/Long (dms): 26 27 42.59 / 80 4 58.46
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: AGPS
Datum: 0
Score: 61
Score Effective Date: 12-12-2005
Score When Ranked: 55
Operator: MOEEN H KHALIL
Name Update: Not reported
Address Update: Not reported

Petroleum Cleanup PCT Facility Score:
Highest current score: 61
Facility Cleanup Status: ONGO
Srp Stcm Related Party Id: 9193
Fprtc FacParty Related Type Id: ACCOUNT OWNER
Contact: FATHI ATULAY
Contact Company: HAGWOOD, HARRY
Contact Address: 112 NW 11TH AVE
Contact City: DELRAY BEACH
Contact Stat: FL
Contact Zip: 33444
Phone: 4072782044
Bad Address Ind: N

Discharge Cleanup Summary:
Discharge Date: 06-01-1992
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: RA - RA ONGOING
Disch Cleanup Status Date: 02-26-2002
Cleanup Work Status: ACTIVE
Information Source: A - ABANDONED TANK RESTORATION
Other Source Description: Not reported
Eligibility Indicator: E
Site Manager: NORTON_P
Site Mgr End Date: Not reported
Tank Office: PCLP50 - Palm Beach County

Petroleum Cleanup Program Eligibility:
Facility ID: 9047030
Discharge Date: 06-01-1992
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: RA - RA ONGOING
Disch Cleanup Status Date: 02-26-2002
Cleanup Work Status: ACTIVE
Information Source: A - ABANDONED TANK RESTORATION
Other Source Description: Not reported
Application Received Date: 06-02-1992
Cleanup Program: A - ABANDONED TANK RESTORATION PROGRAM
Eligibility Status: 11-13-1992

PHILLIPS MARKET INC (Continued) **U001367636**

Elig Status Date:	11-13-1992
Letter Of Intent Date:	07-13-1993
Redetermined:	No
Inspection Date:	06-12-1992
Site Manager:	NORTON_P
Site Mgr End Date:	Not reported
Tank Office:	PCLP50 - Palm Beach County
Deductible Amount:	$500.00
Deductible Paid To Date:	$500.00
Co-Pay Amount:	$0.00
Co-Pay Paid To Date:	$0.00
Cap Amount:	Not reported

Contaminated Media:

Discharge Date:	06-01-1992
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	RA - RA ONGOING
Disch Cleanup Status Date:	02-26-2002
Cleanup Work Status:	ACTIVE
Information Source:	A - ABANDONED TANK RESTORATION
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	NORTON_P
Site Mgr End Date:	Not reported
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	Yes
Contaminated Soil:	Yes
Contaminated Surface Water:	No
Contaminated Ground Water:	Yes
Pollutant:	K - KEROSENE
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported

Task Information:

District:	SED
Facility ID:	9047030
Facility Status:	CLOSED
Facility Type:	A - Retail Station
County:	PALM BEACH
County ID:	50
Score Effective Date:	12/12/2005
Cleanup Eligibility Status:	E
Source Effective Date:	Not reported
Discharge Date:	6/1/1992
Cleanup Required:	R
Discharge Cleanup Status:	RA
Disch Cleanup Status Date:	02/26/2002
SRC Action Type:	Not reported
SRC Submit Date:	Not reported
SRC Review Date:	Not reported
SRC Completion Status:	Not reported
SRC Issue Date:	Not reported
SRC Comment:	Not reported

UST:

Facility ID:	9047030

PHILLIPS MARKET INC (Continued) **U001367636**

Facility Phone: Not reported
Facility Status: CLOSED
Facility Type: Retail Station
Type Description: Retail Station
DEP Contrctr Own: No
Lat/Long (dms): 26 27 40 / 80 5 1
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 9193
Owner Name: HAGWOOD, HARRY
Owner Address: 112 NW 11TH AVE
Owner Address 2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33444
Owner Contact: FATHI ATULAY
Owner Phone: (407) 278-2044

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Kerosene
Content Description: Kerosene
Vessel Indicator: TANK
Gallons: 450
Install Date: Not reported
Status: Removed
Status Date: 30-JUN-1992

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

---

3 **DIRECT TRANSPORT-DELRAY SPILL** **LUST** **S105117971**
NW **ATLANTIC AVE / WOOLBRIGHT RD** **N/A**
1/8-1/4 **DELRAY BEACH, FL**
0.220 mi.
1161 ft.

Relative:
Higher

Actual:
18 ft.

LUST:
Region: STATE
Facility Id: 9202780
Facility Status: CLOSED
Facility Type: C - Fuel user/Non-retail -
Facility Phone: (305) 761-8901
Facility Cleanup Rank: Not reported
District: Southeast District
Lat/Long (dms): 26 30 28.71 / 80 4 28.21
Section: Not reported
Township: Not reported

DIRECT TRANSPORT-DELRAY SPILL (Continued) **S105117971**

Range: Not reported
Feature: Not reported
Method: AGPS
Datum: 0
Score: Not reported
Score Effective Date: Not reported
Score When Ranked: Not reported
Operator: PETRAS, BOB
Name Update: Not reported
Address Update: Not reported

Discharge Cleanup Summary:
Discharge Date: 11-15-1990
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 02-18-2005
Cleanup Work Status: COMPLETED
Information Source: P - 17-770 PETROL/PETROL PROD CONTAMINATION
Other Source Description: Not reported
Eligibility Indicator: I
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -

Petroleum Cleanup Program Eligibility:
Facility ID: Not reported
Discharge Date: Not reported
Pct Discharge Combined With: Not reported
Cleanup Required: Not reported
Discharge Cleanup Status: Not reported
Disch Cleanup Status Date: Not reported
Cleanup Work Status: Not reported
Information Source: Not reported
Other Source Description: Not reported
Application Received Date: Not reported
Cleanup Program: Not reported
Eligibility Status: Not reported
Elig Status Date: Not reported
Letter Of Intent Date: Not reported
Redetermined: Not reported
Inspection Date: Not reported
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: Not reported
Deductible Amount: Not reported
Deductible Paid To Date: Not reported
Co-Pay Amount: Not reported
Co-Pay Paid To Date: Not reported
Cap Amount: Not reported

Contaminated Media:
Discharge Date: 11-15-1990
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 02-18-2005
Cleanup Work Status: COMPLETED
Information Source: P - 17-770 PETROL/PETROL PROD CONTAMINATION

DIRECT TRANSPORT-DELRAY SPILL (Continued) **S105117971**

Other Source Description:	Not reported
Elig Indicator:	I - INELIGIBLE
Site Manager:	Not reported
Site Mgr End Date:	Not reported
Tank Office:	-
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	Yes
Contaminated Soil:	Yes
Contaminated Surface Water:	No
Contaminated Ground Water:	Yes
Pollutant:	D - VEHICULAR DIESEL
Pollutant Other Description:	Not reported
Gallons Discharged:	7500

Task Information:

District:	SED
Facility ID:	9202780
Facility Status:	CLOSED
Facility Type:	C - Fuel user/Non-retail
County:	PALM BEACH
County ID:	50
Score Effective Date:	Not reported
Cleanup Eligibility Status:	Not reported
Source Effective Date:	1/27/1994
Discharge Date:	11/15/1990
Cleanup Required:	R
Discharge Cleanup Status:	NFA
Disch Cleanup Status Date:	02/18/2005
SRC Action Type:	NFA
SRC Submit Date:	6/24/1993
SRC Review Date:	1/10/1994
SRC Completion Status:	A
SRC Issue Date:	1/27/1994
SRC Comment:	Not reported

---

4 **VILLAGE ACADEMY ELEMENTARY** **FINDS** **1011297064**
South **400 SW 12TH AVE** **N/A**
1/8-1/4 **DELRAY BEACH, FL 33444**
0.246 mi.
1299 ft.

Relative:
Lower

Actual:
14 ft.

FINDS:

Registry ID: 110036561084

Environmental Interest/Information System
NCES (National Center for Education Statistics) is the primary federal entity for collecting and analyzing data related to education in the United States and other nations and the institute of education sciences.

5
SSW
1/4-1/2
0.256 mi.
1350 ft.

PALM BEACH COUNTY CARVER MIDDLE
301 SW 14TH AVE
DELRAY BEACH, FL 33444

RCRA-SQG **1000700773**
FINDS **FLD982157828**

Relative:
Equal

Actual:
15 ft.

RCRA-SQG:

Date form received by agency:	03/04/1988
Facility name:	PALM BEACH COUNTY CARVER MIDDLE
Facility address:	301 SW 14TH AVE DELRAY BEACH, FL 334441455
EPA ID:	FLD982157828
Mailing address:	3323 BELVEDERE RD WEST PALM BEACH, FL 334061522
Contact:	MICHAEL SNYDER
Contact address:	3323 BELVEDERE RD WEST PALM BEACH, FL 334061522
Contact country:	US
Contact telephone:	3056845154
Contact email:	Not reported
EPA Region:	04
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	SNYDER MICHAEL
Owner/operator address:	3323 BELVEDERE RD WEST PALM BEACH, FL 33406
Owner/operator country:	US
Owner/operator telephone:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	10/18/1996
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No
Off-site waste receiver:	Commercial status unknown

PALM BEACH COUNTY CARVER MIDDLE (Continued) **1000700773**

Hazardous Waste Summary:
Waste code: F001
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110006382164

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

B6 **FLORIDA DRYCLEANERS DELRAY PHOENIX PHOENIX PLACE** **ENG CONTROLS** **S106200940**
ENE **710 WEST ATLANTIC AVE** **INST CONTROL** **N/A**
1/4-1/2 **DELRAY BEACH, FL 33444** **VCP**
0.291 mi.
1536 ft. **Site 1 of 3 in cluster B**

Relative:
Higher

Actual:
16 ft.

ENG CONTROLS:

Facility ID:	200275
ICR Site:	399
Inst Control Type:	WATER USE RESTRICTION
Engg Control Type:	SOIL CAP
Contaminated Media:	SOIL
Contamination:	OTHER ORGANIC COMPOUNDS
Lat/Long (dms):	26 27 41.4700 / 80 4 49.3340
Data Ammended:	Not reported
Date Removed:	Not reported
Mechanism - Date Order Issued:	10/3/2008
Inspection Date:	10/7/2003
Mechanism - Date IC Removed:	5/9/2008
Legal Description:	Not reported
Mechanism - Program Area:	OTHER
Comments:	Not reported

Inst Control:

Facility Id:	200275
Inst Control Type:	WATER USE RESTRICTION
Eng Control Type:	SOIL CAP

FLORIDA DRYCLEANERS DELRAY PHOENIX PHOENIX PLACE (Continued) **S106200940**

Contaminated Media:	SOIL
Contamination:	OTHER ORGANIC COMPOUNDS
Lat/Long (dms):	26 27 41.4700 / 80 4 49.3340
Date Amended:	Not reported
Mechanism - Date IC Removed:	5/9/2008
Mechanism - Program Area:	OTHER
Mechanism - Date Order Issued:	10/3/2008
Date Removed:	Not reported
Inspection Date:	10/7/2003
Legal Description:	Not reported
Comments:	Not reported

VCP:

System:	COMET
Facility Id:	200275
Activity Code:	Voluntary Cleanup Agreement Executed
Comet Project Id:	258666
Comet Site Id:	200275
Lat/Long (dms):	26 27 41.4699999 / 80 4 49.3340999
District:	SED
Open Date:	6/10/2002
Datum:	HARN
Object of Interest:	CAP_RAP SITE
Proximity:	APPRX
Accuracy:	11 meters to 20 meters
Verification Status:	REVIEWED
Collection Method:	UNVR
Close Date:	Not reported

7
NNW
1/4-1/2
0.299 mi.
1576 ft.

CHO, CENTER FOR HEMOTOLOGY AND ONCOLOGY **RCRA-SQG** **1010315518**
101 NW 13TH AVE STE 201 **FLR000133736**
DELRAY BEACH, FL 33444

Relative:
Higher

Actual:
16 ft.

RCRA-SQG:

Date form received by agency:	10/05/2006
Facility name:	CHO, CENTER FOR HEMOTOLOGY AND ONCOLOGY
Facility address:	101 NW 13TH AVE STE 201 DELRAY BEACH, FL 334441651
EPA ID:	FLR000133736
Mailing address:	101 NW 13TH ST BOCA RATON, FL 33432
Contact:	CHUCK WILLIAMSON
Contact address:	801 MEADOWS RD BOCA RATON, FL 334862346
Contact country:	US
Contact telephone:	5619554733
Contact email:	Not reported
EPA Region:	04
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

CHO, CENTER FOR HEMOTOLOGY AND ONCOLOGY (Continued) **1010315518**

Owner/Operator Summary:
Owner/operator name: CHO, CENTER FOR HEMOTOLOGY AND ONCOLOGY
Owner/operator address: 101 NW 13TH ST STE 201
BOCA RATON, FL 33486
Owner/operator country: US
Owner/operator telephone: 5614162345
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 08/01/2006
Owner/Op end date: Not reported

Owner/operator name: UNKOWN
Owner/operator address: Not reported
32399
Owner/operator country: Not reported
Owner/operator telephone: 8502458748
Legal status: State
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2004
Owner/Op end date: Not reported

Owner/operator name: CHO, CENTER FOR HEMOTOLOGY AND ONCOLOGY
Owner/operator address: 101 NW 13TH ST
BOCA RATON, FL 33432
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 08/01/2006
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Hazardous Waste Summary:
Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE

CHO, CENTER FOR HEMOTOLOGY AND ONCOLOGY (Continued) **1010315518**

MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: U010
Waste name: AZIRINO[2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[(AMINOCARBONYL)OXY]METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-METHOXY-5-METHYL-, [1AS-(1AALPHA, 8BETA,8AALPHA,8BALPHA)]-

Waste code: U026
Waste name: CHLORNAPHAZIN

Waste code: U035
Waste name: BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]-

Waste code: U058
Waste name: CYCLOPHOSPHAMIDE

Waste code: U059
Waste name: DAUNOMYCIN

Waste code: U150
Waste name: MELPHALAN

Waste code: U206
Waste name: GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-, D-

Waste code: U237
Waste name: 2,4-(1H,3H)-PYRIMIDINEDIONE, 5-[BIS(2-CHLOROETHYL)AMINO]-

Violation Status: No violations found

B8 **UNIQUE OIL #8** **LUST U001366219**
ENE **805 W ATLANTIC AVE** **UST N/A**
1/4-1/2 **DELRAY BEACH, FL 33444** **FINANCIAL ASSURANCE**
0.299 mi.
1579 ft. **Site 2 of 3 in cluster B**

Relative:
Higher

Actual:
16 ft.

LUST:
Region: STATE
Facility Id: 8514474
Facility Status: CLOSED
Facility Type: A - Retail Station -
Facility Phone: (305) 255-4145
Facility Cleanup Rank: 556
District: Southeast District
Lat/Long (dms): 26 27 42.8486 / 80 4 53.3018
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: AGPS
Datum: 0
Score: 76
Score Effective Date: 11-04-1997
Score When Ranked: 76
Operator: MIGUEL GUEVARA
Name Update: 12-29-1997
Address Update: 12-29-1997

UNIQUE OIL #8 (Continued) **U001366219**

Petroleum Cleanup PCT Facility Score:

Highest current score:	76
Facility Cleanup Status:	ONGO
Srp Stcm Related Party Id:	46813
Fprtc FacParty Related Type Id:	ACCOUNT OWNER
Contact:	MIGUEL GUEVARA
Contact Company:	UNIQUE OIL INC
Contact Address:	12305 S DIXIE HWY
Contact City:	MIAMI
Contact Stat:	FL
Contact Zip:	33156
Phone:	3052554145
Bad Address Ind:	N

Discharge Cleanup Summary:

Discharge Date:	05-15-1987
PCT Discharge Combined:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	RA - RA ONGOING
Disch Cleanup Status Date:	03-14-2001
Cleanup Work Status:	ACTIVE
Information Source:	E - EDI
Other Source Description:	Not reported
Eligibility Indicator:	E
Site Manager:	ROMERO_R
Site Mgr End Date:	Not reported
Tank Office:	PCLP50 - Palm Beach County

Petroleum Cleanup Program Eligibility:

Facility ID:	8514474
Discharge Date:	05-15-1987
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	RA - RA ONGOING
Disch Cleanup Status Date:	03-14-2001
Cleanup Work Status:	ACTIVE
Information Source:	E - EDI
Other Source Description:	Not reported
Application Received Date:	05-28-1987
Cleanup Program:	E - EARLY DETECTION INCENTIVE
Eligibility Status:	07-10-1987
Elig Status Date:	07-10-1987
Letter Of Intent Date:	08-18-1994
Redetermined:	No
Inspection Date:	06-18-1987
Site Manager:	ROMERO_R
Site Mgr End Date:	Not reported
Tank Office:	PCLP50 - Palm Beach County
Deductible Amount:	Not reported
Deductible Paid To Date:	$0.00
Co-Pay Amount:	Not reported
Co-Pay Paid To Date:	$0.00
Cap Amount:	Not reported

Contaminated Media:

Discharge Date:	05-15-1987
Pct Discharge Combined With:	Not reported

UNIQUE OIL #8 (Continued) **U001366219**

Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	RA - RA ONGOING
Disch Cleanup Status Date:	03-14-2001
Cleanup Work Status:	ACTIVE
Information Source:	E - EDI
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	ROMERO_R
Site Mgr End Date:	Not reported
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	Yes
Contaminated Soil:	Yes
Contaminated Surface Water:	No
Contaminated Ground Water:	Yes
Pollutant:	P - GENERIC GASOLINE
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported

Task Information:

District:	SED
Facility ID:	8514474
Facility Status:	CLOSED
Facility Type:	A - Retail Station
County:	PALM BEACH
County ID:	50
Score Effective Date:	11/04/1997
Cleanup Eligibility Status:	E
Source Effective Date:	Not reported
Discharge Date:	5/15/1987
Cleanup Required:	R
Discharge Cleanup Status:	RA
Disch Cleanup Status Date:	03/14/2001
SRC Action Type:	Not reported
SRC Submit Date:	Not reported
SRC Review Date:	Not reported
SRC Completion Status:	Not reported
SRC Issue Date:	Not reported
SRC Comment:	Not reported

UST:

Facility ID:	8514474
Facility Phone:	(305) 255-4145
Facility Status:	CLOSED
Facility Type:	Retail Station
Type Description:	Retail Station
DEP Contrctr Own:	No
Lat/Long (dms):	26 27 42 / 80 4 53
Positioning Method:	AGPS
Region:	STATE

Owner:

Owner Id:	46813
Owner Name:	UNIQUE OIL INC
Owner Address:	12305 S DIXIE HWY
Owner Address 2:	Not reported
Owner City,St,Zip:	MIAMI, FL 33156

UNIQUE OIL #8 (Continued) **U001366219**

Owner Contact: MIGUEL GUEVARA
Owner Phone: (305) 255-4145

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 4000
Install Date: 01-JAN-1965
Status: Removed
Status Date: 01-DEC-2005

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 4000
Install Date: 01-JAN-1965
Status: Removed
Status Date: 01-DEC-2005

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 4000
Install Date: 01-JAN-1965
Status: Removed
Status Date: 01-DEC-2005

UNIQUE OIL #8 (Continued) **U001366219**

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 4
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 4000
Install Date: 01-JAN-1965
Status: Removed
Status Date: 01-DEC-2005

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 5
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 4000
Install Date: 01-JAN-1965
Status: Removed
Status Date: 01-JUN-1998

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

UNIQUE OIL #8 (Continued) **U001366219**

FINANCIAL ASSURANCE 3:

Region:	3
Facility ID:	8514474
Facility Phone:	(305) 255-4145
Facility Status:	CLOSED
Facility Type:	A
Type Description:	Retail Station
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	FPLIPA
Effective Date:	04-JUN-1990
Expire Date:	27-NOV-1997
Owner ID:	46813
Onwer Name:	UNIQUE OIL INC
Owner Address:	12305 S DIXIE HWY
Owner Address2:	Not reported
Owner City,St,Zip:	MIAMI, FL 33156
Contact:	MIGUEL GUEVARA
Resp Party Phone:	(305) 255-4145

Region:	3
Facility ID:	8514474
Facility Phone:	(305) 255-4145
Facility Status:	CLOSED
Facility Type:	A
Type Description:	Retail Station
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	COMMERCE & INDUSTRY
Effective Date:	23-NOV-2004
Expire Date:	25-MAR-2008
Owner ID:	46813
Onwer Name:	UNIQUE OIL INC
Owner Address:	12305 S DIXIE HWY
Owner Address2:	Not reported
Owner City,St,Zip:	MIAMI, FL 33156
Contact:	MIGUEL GUEVARA
Resp Party Phone:	(305) 255-4145

FINANCIAL ASSURANCE 3:

Region:	3
Facility ID:	8514474
Facility Phone:	(305) 255-4145
Facility Status:	CLOSED
Facility Type:	A
Type Description:	Retail Station
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	FPLIPA
Effective Date:	04-JUN-1990
Expire Date:	27-NOV-1997
Owner ID:	46813
Onwer Name:	UNIQUE OIL INC
Owner Address:	12305 S DIXIE HWY
Owner Address2:	Not reported
Owner City,St,Zip:	MIAMI, FL 33156

UNIQUE OIL #8 (Continued) **U001366219**

Contact: MIGUEL GUEVARA
Resp Party Phone: (305) 255-4145

Region: 3
Facility ID: 8514474
Facility Phone: (305) 255-4145
Facility Status: CLOSED
Facility Type: A
Type Description: Retail Station
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: COMMERCE & INDUSTRY
Effective Date: 23-NOV-2004
Expire Date: 25-MAR-2008
Owner ID: 46813
Onwer Name: UNIQUE OIL INC
Owner Address: 12305 S DIXIE HWY
Owner Address2: Not reported
Owner City,St,Zip: MIAMI, FL 33156
Contact: MIGUEL GUEVARA
Resp Party Phone: (305) 255-4145

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8514474
Facility Phone: (305) 255-4145
Facility Status: CLOSED
Facility Type: A
Type Description: Retail Station
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: FPLIPA
Effective Date: 04-JUN-1990
Expire Date: 27-NOV-1997
Owner ID: 46813
Onwer Name: UNIQUE OIL INC
Owner Address: 12305 S DIXIE HWY
Owner Address2: Not reported
Owner City,St,Zip: MIAMI, FL 33156
Contact: MIGUEL GUEVARA
Resp Party Phone: (305) 255-4145

Region: 3
Facility ID: 8514474
Facility Phone: (305) 255-4145
Facility Status: CLOSED
Facility Type: A
Type Description: Retail Station
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: COMMERCE & INDUSTRY
Effective Date: 23-NOV-2004
Expire Date: 25-MAR-2008
Owner ID: 46813
Onwer Name: UNIQUE OIL INC
Owner Address: 12305 S DIXIE HWY
Owner Address2: Not reported

UNIQUE OIL #8 (Continued) **U001366219**

Owner City,St,Zip: MIAMI, FL 33156
Contact: MIGUEL GUEVARA
Resp Party Phone: (305) 255-4145

B9 **AMOCO SERVICE STATION #6305** **RCRA-SQG** **1000500977**
ENE **725 W ATLANTIC AVE** **FINDS** **FLD984210955**
1/4-1/2 **DELRAY BEACH, FL 33444** **LUST**
0.342 mi. **UST**
1807 ft. **Site 3 of 3 in cluster B** **FINANCIAL ASSURANCE**

Relative: Higher

Actual: 16 ft.

RCRA-SQG:
Date form received by agency: 09/27/1991
Facility name: AMOCO SERVICE STATION #6305
Facility address: 725 W ATLANTIC AVE
DELRAY BEACH, FL 334442559
EPA ID: FLD984210955
Contact: BETTY JENKINS
Contact address: 725 W ATLANTIC AVE
DELRAY BEACH, FL 334442559
Contact country: US
Contact telephone: 4072765183
Contact email: Not reported
EPA Region: 04
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: JENKINS BETTY
Owner/operator address: 725 W ATLANTIC AVE
DELRAY BEACH, FL 33444
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 10/18/1996
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

AMOCO SERVICE STATION #6305 (Continued) **1000500977**

Off-site waste receiver: Commercial status unknown

Hazardous Waste Summary:

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D018
Waste name: BENZENE

Violation Status: No violations found

FINDS:

Registry ID: 110005606601

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

LUST:

Region: STATE
Facility Id: 8514219
Facility Status: OPEN
Facility Type: A - Retail Station -
Facility Phone: (813) 681-4279
Facility Cleanup Rank: Not reported
District: Southeast District
Lat/Long (dms): 26 27 42.7913 / 80 4 50.1557
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: AGPS
Datum: 0
Score: 75
Score Effective Date: 03-14-1999
Score When Ranked: Not reported
Operator: RICK HERWEH
Name Update: 04-13-2009
Address Update: 04-13-2009

Discharge Cleanup Summary:

AMOCO SERVICE STATION #6305 (Continued) **1000500977**

Discharge Date:	02-14-1994
PCT Discharge Combined:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	NFA - NFA COMPLETE
Disch Cleanup Status Date:	12-05-1994
Cleanup Work Status:	COMPLETED
Information Source:	I - PLIRP (INSURANCE)
Other Source Description:	Not reported
Eligibility Indicator:	E
Site Manager:	RIAL_S
Site Mgr End Date:	05-06-2005
Tank Office:	PCLP50 - Palm Beach County
Discharge Date:	11-13-1998
PCT Discharge Combined:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	NFA - NFA COMPLETE
Disch Cleanup Status Date:	05-19-2000
Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Eligibility Indicator:	E
Site Manager:	RIAL_S
Site Mgr End Date:	05-06-2005
Tank Office:	PCLP50 - Palm Beach County

Petroleum Cleanup Program Eligibility:

Facility ID:	8514219
Discharge Date:	11-13-1998
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	NFA - NFA COMPLETE
Disch Cleanup Status Date:	05-19-2000
Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Application Received Date:	11-23-1998
Cleanup Program:	P - PETROLEUM LIABILITY AND RESTORATION INSURANCE PROGRAM
Eligibility Status:	12-28-1998
Elig Status Date:	12-28-1998
Letter Of Intent Date:	Not reported
Redetermined:	No
Inspection Date:	11-20-1998
Site Manager:	RIAL_S
Site Mgr End Date:	05-06-2005
Tank Office:	PCLP50 - Palm Beach County
Deductible Amount:	$10,000.00
Deductible Paid To Date:	$10,000.00
Co-Pay Amount:	Not reported
Co-Pay Paid To Date:	$0.00
Cap Amount:	$150,000.00
Facility ID:	8514219
Discharge Date:	02-14-1994
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	NFA - NFA COMPLETE
Disch Cleanup Status Date:	12-05-1994
Cleanup Work Status:	COMPLETED
Information Source:	I - PLIRP (INSURANCE)

AMOCO SERVICE STATION #6305 (Continued) **1000500977**

Other Source Description:	Not reported
Application Received Date:	03-24-1994
Cleanup Program:	P - PETROLEUM LIABILITY AND RESTORATION INSURANCE PROGRAM
Eligibility Status:	04-08-1994
Elig Status Date:	04-08-1994
Letter Of Intent Date:	02-18-1994
Redetermined:	No
Inspection Date:	03-16-1994
Site Manager:	RIAL_S
Site Mgr End Date:	05-06-2005
Tank Office:	PCLP50 - Palm Beach County
Deductible Amount:	$500.00
Deductible Paid To Date:	$7,851.00
Co-Pay Amount:	$0.00
Co-Pay Paid To Date:	$0.00
Cap Amount:	$300,000.00

Contaminated Media:

Discharge Date:	02-14-1994
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	NFA - NFA COMPLETE
Disch Cleanup Status Date:	12-05-1994
Cleanup Work Status:	COMPLETED
Information Source:	I - PLIRP (INSURANCE)
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	RIAL_S
Site Mgr End Date:	05-06-2005
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	Yes
Contaminated Soil:	No
Contaminated Surface Water:	No
Contaminated Ground Water:	Yes
Pollutant:	B - UNLEADED GAS
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported
Discharge Date:	11-13-1998
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	NFA - NFA COMPLETE
Disch Cleanup Status Date:	05-19-2000
Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	RIAL_S
Site Mgr End Date:	05-06-2005
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	Not reported
Contaminated Monitoring Well:	Yes
Contaminated Soil:	Yes
Contaminated Surface Water:	Not reported
Contaminated Ground Water:	Yes
Pollutant:	B - UNLEADED GAS
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported

AMOCO SERVICE STATION #6305 (Continued) **1000500977**

Task Information:

District:	SED
Facility ID:	8514219
Facility Status:	OPEN
Facility Type:	A - Retail Station
County:	PALM BEACH
County ID:	50
Score Effective Date:	03/14/1999
Cleanup Eligibility Status:	E
Source Effective Date:	5/19/2000
Discharge Date:	11/13/1998
Cleanup Required:	R
Discharge Cleanup Status:	NFA
Disch Cleanup Status Date:	05/19/2000
SRC Action Type:	NFA
SRC Submit Date:	5/4/2000
SRC Review Date:	5/11/2000
SRC Completion Status:	A
SRC Issue Date:	5/19/2000
SRC Comment:	Not reported
District:	SED
Facility ID:	8514219
Facility Status:	OPEN
Facility Type:	A - Retail Station
County:	PALM BEACH
County ID:	50
Score Effective Date:	03/14/1999
Cleanup Eligibility Status:	E
Source Effective Date:	12/5/1994
Discharge Date:	2/14/1994
Cleanup Required:	R
Discharge Cleanup Status:	NFA
Disch Cleanup Status Date:	12/05/1994
SRC Action Type:	NFA
SRC Submit Date:	8/22/1994
SRC Review Date:	12/5/1994
SRC Completion Status:	A
SRC Issue Date:	12/5/1994
SRC Comment:	Not reported

UST:

Facility ID:	8514219
Facility Phone:	(813) 681-4279
Facility Status:	OPEN
Facility Type:	Retail Station
Type Description:	Retail Station
DEP Contrctr Own:	No
Lat/Long (dms):	26 27 41 / 80 4 51
Positioning Method:	AGPS
Region:	STATE

Owner:

Owner Id:	922
Owner Name:	AUTOMATED PETROLEUM & ENERGY CO INC (APEC)
Owner Address:	PO BOX 1110
Owner Address 2:	ATTN: RICK HERWEH

AMOCO SERVICE STATION #6305 (Continued) **1000500977**

Owner City,St,Zip: BRANDON, FL 33509
Owner Contact: RICK HERWEH
Owner Phone: (813) 681-4279

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-SEP-1983
Status: Removed
Status Date: 12-APR-2004

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-SEP-1983
Status: Removed
Status Date: 12-APR-2004

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-SEP-1983
Status: Removed

AMOCO SERVICE STATION #6305 (Continued) **1000500977**

Status Date: 12-APR-2004

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 4
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-SEP-1983
Status: Removed
Status Date: 12-APR-2004

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 5
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-MAY-2004
Status: In service
Status Date: 01-MAY-2004

Construction:
Construction Category: Overfill/Spill
Construction Description: Ball check valve

Construction Category: Primary Construction
Construction Description: Fiberglass

Construction Category: Secondary Containment
Construction Description: Double wall

Construction Category: Overfill/Spill

AMOCO SERVICE STATION #6305 (Continued) **1000500977**

Construction Description: Spill containment bucket

Monitoring:
Monitoring Description: Monitor dbl wall tank space

Monitoring Description: Monitor dbl wall pipe space

Monitoring Description: Continuous electronic sensing

Monitoring Description: Electronic monitor pipe sumps

Monitoring Description: Electronic monitor dispenser liners

Monitoring Description: Visual inspect dispenser liners

Monitoring Description: Electronic line leak detector

Piping:
Piping Category: Secondary Containment
Piping Description: Double wall - pipe jacket

Piping Category: Miscellaneous Attributes
Piping Description: Dispenser liners

Piping Category: Primary Construction
Piping Description: Approved synthetic material

Piping Category: Miscellaneous Attributes
Piping Description: Pressurized piping system

Piping Category: Primary Construction
Piping Description: Fiberglass

Piping Category: Secondary Containment
Piping Description: Double wall

Tank Id: 6
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-MAY-2004
Status: In service
Status Date: 01-MAY-2004

Construction:
Construction Category: Overfill/Spill
Construction Description: Ball check valve

Construction Category: Primary Construction
Construction Description: Fiberglass

Construction Category: Secondary Containment
Construction Description: Double wall

AMOCO SERVICE STATION #6305 (Continued) **1000500977**

Construction Category: Overfill/Spill
Construction Description: Spill containment bucket

Monitoring:
Monitoring Description: Monitor dbl wall tank space

Monitoring Description: Monitor dbl wall pipe space

Monitoring Description: Continuous electronic sensing

Monitoring Description: Electronic monitor pipe sumps

Monitoring Description: Electronic monitor dispenser liners

Monitoring Description: Visual inspect dispenser liners

Monitoring Description: Electronic line leak detector

Piping:
Piping Category: Secondary Containment
Piping Description: Double wall

Piping Category: Miscellaneous Attributes
Piping Description: Pressurized piping system

Piping Category: Miscellaneous Attributes
Piping Description: Dispenser liners

Piping Category: Secondary Containment
Piping Description: Double wall - pipe jacket

Piping Category: Primary Construction
Piping Description: Approved synthetic material

Piping Category: Primary Construction
Piping Description: Fiberglass

Tank Id: 7
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-MAY-2004
Status: In service
Status Date: 01-MAY-2004

Construction:
Construction Category: Overfill/Spill
Construction Description: Ball check valve

Construction Category: Primary Construction
Construction Description: Fiberglass

Construction Category: Secondary Containment
Construction Description: Double wall

AMOCO SERVICE STATION #6305 (Continued) **1000500977**

Construction Category: Overfill/Spill
Construction Description: Spill containment bucket

Monitoring:
Monitoring Description: Monitor dbl wall tank space

Monitoring Description: Monitor dbl wall pipe space

Monitoring Description: Continuous electronic sensing

Monitoring Description: Electronic monitor pipe sumps

Monitoring Description: Electronic monitor dispenser liners

Monitoring Description: Visual inspect dispenser liners

Monitoring Description: Electronic line leak detector

Piping:
Piping Category: Miscellaneous Attributes
Piping Description: Dispenser liners

Piping Category: Primary Construction
Piping Description: Approved synthetic material

Piping Category: Miscellaneous Attributes
Piping Description: Pressurized piping system

Piping Category: Secondary Containment
Piping Description: Double wall

Piping Category: Secondary Containment
Piping Description: Double wall - pipe jacket

Piping Category: Primary Construction
Piping Description: Fiberglass

Tank Id: 8
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-MAY-2004
Status: In service
Status Date: 01-MAY-2004

Construction:
Construction Category: Overfill/Spill
Construction Description: Ball check valve

Construction Category: Primary Construction
Construction Description: Fiberglass

Construction Category: Secondary Containment
Construction Description: Double wall

AMOCO SERVICE STATION #6305 (Continued) **1000500977**

Construction Category: Overfill/Spill
Construction Description: Spill containment bucket

Monitoring:
Monitoring Description: Monitor dbl wall tank space

Monitoring Description: Monitor dbl wall pipe space

Monitoring Description: Continuous electronic sensing

Monitoring Description: Electronic monitor pipe sumps

Monitoring Description: Electronic monitor dispenser liners

Monitoring Description: Visual inspect dispenser liners

Monitoring Description: Electronic line leak detector

Piping:
Piping Category: Miscellaneous Attributes
Piping Description: Pressurized piping system

Piping Category: Miscellaneous Attributes
Piping Description: Dispenser liners

Piping Category: Secondary Containment
Piping Description: Double wall - pipe jacket

Piping Category: Primary Construction
Piping Description: Approved synthetic material

Piping Category: Secondary Containment
Piping Description: Double wall

Piping Category: Primary Construction
Piping Description: Fiberglass

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8514219
Facility Phone: (813) 681-4279
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: ZURICH-AMERICAN
Effective Date: 31-DEC-2008
Expire Date: 31-DEC-2009
Owner ID: 922
Onwer Name: AUTOMATED PETROLEUM & ENERGY CO INC (APEC)
Owner Address: PO BOX 1110
Owner Address2: ATTN: RICK HERWEH
Owner City,St,Zip: BRANDON, FL 33509
Contact: RICK HERWEH

AMOCO SERVICE STATION #6305 (Continued) **1000500977**

Resp Party Phone: (813) 681-4279

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8514219
Facility Phone: (813) 681-4279
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: ZURICH-AMERICAN
Effective Date: 31-DEC-2008
Expire Date: 31-DEC-2009
Owner ID: 922
Onwer Name: AUTOMATED PETROLEUM & ENERGY CO INC (APEC)
Owner Address: PO BOX 1110
Owner Address2: ATTN: RICK HERWEH
Owner City,St,Zip: BRANDON, FL 33509
Contact: RICK HERWEH
Resp Party Phone: (813) 681-4279

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8514219
Facility Phone: (813) 681-4279
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: ZURICH-AMERICAN
Effective Date: 31-DEC-2008
Expire Date: 31-DEC-2009
Owner ID: 922
Onwer Name: AUTOMATED PETROLEUM & ENERGY CO INC (APEC)
Owner Address: PO BOX 1110
Owner Address2: ATTN: RICK HERWEH
Owner City,St,Zip: BRANDON, FL 33509
Contact: RICK HERWEH
Resp Party Phone: (813) 681-4279

10
ENE
1/4-1/2
0.411 mi.
2169 ft.

JEROME FIGARO STORES **UST** **U003798932**
601 W ATLANTIC AVE **N/A**
DELRAY BEACH, FL 33444

Relative: Higher

Actual: 16 ft.

UST:
Facility ID: 9803851
Facility Phone: (561) 376-8448
Facility Status: CLOSED
Facility Type: Fuel User / Non-retail
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 42.8000000 / 80 4 46
Positioning Method: AGPS

JEROME FIGARO STORES (Continued) **U003798932**

Region: STATE

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Unknown/Not reported
Content Description: Unknown/Not Reported
Vessel Indicator: TANK
Gallons: Not reported
Install Date: Not reported
Status: Removed
Status Date: 01-AUG-2001

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Unknown/Not reported
Content Description: Unknown/Not Reported
Vessel Indicator: TANK
Gallons: Not reported
Install Date: Not reported
Status: Removed
Status Date: 01-AUG-2001

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Unknown/Not reported
Content Description: Unknown/Not Reported
Vessel Indicator: TANK
Gallons: Not reported
Install Date: Not reported
Status: Removed
Status Date: 01-AUG-2001

JEROME FIGARO STORES (Continued) **U003798932**

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

11
North
1/4-1/2
0.419 mi.
2211 ft.

POMPEY PARK COMMUNITY CENTER
1100 NW 2ND ST
DELRAY BEACH, FL 33444

RCRA-CESQG **1008402537** **FLR000121392**

Relative:
Equal

Actual:
15 ft.

RCRA-CESQG:
Date form received by agency: 07/06/2005
Facility name: POMPEY PARK COMMUNITY CENTER
Facility address: 1100 NW 2ND ST
DELRAY BEACH, FL 334441617
EPA ID: FLR000121392
Mailing address: 434 S SWINTON AVE
DELRAY BEACH, FL 334443553
Contact: RICHARD HASCO
Contact address: 434 S SWINTON AVE
DELRAY BEACH, FL 334443553
Contact country: US
Contact telephone: 5612437295
Contact email: Not reported
EPA Region: 04
Land type: County
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:
Owner/operator name: CITY OF DELRAY BEACH
Owner/operator address: 434 S SWINTON AVE
DELRAY BEACH, FL 33444
Owner/operator country: US
Owner/operator telephone: Not reported

POMPEY PARK COMMUNITY CENTER (Continued) **1008402537**

Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: 07/21/2005
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Facility Has Received Notices of Violations:
Regulation violated: GGR:268.7
Area of violation: LDR - General
Date violation determined: 07/06/2005
Date achieved compliance: 08/23/2005
Violation lead agency: State
Enforcement action: DEP MEETING
Enforcement action date: 08/23/2005
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: GGR:262.11
Area of violation: Generators - General
Date violation determined: 07/06/2005
Date achieved compliance: 08/23/2005
Violation lead agency: State
Enforcement action: DEP WARNING LETTER
Enforcement action date: 08/04/2005
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: GGR:268.7
Area of violation: LDR - General
Date violation determined: 07/06/2005
Date achieved compliance: 08/23/2005

POMPEY PARK COMMUNITY CENTER (Continued) **1008402537**

Violation lead agency: State
Enforcement action: DEP MEETING
Enforcement action date: 10/14/2005
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: GGR:268.7
Area of violation: LDR - General
Date violation determined: 07/06/2005
Date achieved compliance: 08/23/2005
Violation lead agency: State
Enforcement action: DEP WARNING LETTER
Enforcement action date: 08/04/2005
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: GGR:262.11
Area of violation: Generators - General
Date violation determined: 07/06/2005
Date achieved compliance: 08/23/2005
Violation lead agency: State
Enforcement action: DEP MEETING
Enforcement action date: 08/23/2005
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: GGR:262.11
Area of violation: Generators - General
Date violation determined: 07/06/2005
Date achieved compliance: 08/23/2005
Violation lead agency: State
Enforcement action: DEP MEETING
Enforcement action date: 10/14/2005
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: GGR:262.11
Area of violation: Generators - General
Date violation determined: 07/06/2005
Date achieved compliance: 08/23/2005
Violation lead agency: State

POMPEY PARK COMMUNITY CENTER (Continued) **1008402537**

Enforcement action: DEP SHORT FORM CONSENT ORDER
Enforcement action date: 12/22/2005
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: GGR:268.7
Area of violation: LDR - General
Date violation determined: 07/06/2005
Date achieved compliance: 08/23/2005
Violation lead agency: State
Enforcement action: DEP SHORT FORM CONSENT ORDER
Enforcement action date: 12/22/2005
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 10/19/2005
Evaluation: NOT A SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/06/2005
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 08/23/2005
Evaluation lead agency: State

Evaluation date: 07/06/2005
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/06/2005
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: LDR - General
Date achieved compliance: 08/23/2005
Evaluation lead agency: State

C12 **CEMEX - DELRAY BEACH READY-MIX** **UST 1000497885**
WNW **1700 W ATLANTIC AVE** **AST N/A**
1/4-1/2 **DELRAY BEACH, FL 33444**
0.445 mi.
2348 ft. **Site 1 of 4 in cluster C**

Relative:
Higher

Actual:
17 ft.

UST:
Facility ID: 8514560
Facility Phone: (561) 276-6037
Facility Status: OPEN

CEMEX - DELRAY BEACH READY-MIX (Continued) **1000497885**

Facility Type: Fuel User / Non-retail
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 37 / 80 5 30
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 63629
Owner Name: CEMEX CONSTRUCTION MATERIALS FL LLC
Owner Address: 3820 NORTHDALE BLVD #100B
Owner Address 2: Not reported
Owner City,St,Zip: TAMPA, FL 33624
Owner Contact: DENISE CORRALES
Owner Phone: (813) 269-1035

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 5000
Install Date: 01-JUL-1970
Status: Removed
Status Date: Not reported

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 1R1
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 12000
Install Date: 01-JAN-1988
Status: Removed
Status Date: 01-DEC-2008

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

CEMEX - DELRAY BEACH READY-MIX (Continued) **1000497885**

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 5000
Install Date: 01-JUL-1970
Status: Removed
Status Date: Not reported

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 5000
Install Date: 01-JUL-1970
Status: Removed
Status Date: Not reported

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 4
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 5000
Install Date: 01-JUL-1970

CEMEX - DELRAY BEACH READY-MIX (Continued) **1000497885**

Status: Removed
Status Date: Not reported

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

AST:
Facility ID: 8514560
Facility Phone: (561) 276-6037
Facility Status: OPEN
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 37 / 80 5 30
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 63629
Owner Name: CEMEX CONSTRUCTION MATERIALS FL LLC
Owner Address: 3820 NORTHDALE BLVD #100B
Owner Address 2: Not reported
Owner City,St,Zip: TAMPA, FL 33624
Owner Contact: DENISE CORRALES
Owner Phone: (813) 269-1035

Tank Id: 5
Gallons: 15000
Tank Location: ABOVEGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Install Date: 01-NOV-2008
Status: In service
Status Date: In service

Construction:
Construction Category: Secondary Containment
Construction Description: Double wall

Construction Category: Primary Construction
Construction Description: Steel

Construction Category: Overfill/Spill
Construction Description: Level gauges/alarms

Monitoring:
Monitoring Description: Monitor dbl wall tank space

CEMEX - DELRAY BEACH READY-MIX (Continued) **1000497885**

Monitoring Description: Visual inspection of ASTs

Piping:
Piping Category: Primary Construction
Piping Description: Steel/galvanized metal

Piping Category: Miscellaneous Attributes
Piping Description: Suction piping system

Piping Category: Miscellaneous Attributes
Piping Description: Abv, no soil contact

C13 **CEMEX-DELRAY BEACH READY-MIX & BLOCK** **LUST** **S107798009**
WNW **1700 W ATLANTIC AVE** **NPDES** **N/A**
1/4-1/2 **DELRAY BEACH, FL 33444** **AIRS**
0.445 mi. **FINANCIAL ASSURANCE**
2348 ft. **Site 2 of 4 in cluster C**

Relative: Higher

Actual: 17 ft.

LUST:
Region: STATE
Facility Id: 8514560
Facility Status: OPEN
Facility Type: C - Fuel user/Non-retail -
Facility Phone: (561) 276-6037
Facility Cleanup Rank: Not reported
District: Southeast District
Lat/Long (dms): 26 27 36.68 / 80 5 29.66
Section: 018
Township: 46S
Range: 43E
Feature: Not reported
Method: AGPS
Datum: 0
Score: Not reported
Score Effective Date: Not reported
Score When Ranked: Not reported
Operator: CHRIS HICKMAN
Name Update: 09-18-2008
Address Update: 12-10-1999

Discharge Cleanup Summary:
Discharge Date: 04-21-1999
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 11-09-1999
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Eligibility Indicator: I
Site Manager: GIBSON_D
Site Mgr End Date: 05-06-2005
Tank Office: PCLP50 - Palm Beach County

Petroleum Cleanup Program Eligibility:
Facility ID: Not reported
Discharge Date: Not reported

CEMEX-DELRAY BEACH READY-MIX & BLOCK (Continued) **S107798009**

Pct Discharge Combined With: Not reported
Cleanup Required: Not reported
Discharge Cleanup Status: Not reported
Disch Cleanup Status Date: Not reported
Cleanup Work Status: Not reported
Information Source: Not reported
Other Source Description: Not reported
Application Received Date: Not reported
Cleanup Program: Not reported
Eligibility Status: Not reported
Elig Status Date: Not reported
Letter Of Intent Date: Not reported
Redetermined: Not reported
Inspection Date: Not reported
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: Not reported
Deductible Amount: Not reported
Deductible Paid To Date: Not reported
Co-Pay Amount: Not reported
Co-Pay Paid To Date: Not reported
Cap Amount: Not reported

Contaminated Media:
Discharge Date: 04-21-1999
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 11-09-1999
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Elig Indicator: I - INELIGIBLE
Site Manager: GIBSON_D
Site Mgr End Date: 05-06-2005
Tank Office: PCLP50 - Palm Beach County
Contaminated Drinking Wells: Not reported
Contaminated Monitoring Well: Not reported
Contaminated Soil: Yes
Contaminated Surface Water: Not reported
Contaminated Ground Water: Not reported
Pollutant: D - VEHICULAR DIESEL
Pollutant Other Description: Not reported
Gallons Discharged: Not reported

Task Information:
District: SED
Facility ID: 8514560
Facility Status: OPEN
Facility Type: C - Fuel user/Non-retail
County: PALM BEACH
County ID: 50
Score Effective Date: Not reported
Cleanup Eligibility Status: Not reported
Source Effective Date: 11/9/1999
Discharge Date: 4/21/1999
Cleanup Required: R
Discharge Cleanup Status: NFA

CEMEX-DELRAY BEACH READY-MIX & BLOCK (Continued) **S107798009**

Disch Cleanup Status Date: 11/09/1999
SRC Action Type: NFA
SRC Submit Date: 11/4/1999
SRC Review Date: 11/5/1999
SRC Completion Status: A
SRC Issue Date: 12/6/1999
SRC Comment: Not reported

WASTEWATER:
District Office: SED
Facility ID: FLG110690
NPDES Permitted Site: Yes
Facility Type: Concrete Batch GP
Status: Active - Existing, permitted facility/site for which effluent, reclaimed water or wastewater residual discharge into the environment and/or monitoring is taking place.
Facility Address: Not reported
Owner Type: Private
Permit Capacity: Not reported
Party Name: Jerry S Haught, Vice President General Manager
Company Name: CEMEX Construction Materials FL LLC
RP Address: 1501 Belvedere Rd
RP Address 2: Not reported
PR City,Stat,Zip: West Palm Beach FL 33406
Telephone: 5618208348
Email: Jhaught@CEMEXUSA.com
Issue Date: 8/25/2006
Expiration Date: 8/24/2011
DOC Description: Generic Permit
Latitude Degrees: Not reported
Latitude Minutes: Not reported
Latitude Seconds: Not reported
Longitude Degrees: Not reported
Longitude Minutes: Not reported
Longitude Seconds: Not reported
Treatment: Retention And Recycling

AIRS:
Facility ID: 990002
Facility Status: A
Office: SEPB
Category: POINT
Owner Name: Cemex Construction Materials Florida Llc
SIC: Stone, Clay, Glass And Concrete Products
Title V: No
Permit Number: 0990002005AG
Issue Date: 10/4/2009
Expiration Date: 10/4/2014
Lat/Long (dms): 26 27 36.0007000 / 80 5 29.8654000
Contact Name: Not reported
Contact Address1: Not reported
Contact Address2: Not reported
Contact City: Not reported
Contact State: FL
Contact Zip Code: Not reported
Contact Zip4: Not reported

CEMEX-DELRAY BEACH READY-MIX & BLOCK (Continued) **S107798009**

Contact Phone: Not reported

Facility ID: 990002
Facility Status: A
Office: SEPB
Category: POINT
Owner Name: Cemex Construction Materials Florida Llc
SIC: Stone, Clay, Glass And Concrete Products
Title V: No
Permit Number: 0990002004AG
Issue Date: 10/12/2008
Expiration Date: 10/12/2013
Lat/Long (dms): 26 27 36.0007000 / 80 5 29.8654000
Contact Name: Not reported
Contact Address1: Not reported
Contact Address2: Not reported
Contact City: Not reported
Contact State: FL
Contact Zip Code: Not reported
Contact Zip4: Not reported
Contact Phone: Not reported

Facility ID: 990002
Facility Status: A
Office: SEPB
Category: POINT
Owner Name: Cemex Construction Materials Florida Llc
SIC: Stone, Clay, Glass And Concrete Products
Title V: No
Permit Number: 0990002003AG
Issue Date: 6/8/2008
Expiration Date: 6/8/2013
Lat/Long (dms): 26 27 36.0007000 / 80 5 29.8654000
Contact Name: Not reported
Contact Address1: Not reported
Contact Address2: Not reported
Contact City: Not reported
Contact State: FL
Contact Zip Code: Not reported
Contact Zip4: Not reported
Contact Phone: Not reported

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8514560
Facility Phone: (561) 276-6037
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N
Finaincial Responsibility: SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company: Not reported
Effective Date: 16-APR-2009
Expire Date: 15-APR-2010
Owner ID: 63629
Onwer Name: CEMEX CONSTRUCTION MATERIALS FL LLC
Owner Address: 3820 NORTHDALE BLVD #100B

CEMEX-DELRAY BEACH READY-MIX & BLOCK (Continued) **S107798009**

Owner Address2: Not reported
Owner City,St,Zip: TAMPA, FL 33624
Contact: DENISE CORRALES
Resp Party Phone: (813) 269-1035

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8514560
Facility Phone: (561) 276-6037
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N
Finaincial Responsibility: SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company: Not reported
Effective Date: 16-APR-2009
Expire Date: 15-APR-2010
Owner ID: 63629
Onwer Name: CEMEX CONSTRUCTION MATERIALS FL LLC
Owner Address: 3820 NORTHDALE BLVD #100B
Owner Address2: Not reported
Owner City,St,Zip: TAMPA, FL 33624
Contact: DENISE CORRALES
Resp Party Phone: (813) 269-1035

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8514560
Facility Phone: (561) 276-6037
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N
Finaincial Responsibility: SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company: Not reported
Effective Date: 16-APR-2009
Expire Date: 15-APR-2010
Owner ID: 63629
Onwer Name: CEMEX CONSTRUCTION MATERIALS FL LLC
Owner Address: 3820 NORTHDALE BLVD #100B
Owner Address2: Not reported
Owner City,St,Zip: TAMPA, FL 33624
Contact: DENISE CORRALES
Resp Party Phone: (813) 269-1035

14
WNW
1/4-1/2
0.460 mi.
2428 ft.

ECONO AUTO PAINTING & BODY WORKS **RCRA-SQG 1000699334**
65 NW 18TH AVE **FINDS FLD980603591**
DELRAY BEACH, FL 33444

Relative:
Higher

Actual:
17 ft.

RCRA-SQG:
Date form received by agency: 07/07/2008
Facility name: ECONO AUTO PAINTING & BODY WORKS
Facility address: 65 NW 18TH AVE
DELRAY BEACH, FL 334441687
EPA ID: FLD980603591

ECONO AUTO PAINTING & BODY WORKS (Continued) **1000699334**

Contact: KEVIN TRANSLEAU
Contact address: 65 NW 18TH AVE
DELRAY BEACH, FL 334441687
Contact country: US
Contact telephone: 5612763087
Contact email: Not reported
EPA Region: 04
Land type: Private
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: DIBKA INC
Owner/operator address: 3605 LOWSON BLVD
DELRAY BEACH, FL 33445
Owner/operator country: US
Owner/operator telephone: 5612763087
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 07/07/2008
Owner/Op end date: Not reported

Owner/operator name: ECONO AUTO PAINTING & BODY WORKS
Owner/operator address: 65 NW 18TH AVE
DELRAY BEACH, FL 33444
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 07/07/2008
Owner/Op end date: Not reported

Owner/operator name: UNKOWN
Owner/operator address: Not reported
32399
Owner/operator country: Not reported
Owner/operator telephone: 8502458748
Legal status: State
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2004
Owner/Op end date: Not reported

Owner/operator name: TRANSLEAU ALLAN
Owner/operator address: 65 NW 18TH AVE
DELRAY BEACH, FL 33444
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 11/19/2002
Owner/Op end date: Not reported

Owner/operator name: ECONO AUTO PAINTING & BODY WORKS

ECONO AUTO PAINTING & BODY WORKS (Continued) **1000699334**

Owner/operator address: 65 NW 18TH AVE
DELRAY BEACH, FL 33444
Owner/operator country: US
Owner/operator telephone: 5612763087
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 07/07/2008
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:
Date form received by agency: 11/19/2002
Facility name: ECONO AUTO PAINTING & BODY WORKS
Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:
Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D035
Waste name: METHYL ETHYL KETONE

Facility Has Received Notices of Violations:
Regulation violated: GSC:40 cfr 261.5
Area of violation: Listing - General
Date violation determined: 11/19/2002
Date achieved compliance: 03/13/2003
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported

ECONO AUTO PAINTING & BODY WORKS (Continued) **1000699334**

Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: GGR:
Area of violation: Generators - General
Date violation determined: 11/20/1986
Date achieved compliance: 12/01/1986
Violation lead agency: State
Enforcement action: DEP WARNING LETTER
Enforcement action date: 11/20/1986
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 03/13/2003
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 11/19/2002
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Listing - General
Date achieved compliance: 03/13/2003
Evaluation lead agency: State

Evaluation date: 11/20/1986
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 12/01/1986
Evaluation lead agency: State

Evaluation date: 02/23/1984
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110002541562

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Florida Environmental System Today Application (FIESTA) Data

ECONO AUTO PAINTING & BODY WORKS (Continued) **1000699334**

Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

C15 **ATLANTIC & 95 INC** **LUST U001366156**
WNW **1909 W ATLANTIC AVE** **UST N/A**
1/4-1/2 **DELRAY BEACH, FL 33444** **FINANCIAL ASSURANCE**
0.463 mi.
2443 ft. **Site 3 of 4 in cluster C**

Relative:
Lower

Actual:
14 ft.

LUST:
Region: STATE
Facility Id: 8514367
Facility Status: OPEN
Facility Type: A - Retail Station -
Facility Phone: (561) 272-5761
Facility Cleanup Rank: 4871
District: Southeast District
Lat/Long (dms): 26 27 39.97 / 80 5 35.8128
Section: 018
Township: 46S
Range: 42E
Feature: Not reported
Method: AGPS
Datum: 0
Score: 31
Score Effective Date: 06-11-2007
Score When Ranked: 30
Operator: NEIL B COHEN
Name Update: 12-31-2003
Address Update: 12-29-2003

Petroleum Cleanup PCT Facility Score:
Highest current score: 31
Facility Cleanup Status: ONGO
Srp Stcm Related Party Id: 55600
Fprtc FacParty Related Type Id: ACCOUNT OWNER
Contact: NEIL COHEN
Contact Company: ATLANTIC & 95 INC
Contact Address: 1909 W ATLANTIC AVE
Contact City: DELRAY BEACH
Contact Stat: FL
Contact Zip: 33444
Phone: 5616545444
Bad Address Ind: Not reported

Discharge Cleanup Summary:
Discharge Date: 02-13-1989
PCT Discharge Combined: Not reported
Cleanup Required: C - COMBINED CLEANUP REQUIRED
Discharge Cleanup Status: INEL - INELIGIBLE FOR CLEANUP ASSISTANCE
Disch Cleanup Status Date: 03-04-2001
Cleanup Work Status: INACTIVE
Information Source: I - PLIRP (INSURANCE)
Other Source Description: Not reported
Eligibility Indicator: I
Site Manager: GIBSON_D
Site Mgr End Date: 03-20-2003

ATLANTIC & 95 INC (Continued) **U001366156**

Tank Office: PCLP50 - Palm Beach County
Discharge Date: 09-14-1987
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: RA - RA ONGOING
Disch Cleanup Status Date: 06-18-2001
Cleanup Work Status: ACTIVE
Information Source: E - EDI
Other Source Description: Not reported
Eligibility Indicator: E
Site Manager: GIBSON_D
Site Mgr End Date: 03-20-2003
Tank Office: PCLP50 - Palm Beach County

Petroleum Cleanup Program Eligibility:
Facility ID: 8514367
Discharge Date: 09-14-1987
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: RA - RA ONGOING
Disch Cleanup Status Date: 06-18-2001
Cleanup Work Status: ACTIVE
Information Source: E - EDI
Other Source Description: Not reported
Application Received Date: 09-23-1987
Cleanup Program: E - EARLY DETECTION INCENTIVE
Eligibility Status: 02-05-1991
Elig Status Date: 02-05-1991
Letter Of Intent Date: 02-27-1990
Redetermined: No
Inspection Date: 11-18-1987
Site Manager: GIBSON_D
Site Mgr End Date: 03-20-2003
Tank Office: PCLP50 - Palm Beach County
Deductible Amount: Not reported
Deductible Paid To Date: $0.00
Co-Pay Amount: Not reported
Co-Pay Paid To Date: $0.00
Cap Amount: Not reported

Contaminated Media:
Discharge Date: 02-13-1989
Pct Discharge Combined With: Not reported
Cleanup Required: C - COMBINED CLEANUP REQUIRED
Discharge Cleanup Status: INEL - INELIGIBLE FOR CLEANUP ASSISTANCE
Disch Cleanup Status Date: 03-04-2001
Cleanup Work Status: INACTIVE
Information Source: I - PLIRP (INSURANCE)
Other Source Description: Not reported
Elig Indicator: I - INELIGIBLE
Site Manager: GIBSON_D
Site Mgr End Date: 03-20-2003
Tank Office: PCLP50 - Palm Beach County
Contaminated Drinking Wells: Not reported
Contaminated Monitoring Well: Not reported
Contaminated Soil: Not reported
Contaminated Surface Water: Not reported
Contaminated Ground Water: Not reported

ATLANTIC & 95 INC (Continued) **U001366156**

Pollutant:	B - UNLEADED GAS
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported
Discharge Date:	09-14-1987
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	RA - RA ONGOING
Disch Cleanup Status Date:	06-18-2001
Cleanup Work Status:	ACTIVE
Information Source:	E - EDI
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	GIBSON_D
Site Mgr End Date:	03-20-2003
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	Yes
Contaminated Soil:	Yes
Contaminated Surface Water:	No
Contaminated Ground Water:	Yes
Pollutant:	P - GENERIC GASOLINE
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported

Task Information:

District:	SED
Facility ID:	8514367
Facility Status:	OPEN
Facility Type:	A - Retail Station
County:	PALM BEACH
County ID:	50
Score Effective Date:	06/11/2007
Cleanup Eligibility Status:	E
Source Effective Date:	Not reported
Discharge Date:	9/14/1987
Cleanup Required:	R
Discharge Cleanup Status:	RA
Disch Cleanup Status Date:	06/18/2001
SRC Action Type:	Not reported
SRC Submit Date:	Not reported
SRC Review Date:	Not reported
SRC Completion Status:	Not reported
SRC Issue Date:	Not reported
SRC Comment:	Not reported
District:	SED
Facility ID:	8514367
Facility Status:	OPEN
Facility Type:	A - Retail Station
County:	PALM BEACH
County ID:	50
Score Effective Date:	06/11/2007
Cleanup Eligibility Status:	I
Source Effective Date:	Not reported
Discharge Date:	2/13/1989
Cleanup Required:	C
Discharge Cleanup Status:	INEL
Disch Cleanup Status Date:	03/04/2001
SRC Action Type:	Not reported

ATLANTIC & 95 INC (Continued) **U001366156**

SRC Submit Date: Not reported
SRC Review Date: Not reported
SRC Completion Status: Not reported
SRC Issue Date: Not reported
SRC Comment: Not reported

UST:
Facility ID: 8514367
Facility Phone: (561) 272-5761
Facility Status: OPEN
Facility Type: Retail Station
Type Description: Retail Station
DEP Contrctr Own: No
Lat/Long (dms): 26 27 38 / 80 5 40
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 55600
Owner Name: ATLANTIC & 95 INC
Owner Address: 1909 W ATLANTIC AVE
Owner Address 2: ATTN: NEIL COHEN
Owner City,St,Zip: DELRAY BEACH, FL 33444
Owner Contact: NEIL COHEN
Owner Phone: (561) 654-5444

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Z
Content Description: Other Non Regulated
Vessel Indicator: TANK
Gallons: 8000
Install Date: 01-MAY-1983
Status: Removed
Status Date: 30-SEP-1990

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 8000
Install Date: 01-MAY-1983
Status: Removed

ATLANTIC & 95 INC (Continued) **U001366156**

Status Date: 30-SEP-1990

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 8000
Install Date: 01-MAY-1983
Status: Removed
Status Date: 30-SEP-1990

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 4
Tank Location: UNDERGROUND
Substance: Leaded gas
Content Description: Leaded Gas
Vessel Indicator: TANK
Gallons: 6000
Install Date: 01-MAY-1983
Status: Removed
Status Date: 30-SEP-1990

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

ATLANTIC & 95 INC (Continued) **U001366156**

Tank Id: 5
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 1000
Install Date: 01-MAY-1983
Status: Removed
Status Date: 30-SEP-1990

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 6
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 9728
Install Date: 01-SEP-1990
Status: In service
Status Date: 01-FEB-1999

Construction:
Construction Category: Overfill/Spill
Construction Description: Flow shut-Off

Construction Category: Primary Construction
Construction Description: Fiberglass

Construction Category: Secondary Containment
Construction Description: Double wall

Construction Category: Overfill/Spill
Construction Description: Spill containment bucket

Construction Category: Overfill/Spill
Construction Description: Tight fill

Monitoring:
Monitoring Description: Monitor dbl wall tank space

Monitoring Description: Monitor dbl wall pipe space

Monitoring Description: Electronic line leak detector

Monitoring Description: Electronic monitor pipe sumps

ATLANTIC & 95 INC (Continued) **U001366156**

Monitoring Description: Visual inspect dispenser liners

Piping:
Piping Category: Miscellaneous Attributes
Piping Description: Pressurized piping system

Piping Category: Secondary Containment
Piping Description: Double wall

Piping Category: Miscellaneous Attributes
Piping Description: Dispenser liners

Piping Category: Primary Construction
Piping Description: Fiberglass

Tank Id: 7
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 9728
Install Date: 01-SEP-1990
Status: In service
Status Date: 01-FEB-1999

Construction:
Construction Category: Overfill/Spill
Construction Description: Flow shut-Off

Construction Category: Primary Construction
Construction Description: Fiberglass

Construction Category: Secondary Containment
Construction Description: Double wall

Construction Category: Overfill/Spill
Construction Description: Spill containment bucket

Construction Category: Overfill/Spill
Construction Description: Tight fill

Monitoring:
Monitoring Description: Monitor dbl wall tank space

Monitoring Description: Monitor dbl wall pipe space

Monitoring Description: Electronic line leak detector

Monitoring Description: Visual inspect dispenser liners

Monitoring Description: Electronic monitor pipe sumps

Piping:
Piping Category: Secondary Containment
Piping Description: Double wall

ATLANTIC & 95 INC (Continued) **U001366156**

Piping Category: Miscellaneous Attributes
Piping Description: Pressurized piping system

Piping Category: Miscellaneous Attributes
Piping Description: Dispenser liners

Piping Category: Primary Construction
Piping Description: Fiberglass

Tank Id: 8
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 9728
Install Date: 01-SEP-1990
Status: In service
Status Date: 01-FEB-1999

Construction:
Construction Category: Overfill/Spill
Construction Description: Flow shut-Off

Construction Category: Primary Construction
Construction Description: Fiberglass

Construction Category: Secondary Containment
Construction Description: Double wall

Construction Category: Overfill/Spill
Construction Description: Spill containment bucket

Construction Category: Overfill/Spill
Construction Description: Tight fill

Monitoring:
Monitoring Description: Monitor dbl wall tank space

Monitoring Description: Monitor dbl wall pipe space

Monitoring Description: Electronic line leak detector

Monitoring Description: Electronic monitor pipe sumps

Monitoring Description: Visual inspect dispenser liners

Piping:
Piping Category: Primary Construction
Piping Description: Fiberglass

Piping Category: Secondary Containment
Piping Description: Double wall

Piping Category: Miscellaneous Attributes
Piping Description: Pressurized piping system

ATLANTIC & 95 INC (Continued) **U001366156**

Piping Category: Miscellaneous Attributes
Piping Description: Dispenser liners

Tank Id: 9
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 9728
Install Date: 01-SEP-1990
Status: In service
Status Date: 01-FEB-1999

Construction:
Construction Category: Overfill/Spill
Construction Description: Flow shut-Off

Construction Category: Primary Construction
Construction Description: Fiberglass

Construction Category: Secondary Containment
Construction Description: Double wall

Construction Category: Overfill/Spill
Construction Description: Spill containment bucket

Construction Category: Overfill/Spill
Construction Description: Tight fill

Monitoring:
Monitoring Description: Monitor dbl wall tank space

Monitoring Description: Monitor dbl wall pipe space

Monitoring Description: Electronic line leak detector

Monitoring Description: Electronic monitor pipe sumps

Monitoring Description: Visual inspect dispenser liners

Piping:
Piping Category: Miscellaneous Attributes
Piping Description: Pressurized piping system

Piping Category: Miscellaneous Attributes
Piping Description: Dispenser liners

Piping Category: Primary Construction
Piping Description: Fiberglass

Piping Category: Secondary Containment
Piping Description: Double wall

FINANCIAL ASSURANCE 3:

ATLANTIC & 95 INC (Continued) **U001366156**

Region:	3
Facility ID:	8514367
Facility Phone:	(561) 272-5761
Facility Status:	OPEN
Facility Type:	A
Type Description:	Retail Station
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	ZURICH-AMERICAN
Effective Date:	04-SEP-2008
Expire Date:	04-SEP-2009
Owner ID:	55600
Onwer Name:	ATLANTIC & 95 INC
Owner Address:	1909 W ATLANTIC AVE
Owner Address2:	ATTN: NEIL COHEN
Owner City,St,Zip:	DELRAY BEACH, FL 33444
Contact:	NEIL COHEN
Resp Party Phone:	(561) 654-5444

Region:	3
Facility ID:	8514367
Facility Phone:	(561) 272-5761
Facility Status:	OPEN
Facility Type:	A
Type Description:	Retail Station
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	ZURICH-AMERICAN
Effective Date:	04-SEP-2009
Expire Date:	04-SEP-2010
Owner ID:	55600
Onwer Name:	ATLANTIC & 95 INC
Owner Address:	1909 W ATLANTIC AVE
Owner Address2:	ATTN: NEIL COHEN
Owner City,St,Zip:	DELRAY BEACH, FL 33444
Contact:	NEIL COHEN
Resp Party Phone:	(561) 654-5444

FINANCIAL ASSURANCE 3:

Region:	3
Facility ID:	8514367
Facility Phone:	(561) 272-5761
Facility Status:	OPEN
Facility Type:	A
Type Description:	Retail Station
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	ZURICH-AMERICAN
Effective Date:	04-SEP-2008
Expire Date:	04-SEP-2009
Owner ID:	55600
Onwer Name:	ATLANTIC & 95 INC
Owner Address:	1909 W ATLANTIC AVE
Owner Address2:	ATTN: NEIL COHEN
Owner City,St,Zip:	DELRAY BEACH, FL 33444
Contact:	NEIL COHEN
Resp Party Phone:	(561) 654-5444

ATLANTIC & 95 INC (Continued) **U001366156**

Region:	3
Facility ID:	8514367
Facility Phone:	(561) 272-5761
Facility Status:	OPEN
Facility Type:	A
Type Description:	Retail Station
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	ZURICH-AMERICAN
Effective Date:	04-SEP-2009
Expire Date:	04-SEP-2010
Owner ID:	55600
Onwer Name:	ATLANTIC & 95 INC
Owner Address:	1909 W ATLANTIC AVE
Owner Address2:	ATTN: NEIL COHEN
Owner City,St,Zip:	DELRAY BEACH, FL 33444
Contact:	NEIL COHEN
Resp Party Phone:	(561) 654-5444

FINANCIAL ASSURANCE 3:

Region:	3
Facility ID:	8514367
Facility Phone:	(561) 272-5761
Facility Status:	OPEN
Facility Type:	A
Type Description:	Retail Station
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	ZURICH-AMERICAN
Effective Date:	04-SEP-2008
Expire Date:	04-SEP-2009
Owner ID:	55600
Onwer Name:	ATLANTIC & 95 INC
Owner Address:	1909 W ATLANTIC AVE
Owner Address2:	ATTN: NEIL COHEN
Owner City,St,Zip:	DELRAY BEACH, FL 33444
Contact:	NEIL COHEN
Resp Party Phone:	(561) 654-5444

Region:	3
Facility ID:	8514367
Facility Phone:	(561) 272-5761
Facility Status:	OPEN
Facility Type:	A
Type Description:	Retail Station
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	ZURICH-AMERICAN
Effective Date:	04-SEP-2009
Expire Date:	04-SEP-2010
Owner ID:	55600
Onwer Name:	ATLANTIC & 95 INC
Owner Address:	1909 W ATLANTIC AVE
Owner Address2:	ATTN: NEIL COHEN
Owner City,St,Zip:	DELRAY BEACH, FL 33444
Contact:	NEIL COHEN
Resp Party Phone:	(561) 654-5444

C16 **EXXON CO USA #46701** **RCRA-CESQG** **1004683210**
WNW **1909 W ATLANTIC AVE** **FINDS** **FLD984196709**
1/4-1/2 **DELRAY BEACH, FL 33444**
0.463 mi.
2443 ft. **Site 4 of 4 in cluster C**

Relative:
Lower

Actual:
14 ft.

RCRA-CESQG:

Date form received by agency:	02/26/1996
Facility name:	EXXON CO USA #46701
Facility address:	1909 W ATLANTIC AVE DELRAY BEACH, FL 334441562
EPA ID:	FLD984196709
Mailing address:	PO BOX 4415 HOUSTON, TX 772104415
Contact:	ALDA S POOL
Contact address:	PO BOX 4415 HOUSTON, TX 772104415
Contact country:	US
Contact telephone:	7136567709
Contact email:	Not reported
EPA Region:	04
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	POOL ALDA
Owner/operator address:	PO BOX 4415 HOUSTON, TX 77210
Owner/operator country:	US
Owner/operator telephone:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	10/18/1996
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No

EXXON CO USA #46701 (Continued) **1004683210**

Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Hazardous Waste Summary:
Waste code: D018
Waste name: BENZENE

Violation Status: No violations found

FINDS:

Registry ID: 110006385125

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

D17 **ANYTHING & EVERYTHING AUTOMOTIVE INC** **RCRA-CESQG** **1001227291**
WSW **1865 DR ANDRES WAY** **FINDS** **FLR000044651**
1/4-1/2 **DELRAY BEACH, FL 33445** **LUST**
0.463 mi. **AST**
2446 ft. **Site 1 of 2 in cluster D** **FINANCIAL ASSURANCE**

Relative:
Higher

Actual:
16 ft.

RCRA-CESQG:
Date form received by agency: 07/19/2006
Facility name: ANYTHING & EVERYTHING AUTOMOTIVE INC
Facility address: 1865 DR ANDRES WAY
DELRAY BEACH, FL 334454643
EPA ID: FLR000044651

ANYTHING & EVERYTHING AUTOMOTIVE INC (Continued) **1001227291**

Contact: FRANK ARNONE
Contact address: 1865 DR ANDRES WAY
DELRAY BEACH, FL 33445
Contact country: US
Contact telephone: 5612725865
Contact email: Not reported
EPA Region: 04
Land type: Private
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:
Owner/operator name: ARNONE FRANK
Owner/operator address: 1865 DR ANDRES WAY
DELRAY BEACH, FL 33445
Owner/operator country: US
Owner/operator telephone: 5612725865
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 12/06/2006
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Facility Has Received Notices of Violations:
Regulation violated: 279.22(d)
Area of violation: Used Oil - Generators

ANYTHING & EVERYTHING AUTOMOTIVE INC (Continued) **1001227291**

Date violation determined: 07/19/2006
Date achieved compliance: 07/01/2008
Violation lead agency: State
Enforcement action: DEP NOTICE OF VIOLATION (NOV)
Enforcement action date: 09/07/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 3000
Paid penalty amount: 500

Regulation violated: 279.22(d)
Area of violation: Used Oil - Generators
Date violation determined: 07/19/2006
Date achieved compliance: 07/01/2008
Violation lead agency: State
Enforcement action: DEP FINAL ADMINISTRATIVE ORDER
Enforcement action date: 11/20/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 3000
Paid penalty amount: 2000

Regulation violated: 279.22(c)
Area of violation: Used Oil - Generators
Date violation determined: 07/16/2006
Date achieved compliance: 07/01/2008
Violation lead agency: State
Enforcement action: DEP FINAL ADMINISTRATIVE ORDER
Enforcement action date: 11/20/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 3000
Paid penalty amount: 2000

Regulation violated: 279.22(c)
Area of violation: Used Oil - Generators
Date violation determined: 07/16/2006
Date achieved compliance: 07/01/2008
Violation lead agency: State
Enforcement action: DEP NOTICE OF VIOLATION (NOV)
Enforcement action date: 09/07/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 3000
Paid penalty amount: 500

Regulation violated: GGR:262.11
Area of violation: Generators - General
Date violation determined: 08/04/2000

ANYTHING & EVERYTHING AUTOMOTIVE INC (Continued) **1001227291**

Date achieved compliance: 05/02/2002
Violation lead agency: State
Enforcement action: JUDICIAL CONSENT DECREE
Enforcement action date: 05/02/2002
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 5778
Paid penalty amount: 1574

Regulation violated: UOS:279.22
Area of violation: Used Oil - Generators
Date violation determined: 08/04/2000
Date achieved compliance: 05/02/2002
Violation lead agency: State
Enforcement action: JUDICIAL CONSENT DECREE
Enforcement action date: 05/02/2002
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 5778
Paid penalty amount: 1574

Regulation violated: UOS:279.22
Area of violation: Used Oil - Generators
Date violation determined: 08/04/2000
Date achieved compliance: 05/02/2002
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: 08/04/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: GGR:262.11
Area of violation: Generators - General
Date violation determined: 08/04/2000
Date achieved compliance: 05/02/2002
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: 08/04/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: GOR:Ch 403.751
Area of violation: State Statute or Regulation
Date violation determined: 05/01/1998
Date achieved compliance: 05/05/1999

ANYTHING & EVERYTHING AUTOMOTIVE INC (Continued) **1001227291**

Violation lead agency: State
Enforcement action: JUDICIAL CONSENT DECREE
Enforcement action date: 05/02/2002
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 5778
Paid penalty amount: 1574

Regulation violated: GGR:40 CFR 262.11
Area of violation: Generators - General
Date violation determined: 05/01/1998
Date achieved compliance: 06/30/1999
Violation lead agency: State
Enforcement action: JUDICIAL CONSENT DECREE
Enforcement action date: 05/02/2002
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 5778
Paid penalty amount: 1574

Regulation violated: GOR:Ch 62-770.250
Area of violation: State Statute or Regulation
Date violation determined: 05/01/1998
Date achieved compliance: 11/30/1998
Violation lead agency: State
Enforcement action: JUDICIAL CONSENT DECREE
Enforcement action date: 05/02/2002
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 5778
Paid penalty amount: 1574

Evaluation Action Summary:
Evaluation date: 07/01/2008
Evaluation: NOT A SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/19/2006
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Used Oil - Generators
Date achieved compliance: 07/01/2008
Evaluation lead agency: State

Evaluation date: 07/19/2006
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

ANYTHING & EVERYTHING AUTOMOTIVE INC (Continued) **1001227291**

Evaluation date: 08/04/2000
Evaluation: COMPLIANCE SCHEDULE EVALUATION
Area of violation: Generators - General
Date achieved compliance: 05/02/2002
Evaluation lead agency: State

Evaluation date: 08/04/2000
Evaluation: COMPLIANCE SCHEDULE EVALUATION
Area of violation: Used Oil - Generators
Date achieved compliance: 05/02/2002
Evaluation lead agency: State

Evaluation date: 06/30/1999
Evaluation: NOT A SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/30/1998
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/01/1998
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: State Statute or Regulation
Date achieved compliance: 11/30/1998
Evaluation lead agency: State

Evaluation date: 05/01/1998
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 06/30/1999
Evaluation lead agency: State

Evaluation date: 05/01/1998
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: State Statute or Regulation
Date achieved compliance: 05/05/1999
Evaluation lead agency: State

FINDS:

Registry ID: 110005649922

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

ANYTHING & EVERYTHING AUTOMOTIVE INC (Continued) **1001227291**

LUST:
Region: STATE
Facility Id: 9200871
Facility Status: CLOSED
Facility Type: C - Fuel user/Non-retail -
Facility Phone: (561) 272-5865
Facility Cleanup Rank: Not reported
District: Southeast District
Lat/Long (dms): 26 27 32.9855 / 80 5 35.1335
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: AGPS
Datum: 0
Score: Not reported
Score Effective Date: Not reported
Score When Ranked: Not reported
Operator: CHARLES TALAMO
Name Update: 09-12-1998
Address Update: 07-14-1999

Discharge Cleanup Summary:
Discharge Date: 12-14-1998
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 02-19-2002
Cleanup Work Status: COMPLETED
Information Source: Z - OTHER
Other Source Description: PBCHD NOV
Eligibility Indicator: I
Site Manager: GIBSON_D
Site Mgr End Date: 02-19-2002
Tank Office: PCLP50 - Palm Beach County

Petroleum Cleanup Program Eligibility:
Facility ID: Not reported
Discharge Date: Not reported
Pct Discharge Combined With: Not reported
Cleanup Required: Not reported
Discharge Cleanup Status: Not reported
Disch Cleanup Status Date: Not reported
Cleanup Work Status: Not reported
Information Source: Not reported
Other Source Description: Not reported
Application Received Date: Not reported
Cleanup Program: Not reported
Eligibility Status: Not reported
Elig Status Date: Not reported
Letter Of Intent Date: Not reported
Redetermined: Not reported
Inspection Date: Not reported
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: Not reported
Deductible Amount: Not reported
Deductible Paid To Date: Not reported

ANYTHING & EVERYTHING AUTOMOTIVE INC (Continued) **1001227291**

Co-Pay Amount: Not reported
Co-Pay Paid To Date: Not reported
Cap Amount: Not reported

Contaminated Media:
Discharge Date: 12-14-1998
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 02-19-2002
Cleanup Work Status: COMPLETED
Information Source: Z - OTHER
Other Source Description: PBCHD NOV
Elig Indicator: I - INELIGIBLE
Site Manager: GIBSON_D
Site Mgr End Date: 02-19-2002
Tank Office: PCLP50 - Palm Beach County
Contaminated Drinking Wells: Not reported
Contaminated Monitoring Well: Yes
Contaminated Soil: Yes
Contaminated Surface Water: Not reported
Contaminated Ground Water: Yes
Pollutant: B - UNLEADED GAS
Pollutant Other Description: Not reported
Gallons Discharged: Not reported
Discharge Date: 12-14-1998
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 02-19-2002
Cleanup Work Status: COMPLETED
Information Source: Z - OTHER
Other Source Description: PBCHD NOV
Elig Indicator: I - INELIGIBLE
Site Manager: GIBSON_D
Site Mgr End Date: 02-19-2002
Tank Office: PCLP50 - Palm Beach County
Contaminated Drinking Wells: Not reported
Contaminated Monitoring Well: Yes
Contaminated Soil: Yes
Contaminated Surface Water: Not reported
Contaminated Ground Water: Yes
Pollutant: D - VEHICULAR DIESEL
Pollutant Other Description: Not reported
Gallons Discharged: Not reported
Discharge Date: 12-14-1998
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 02-19-2002
Cleanup Work Status: COMPLETED
Information Source: Z - OTHER
Other Source Description: PBCHD NOV
Elig Indicator: I - INELIGIBLE
Site Manager: GIBSON_D
Site Mgr End Date: 02-19-2002
Tank Office: PCLP50 - Palm Beach County
Contaminated Drinking Wells: Not reported

ANYTHING & EVERYTHING AUTOMOTIVE INC (Continued) **1001227291**

Contaminated Monitoring Well: Yes
Contaminated Soil: Yes
Contaminated Surface Water: Not reported
Contaminated Ground Water: Yes
Pollutant: L - WASTE OIL
Pollutant Other Description: Not reported
Gallons Discharged: Not reported

Task Information:
District: SED
Facility ID: 9200871
Facility Status: CLOSED
Facility Type: C - Fuel user/Non-retail
County: PALM BEACH
County ID: 50
Score Effective Date: Not reported
Cleanup Eligibility Status: Not reported
Source Effective Date: 2/19/2002
Discharge Date: 12/14/1998
Cleanup Required: R
Discharge Cleanup Status: SRCR
Disch Cleanup Status Date: 02/19/2002
SRC Action Type: SRCR
SRC Submit Date: 2/7/2002
SRC Review Date: 2/7/2002
SRC Completion Status: A
SRC Issue Date: 2/19/2002
SRC Comment: Not reported

AST:
Facility ID: 9200871
Facility Phone: (561) 272-5865
Facility Status: CLOSED
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No

Owner:
Owner Id: 26689
Owner Name: ANYTHING & EVERYTHING AUTOMOTIVE INC
Owner Address: 1865 DR ANDREAS WAY
Owner Address 2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33445
Owner Contact: CHARLES TALAMO
Owner Phone: (561) 265-1572

Tank Id: 1
Gallons: 1000
Tank Location: ABOVEGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Install Date: 01-JUL-1990
Status: Closed in place
Status Date: Closed in place

Construction:
Construction Category: Not reported
Construction Description: Not reported

ANYTHING & EVERYTHING AUTOMOTIVE INC (Continued) **1001227291**

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 9200871
Facility Phone: (561) 272-5865
Facility Status: CLOSED
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: FPLIPA
Effective Date: 24-MAR-1995
Expire Date: 24-MAR-1996
Owner ID: 26689
Onwer Name: ANYTHING & EVERYTHING AUTOMOTIVE INC
Owner Address: 1865 DR ANDREAS WAY
Owner Address2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33445
Contact: CHARLES TALAMO
Resp Party Phone: (561) 265-1572

Region: 3
Facility ID: 9200871
Facility Phone: (561) 272-5865
Facility Status: CLOSED
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: ZURICH-AMERICAN
Effective Date: 07-APR-2004
Expire Date: 07-APR-2005
Owner ID: 26689
Onwer Name: ANYTHING & EVERYTHING AUTOMOTIVE INC
Owner Address: 1865 DR ANDREAS WAY
Owner Address2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33445
Contact: CHARLES TALAMO
Resp Party Phone: (561) 265-1572

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 9200871
Facility Phone: (561) 272-5865
Facility Status: CLOSED
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N

ANYTHING & EVERYTHING AUTOMOTIVE INC (Continued) **1001227291**

Finaincial Responsibility: INSURANCE
Insurance Company: FPLIPA
Effective Date: 24-MAR-1995
Expire Date: 24-MAR-1996
Owner ID: 26689
Onwer Name: ANYTHING & EVERYTHING AUTOMOTIVE INC
Owner Address: 1865 DR ANDREAS WAY
Owner Address2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33445
Contact: CHARLES TALAMO
Resp Party Phone: (561) 265-1572

Region: 3
Facility ID: 9200871
Facility Phone: (561) 272-5865
Facility Status: CLOSED
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: ZURICH-AMERICAN
Effective Date: 07-APR-2004
Expire Date: 07-APR-2005
Owner ID: 26689
Onwer Name: ANYTHING & EVERYTHING AUTOMOTIVE INC
Owner Address: 1865 DR ANDREAS WAY
Owner Address2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33445
Contact: CHARLES TALAMO
Resp Party Phone: (561) 265-1572

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 9200871
Facility Phone: (561) 272-5865
Facility Status: CLOSED
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: FPLIPA
Effective Date: 24-MAR-1995
Expire Date: 24-MAR-1996
Owner ID: 26689
Onwer Name: ANYTHING & EVERYTHING AUTOMOTIVE INC
Owner Address: 1865 DR ANDREAS WAY
Owner Address2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33445
Contact: CHARLES TALAMO
Resp Party Phone: (561) 265-1572

Region: 3
Facility ID: 9200871
Facility Phone: (561) 272-5865
Facility Status: CLOSED
Facility Type: C
Type Description: Fuel user/Non-retail

ANYTHING & EVERYTHING AUTOMOTIVE INC (Continued) **1001227291**

DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	ZURICH-AMERICAN
Effective Date:	07-APR-2004
Expire Date:	07-APR-2005
Owner ID:	26689
Onwer Name:	ANYTHING & EVERYTHING AUTOMOTIVE INC
Owner Address:	1865 DR ANDREAS WAY
Owner Address2:	Not reported
Owner City,St,Zip:	DELRAY BEACH, FL 33445
Contact:	CHARLES TALAMO
Resp Party Phone:	(561) 265-1572

E18 **NEALS STATION** **LUST U001367650**
ENE **507 W ATLANTIC AVE** **UST N/A**
1/4-1/2 **DELRAY BEACH, FL 33444**
0.466 mi.
2459 ft. **Site 1 of 2 in cluster E**

Relative:
Higher

Actual:
17 ft.

LUST:

Region:	STATE
Facility Id:	9063860
Facility Status:	CLOSED
Facility Type:	A - Retail Station -
Facility Phone:	(407) 272-6786
Facility Cleanup Rank:	Not reported
District:	Southeast District
Lat/Long (dms):	26 27 42.64 / 80 4 42.09
Section:	Not reported
Township:	Not reported
Range:	Not reported
Feature:	Not reported
Method:	AGPS
Datum:	0
Score:	Not reported
Score Effective Date:	Not reported
Score When Ranked:	Not reported
Operator:	THOMAS, MACK NEAL
Name Update:	Not reported
Address Update:	Not reported

Discharge Cleanup Summary:

Discharge Date:	06-16-1992
PCT Discharge Combined:	Not reported
Cleanup Required:	N - NO CLEANUP REQUIRED
Discharge Cleanup Status:	NREQ - CLEANUP NOT REQUIRED
Disch Cleanup Status Date:	05-29-2001
Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Eligibility Indicator:	I
Site Manager:	Not reported
Site Mgr End Date:	Not reported
Tank Office:	-

Petroleum Cleanup Program Eligibility:

Facility ID:	Not reported
Discharge Date:	Not reported
Pct Discharge Combined With:	Not reported

NEALS STATION (Continued) **U001367650**

Cleanup Required:	Not reported
Discharge Cleanup Status:	Not reported
Disch Cleanup Status Date:	Not reported
Cleanup Work Status:	Not reported
Information Source:	Not reported
Other Source Description:	Not reported
Application Received Date:	Not reported
Cleanup Program:	Not reported
Eligibility Status:	Not reported
Elig Status Date:	Not reported
Letter Of Intent Date:	Not reported
Redetermined:	Not reported
Inspection Date:	Not reported
Site Manager:	Not reported
Site Mgr End Date:	Not reported
Tank Office:	Not reported
Deductible Amount:	Not reported
Deductible Paid To Date:	Not reported
Co-Pay Amount:	Not reported
Co-Pay Paid To Date:	Not reported
Cap Amount:	Not reported

Contaminated Media:

Discharge Date:	06-16-1992
Pct Discharge Combined With:	Not reported
Cleanup Required:	N - NO CLEANUP REQUIRED
Discharge Cleanup Status:	NREQ - CLEANUP NOT REQUIRED
Disch Cleanup Status Date:	05-29-2001
Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Elig Indicator:	I - INELIGIBLE
Site Manager:	Not reported
Site Mgr End Date:	Not reported
Tank Office:	-
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	No
Contaminated Soil:	Yes
Contaminated Surface Water:	No
Contaminated Ground Water:	No
Pollutant:	Y - UNKNOWN/NOT REPORTED
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported

Task Information:

District:	SED
Facility ID:	9063860
Facility Status:	CLOSED
Facility Type:	A - Retail Station
County:	PALM BEACH
County ID:	50
Score Effective Date:	Not reported
Cleanup Eligibility Status:	Not reported
Source Effective Date:	Not reported
Discharge Date:	6/16/1992
Cleanup Required:	N
Discharge Cleanup Status:	NREQ
Disch Cleanup Status Date:	05/29/2001

NEALS STATION (Continued) **U001367650**

SRC Action Type: Not reported
SRC Submit Date: Not reported
SRC Review Date: Not reported
SRC Completion Status: Not reported
SRC Issue Date: Not reported
SRC Comment: Not reported

UST:
Facility ID: 9063860
Facility Phone: (407) 272-6786
Facility Status: CLOSED
Facility Type: Retail Station
Type Description: Retail Station
DEP Contrctr Own: No
Lat/Long (dms): 26 27 42 / 80 4 45
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 5594
Owner Name: DELRAY BCH CITY
Owner Address: 434 S SWINTON AVE
Owner Address 2: ATTN: RICHARD HASKO
Owner City,St,Zip: DELRAY BEACH, FL 33444
Owner Contact: RICHARD HASKO
Owner Phone: (561) 243-7336

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 3000
Install Date: Not reported
Status: Removed
Status Date: 30-NOV-1991

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 3000
Install Date: Not reported

NEALS STATION (Continued) **U001367650**

Status: Removed
Status Date: 30-NOV-1991

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Waste oil
Content Description: Waste Oil
Vessel Indicator: TANK
Gallons: 550
Install Date: Not reported
Status: Removed
Status Date: 30-NOV-1991

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 4
Tank Location: UNDERGROUND
Substance: Waste oil
Content Description: Waste Oil
Vessel Indicator: TANK
Gallons: 550
Install Date: Not reported
Status: Removed
Status Date: 30-NOV-1991

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported

NEALS STATION (Continued) **U001367650**

Piping Description: Not reported

F19 **CLIMATE CTRL SRVCS INC** **LUST U003342100**
West **1900 MCNAB AVE** **UST N/A**
1/4-1/2 **DELRAY BEACH, FL 33444**
0.484 mi.
2555 ft. **Site 1 of 3 in cluster F**

Relative:
Equal

Actual:
15 ft.

LUST:
Region: STATE
Facility Id: 8839133
Facility Status: CLOSED
Facility Type: C - Fuel user/Non-retail -
Facility Phone: (407) 278-7125
Facility Cleanup Rank: Not reported
District: Southeast District
Lat/Long (dms): 26 27 33.54 / 80 5 32.68
Section: 018
Township: 046
Range: 043
Feature: Not reported
Method: AGPS
Datum: 0
Score: 55
Score Effective Date: 11-04-1997
Score When Ranked: Not reported
Operator: CLIMATE CONTROL SERVICES,INC.
Name Update: 06-04-2001
Address Update: Not reported

Discharge Cleanup Summary:
Discharge Date: 03-09-1991
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 11-11-1994
Cleanup Work Status: COMPLETED
Information Source: A - ABANDONED TANK RESTORATION
Other Source Description: Not reported
Eligibility Indicator: E
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -

Petroleum Cleanup Program Eligibility:
Facility ID: 8839133
Discharge Date: 03-09-1991
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 11-11-1994
Cleanup Work Status: COMPLETED
Information Source: A - ABANDONED TANK RESTORATION
Other Source Description: Not reported
Application Received Date: 03-27-1991
Cleanup Program: A - ABANDONED TANK RESTORATION PROGRAM
Eligibility Status: 07-12-1991
Elig Status Date: 07-12-1991

CLIMATE CTRL SRVCS INC (Continued) **U003342100**

Letter Of Intent Date: Not reported
Redetermined: No
Inspection Date: 04-29-1991
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -
Deductible Amount: $500.00
Deductible Paid To Date: $0.00
Co-Pay Amount: $0.00
Co-Pay Paid To Date: $0.00
Cap Amount: Not reported

Contaminated Media:
Discharge Date: 03-09-1991
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 11-11-1994
Cleanup Work Status: COMPLETED
Information Source: A - ABANDONED TANK RESTORATION
Other Source Description: Not reported
Elig Indicator: E - ELIGIBLE
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -
Contaminated Drinking Wells: 0
Contaminated Monitoring Well: Yes
Contaminated Soil: No
Contaminated Surface Water: No
Contaminated Ground Water: Yes
Pollutant: A - LEADED GAS
Pollutant Other Description: Not reported
Gallons Discharged: Not reported
Discharge Date: 03-09-1991
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 11-11-1994
Cleanup Work Status: COMPLETED
Information Source: A - ABANDONED TANK RESTORATION
Other Source Description: Not reported
Elig Indicator: E - ELIGIBLE
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -
Contaminated Drinking Wells: 0
Contaminated Monitoring Well: Yes
Contaminated Soil: No
Contaminated Surface Water: No
Contaminated Ground Water: Yes
Pollutant: B - UNLEADED GAS
Pollutant Other Description: Not reported
Gallons Discharged: Not reported

Task Information:
District: SED
Facility ID: 8839133
Facility Status: CLOSED

CLIMATE CTRL SRVCS INC (Continued) **U003342100**

Facility Type: C - Fuel user/Non-retail
County: PALM BEACH
County ID: 50
Score Effective Date: 11/04/1997
Cleanup Eligibility Status: E
Source Effective Date: 11/11/1994
Discharge Date: 3/9/1991
Cleanup Required: R
Discharge Cleanup Status: NFA
Disch Cleanup Status Date: 11/11/1994
SRC Action Type: NFA
SRC Submit Date: 11/15/1993
SRC Review Date: 10/27/1994
SRC Completion Status: A
SRC Issue Date: 11/11/1994
SRC Comment: Not reported

UST:
Facility ID: 8839133
Facility Phone: (407) 278-7125
Facility Status: CLOSED
Facility Type: Fuel User / Non-retail
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 32 / 80 5 37
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 4252
Owner Name: CLIMATE CONTROL SERVICES INC
Owner Address: 1900 MCNAB AVE
Owner Address 2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33444
Owner Contact: DEANE ELLIS
Owner Phone: (407) 278-7125

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 3000
Install Date: 01-JUL-1976
Status: Closed in place
Status Date: 30-SEP-1988

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported

CLIMATE CTRL SRVCS INC (Continued) **U003342100**

Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 2000
Install Date: 01-JUL-1976
Status: Closed in place
Status Date: 30-SEP-1988

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Leaded gas
Content Description: Leaded Gas
Vessel Indicator: TANK
Gallons: 3000
Install Date: 01-JUL-1976
Status: Closed in place
Status Date: 30-SEP-1988

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 4
Tank Location: UNDERGROUND
Substance: Unknown/Not reported
Content Description: Unknown/Not Reported
Vessel Indicator: TANK
Gallons: 3000
Install Date: 01-JUL-1976
Status: Closed in place
Status Date: 30-SEP-1988

CLIMATE CTRL SRVCS INC (Continued) **U003342100**

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

D20 **MCEWEN LUMBER CO** **UST** **U001366696**
WSW **1860 SW 2ND ST** **N/A**
1/4-1/2 **DELRAY BEACH, FL 33445**
0.485 mi.
2562 ft. **Site 2 of 2 in cluster D**

Relative:
Equal

Actual:
15 ft.

UST:
Facility ID: 8630593
Facility Phone: (561) 276-5155
Facility Status: CLOSED
Facility Type: Fuel User / Non-retail
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 37 44 / 80 4 16
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 13990
Owner Name: MCEWEN LUMBER CO #3
Owner Address: 1860 SW 2ND ST
Owner Address 2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33445
Owner Contact: L M BRADLEY
Owner Phone: (305) 276-5155

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-JUL-1980
Status: Removed
Status Date: 31-MAR-1990

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

MCEWEN LUMBER CO (Continued) **U001366696**

Piping:
Piping Category: Not reported
Piping Description: Not reported

E21 **BP #370627** **LUST U001367662**
ENE **442 W ATLANTIC AVE** **UST N/A**
1/2-1 **DELRAY BEACH, FL 33444**
0.500 mi.
2641 ft. **Site 2 of 2 in cluster E**

Relative:
Higher

Actual:
17 ft.

LUST:
Region: STATE
Facility Id: 9100127
Facility Status: CLOSED
Facility Type: A - Retail Station -
Facility Phone: (404) 984-3048
Facility Cleanup Rank: Not reported
District: Southeast District
Lat/Long (dms): 26 27 40.8 / 80 4 40.62
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: AGPS
Datum: 0
Score: 75
Score Effective Date: 11-04-1997
Score When Ranked: Not reported
Operator: CHEVRON USA INC
Name Update: Not reported
Address Update: Not reported

Discharge Cleanup Summary:
Discharge Date: 10-18-1990
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 10-30-1991
Cleanup Work Status: COMPLETED
Information Source: A - ABANDONED TANK RESTORATION
Other Source Description: Not reported
Eligibility Indicator: E
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -

Petroleum Cleanup Program Eligibility:
Facility ID: 9100127
Discharge Date: 10-18-1990
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 10-30-1991
Cleanup Work Status: COMPLETED
Information Source: A - ABANDONED TANK RESTORATION
Other Source Description: Not reported
Application Received Date: 01-04-1991

BP #370627 (Continued) **U001367662**

Cleanup Program:	A - ABANDONED TANK RESTORATION PROGRAM
Eligibility Status:	07-04-1991
Elig Status Date:	07-04-1991
Letter Of Intent Date:	01-04-1991
Redetermined:	No
Inspection Date:	11-05-1990
Site Manager:	Not reported
Site Mgr End Date:	Not reported
Tank Office:	-
Deductible Amount:	$500.00
Deductible Paid To Date:	$500.00
Co-Pay Amount:	$0.00
Co-Pay Paid To Date:	$0.00
Cap Amount:	Not reported

Contaminated Media:

Discharge Date:	10-18-1990
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	NFA - NFA COMPLETE
Disch Cleanup Status Date:	10-30-1991
Cleanup Work Status:	COMPLETED
Information Source:	A - ABANDONED TANK RESTORATION
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	Not reported
Site Mgr End Date:	Not reported
Tank Office:	-
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	Yes
Contaminated Soil:	No
Contaminated Surface Water:	No
Contaminated Ground Water:	Yes
Pollutant:	Y - UNKNOWN/NOT REPORTED
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported

Task Information:

District:	SED
Facility ID:	9100127
Facility Status:	CLOSED
Facility Type:	A - Retail Station
County:	PALM BEACH
County ID:	50
Score Effective Date:	11/04/1997
Cleanup Eligibility Status:	E
Source Effective Date:	10/30/1991
Discharge Date:	10/18/1990
Cleanup Required:	R
Discharge Cleanup Status:	NFA
Disch Cleanup Status Date:	10/30/1991
SRC Action Type:	NFA
SRC Submit Date:	7/15/1991
SRC Review Date:	10/18/1991
SRC Completion Status:	A
SRC Issue Date:	10/30/1991
SRC Comment:	Not reported

BP #370627 (Continued) **U001367662**

UST:
Facility ID: 9100127
Facility Phone: (404) 984-3048
Facility Status: CLOSED
Facility Type: Retail Station
Type Description: Retail Station
DEP Contrctr Own: No
Lat/Long (dms): 26 27 38 / 80 4 42
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 3941
Owner Name: CHEVRON PRODUCTS CO
Owner Address: PO BOX 6004
Owner Address 2: ATT: PERMIT DESK
Owner City,St,Zip: SAN RAMON, CA 94583
Owner Contact: CHARLES BITTLE
Owner Phone: (925) 842-9002

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Kerosene
Content Description: Kerosene
Vessel Indicator: TANK
Gallons: 550
Install Date: 01-APR-1968
Status: Removed
Status Date: 31-AUG-1984

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Waste oil
Content Description: Waste Oil
Vessel Indicator: TANK
Gallons: 550
Install Date: 01-APR-1968
Status: Removed
Status Date: 31-AUG-1984

Construction:
Construction Category: Not reported
Construction Description: Not reported

BP #370627 (Continued) **U001367662**

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Leaded gas
Content Description: Leaded Gas
Vessel Indicator: TANK
Gallons: 3000
Install Date: 01-APR-1968
Status: Removed
Status Date: 31-AUG-1984

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 4
Tank Location: UNDERGROUND
Substance: Leaded gas
Content Description: Leaded Gas
Vessel Indicator: TANK
Gallons: 3000
Install Date: 01-APR-1968
Status: Removed
Status Date: 31-AUG-1984

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 5
Tank Location: UNDERGROUND
Substance: Unleaded gas

BP #370627 (Continued) **U001367662**

Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 3000
Install Date: 01-APR-1968
Status: Removed
Status Date: 31-AUG-1984

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 6
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 3000
Install Date: 01-APR-1968
Status: Removed
Status Date: 31-AUG-1984

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 7
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 3000
Install Date: Not reported
Status: Removed
Status Date: 31-AUG-1984

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:

BP #370627 (Continued) **U001367662**

Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 8
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 3000
Install Date: 01-APR-1968
Status: Removed
Status Date: 31-AUG-1984

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

F22 **SHELL #1093** **LUST U002313854**
West **1960 W ATLANTIC AVE** **UST N/A**
1/2-1 **DELRAY BEACH, FL 33444** **FINANCIAL ASSURANCE**
0.507 mi.
2678 ft. **Site 2 of 3 in cluster F**

Relative:
Lower

Actual:
13 ft.

LUST:
Region: STATE
Facility Id: 8514067
Facility Status: OPEN
Facility Type: A - Retail Station -
Facility Phone: (561) 243-1330
Facility Cleanup Rank: 1656
District: Southeast District
Lat/Long (dms): 26 27 37.2116 / 80 5 35.8017
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: AGPS
Datum: 0
Score: 61
Score Effective Date: 03-25-2005
Score When Ranked: 61
Operator: ANDY TUTAK
Name Update: Not reported
Address Update: 08-12-1997

SHELL #1093 (Continued) **U002313854**

Discharge Cleanup Summary:
- Discharge Date: 09-28-1994
- PCT Discharge Combined: Not reported
- Cleanup Required: R - CLEANUP REQUIRED
- Discharge Cleanup Status: SRCR - SRCR COMPLETE
- Disch Cleanup Status Date: 08-07-2007
- Cleanup Work Status: COMPLETED
- Information Source: D - DISCHARGE NOTIFICATION
- Other Source Description: Not reported
- Eligibility Indicator: E
- Site Manager: GIBSON_D
- Site Mgr End Date: 09-17-2007
- Tank Office: PCLP50 - Palm Beach County
- Discharge Date: 04-19-1996
- PCT Discharge Combined: Not reported
- Cleanup Required: N - NO CLEANUP REQUIRED
- Discharge Cleanup Status: NREQ - CLEANUP NOT REQUIRED
- Disch Cleanup Status Date: 05-29-2001
- Cleanup Work Status: COMPLETED
- Information Source: D - DISCHARGE NOTIFICATION
- Other Source Description: Not reported
- Eligibility Indicator: I
- Site Manager: GIBSON_D
- Site Mgr End Date: 09-17-2007
- Tank Office: PCLP50 - Palm Beach County

Petroleum Cleanup Program Eligibility:
- Facility ID: 8514067
- Discharge Date: 09-28-1994
- Pct Discharge Combined With: Not reported
- Cleanup Required: R - CLEANUP REQUIRED
- Discharge Cleanup Status: SRCR - SRCR COMPLETE
- Disch Cleanup Status Date: 08-07-2007
- Cleanup Work Status: COMPLETED
- Information Source: D - DISCHARGE NOTIFICATION
- Other Source Description: Not reported
- Application Received Date: 01-06-1995
- Cleanup Program: P - PETROLEUM LIABILITY AND RESTORATION INSURANCE PROGRAM
- Eligibility Status: 01-09-1995
- Elig Status Date: 01-09-1995
- Letter Of Intent Date: 01-06-1995
- Redetermined: No
- Inspection Date: 10-04-1994
- Site Manager: GIBSON_D
- Site Mgr End Date: 09-17-2007
- Tank Office: PCLP50 - Palm Beach County
- Deductible Amount: $10,000.00
- Deductible Paid To Date: $10,000.00
- Co-Pay Amount: $0.00
- Co-Pay Paid To Date: $0.00
- Cap Amount: $300,000.00

Contaminated Media:
- Discharge Date: 04-19-1996
- Pct Discharge Combined With: Not reported
- Cleanup Required: N - NO CLEANUP REQUIRED
- Discharge Cleanup Status: NREQ - CLEANUP NOT REQUIRED
- Disch Cleanup Status Date: 05-29-2001

SHELL #1093 (Continued) **U002313854**

Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Elig Indicator:	I - INELIGIBLE
Site Manager:	GIBSON_D
Site Mgr End Date:	09-17-2007
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	Not reported
Contaminated Monitoring Well:	Not reported
Contaminated Soil:	Not reported
Contaminated Surface Water:	Not reported
Contaminated Ground Water:	Not reported
Pollutant:	B - UNLEADED GAS
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported
Discharge Date:	09-28-1994
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	SRCR - SRCR COMPLETE
Disch Cleanup Status Date:	08-07-2007
Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	GIBSON_D
Site Mgr End Date:	09-17-2007
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	Yes
Contaminated Soil:	Yes
Contaminated Surface Water:	No
Contaminated Ground Water:	Yes
Pollutant:	B - UNLEADED GAS
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported

Task Information:

District:	SED
Facility ID:	8514067
Facility Status:	OPEN
Facility Type:	A - Retail Station
County:	PALM BEACH
County ID:	50
Score Effective Date:	03/25/2005
Cleanup Eligibility Status:	E
Source Effective Date:	8/7/2007
Discharge Date:	9/28/1994
Cleanup Required:	R
Discharge Cleanup Status:	SRCR
Disch Cleanup Status Date:	08/07/2007
SRC Action Type:	SRCR
SRC Submit Date:	2/1/2007
SRC Review Date:	2/21/2007
SRC Completion Status:	A
SRC Issue Date:	9/17/2007
SRC Comment:	Not reported
District:	SED
Facility ID:	8514067

SHELL #1093 (Continued) **U002313854**

Facility Status:	OPEN
Facility Type:	A - Retail Station
County:	PALM BEACH
County ID:	50
Score Effective Date:	03/25/2005
Cleanup Eligibility Status:	Not reported
Source Effective Date:	Not reported
Discharge Date:	4/19/1996
Cleanup Required:	N
Discharge Cleanup Status:	NREQ
Disch Cleanup Status Date:	05/29/2001
SRC Action Type:	Not reported
SRC Submit Date:	Not reported
SRC Review Date:	Not reported
SRC Completion Status:	Not reported
SRC Issue Date:	Not reported
SRC Comment:	Not reported

UST:

Facility ID:	8514067
Facility Phone:	(561) 243-1330
Facility Status:	OPEN
Facility Type:	Retail Station
Type Description:	Retail Station
DEP Contrctr Own:	No
Lat/Long (dms):	26 37 36 / 80 5 36
Positioning Method:	AGPS
Region:	STATE

Owner:

Owner Id:	45875
Owner Name:	FIRST COAST ENERGY LLP
Owner Address:	7014 A C SKINNER PKY #290
Owner Address 2:	ATTN: KATHY CLARK
Owner City,St,Zip:	JACKSONVILLE, FL 32256
Owner Contact:	KATHY CLARK
Owner Phone:	(888) 247-3290

Tank Id:	1
Tank Location:	UNDERGROUND
Substance:	Leaded gas
Content Description:	Leaded Gas
Vessel Indicator:	TANK
Gallons:	8000
Install Date:	01-NOV-1973
Status:	Removed
Status Date:	01-MAR-2005

Construction:

Construction Category:	Not reported
Construction Description:	Not reported

Monitoring:

Monitoring Description:	Not reported

SHELL #1093 (Continued) **U002313854**

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 1R1
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 15000
Install Date: 01-APR-2005
Status: In service
Status Date: 01-APR-2005

Construction:
Construction Category: Overfill/Spill
Construction Description: Ball check valve

Construction Category: Primary Construction
Construction Description: Fiberglass

Construction Category: Secondary Containment
Construction Description: Double wall

Construction Category: Overfill/Spill
Construction Description: Spill containment bucket

Monitoring:
Monitoring Description: Monitor dbl wall tank space

Monitoring Description: Monitor dbl wall pipe space

Monitoring Description: Continuous electronic sensing

Monitoring Description: Electronic monitor pipe sumps

Monitoring Description: Electronic monitor dispenser liners

Piping:
Piping Category: Miscellaneous Attributes
Piping Description: Dispenser liners

Piping Category: Miscellaneous Attributes
Piping Description: Pressurized piping system

Piping Category: Secondary Containment
Piping Description: Double wall

Piping Category: Primary Construction
Piping Description: Fiberglass

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Leaded gas

SHELL #1093 (Continued) **U002313854**

Content Description: Leaded Gas
Vessel Indicator: TANK
Gallons: 6000
Install Date: 01-NOV-1973
Status: Removed
Status Date: 01-MAR-2005

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2R1
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 15000
Install Date: 01-APR-2005
Status: In service
Status Date: 01-APR-2005

Construction:
Construction Category: Overfill/Spill
Construction Description: Ball check valve

Construction Category: Primary Construction
Construction Description: Fiberglass

Construction Category: Secondary Containment
Construction Description: Double wall

Construction Category: Overfill/Spill
Construction Description: Spill containment bucket

Monitoring:
Monitoring Description: Monitor dbl wall tank space

Monitoring Description: Monitor dbl wall pipe space

Monitoring Description: Continuous electronic sensing

Monitoring Description: Electronic monitor pipe sumps

Monitoring Description: Electronic monitor dispenser liners

Piping:
Piping Category: Primary Construction
Piping Description: Fiberglass

SHELL #1093 (Continued) **U002313854**

Piping Category: Secondary Containment
Piping Description: Double wall

Piping Category: Miscellaneous Attributes
Piping Description: Pressurized piping system

Piping Category: Miscellaneous Attributes
Piping Description: Dispenser liners

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Leaded gas
Content Description: Leaded Gas
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-NOV-1973
Status: Removed
Status Date: 01-MAR-2005

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 4
Tank Location: UNDERGROUND
Substance: Waste oil
Content Description: Waste Oil
Vessel Indicator: TANK
Gallons: 275
Install Date: 01-NOV-1973
Status: Removed
Status Date: 01-OCT-1995

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 5
Tank Location: UNDERGROUND

SHELL #1093 (Continued) **U002313854**

Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-JUN-1997
Status: In service
Status Date: 01-JUN-1997

Construction:
Construction Category: Overfill/Spill
Construction Description: Ball check valve

Construction Category: Primary Construction
Construction Description: Fiberglass

Construction Category: Secondary Containment
Construction Description: Double wall

Construction Category: Overfill/Spill
Construction Description: Spill containment bucket

Construction Category: Overfill/Spill
Construction Description: Flow shut-Off

Construction Category: Overfill/Spill
Construction Description: Tight fill

Monitoring:
Monitoring Description: Monitor dbl wall tank space

Monitoring Description: Mechanical line leak detector

Monitoring Description: Monitor dbl wall pipe space

Monitoring Description: Electronic monitor pipe sumps

Monitoring Description: Electronic monitor dispenser liners

Piping:
Piping Category: Secondary Containment
Piping Description: Double wall

Piping Category: Miscellaneous Attributes
Piping Description: Pressurized piping system

Piping Category: Primary Construction
Piping Description: Fiberglass

Piping Category: Miscellaneous Attributes
Piping Description: Dispenser liners

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8514067
Facility Phone: (561) 243-1330

SHELL #1093 (Continued) **U002313854**

Facility Status:	OPEN
Facility Type:	A
Type Description:	Retail Station
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	LIBERTY SURPLUS INSURANCE CORP
Effective Date:	02-APR-2009
Expire Date:	02-APR-2010
Owner ID:	45875
Onwer Name:	FIRST COAST ENERGY LLP
Owner Address:	7014 A C SKINNER PKY #290
Owner Address2:	ATTN: KATHY CLARK
Owner City,St,Zip:	JACKSONVILLE, FL 32256
Contact:	KATHY CLARK
Resp Party Phone:	(888) 247-3290

FINANCIAL ASSURANCE 3:

Region:	3
Facility ID:	8514067
Facility Phone:	(561) 243-1330
Facility Status:	OPEN
Facility Type:	A
Type Description:	Retail Station
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	LIBERTY SURPLUS INSURANCE CORP
Effective Date:	02-APR-2009
Expire Date:	02-APR-2010
Owner ID:	45875
Onwer Name:	FIRST COAST ENERGY LLP
Owner Address:	7014 A C SKINNER PKY #290
Owner Address2:	ATTN: KATHY CLARK
Owner City,St,Zip:	JACKSONVILLE, FL 32256
Contact:	KATHY CLARK
Resp Party Phone:	(888) 247-3290

FINANCIAL ASSURANCE 3:

Region:	3
Facility ID:	8514067
Facility Phone:	(561) 243-1330
Facility Status:	OPEN
Facility Type:	A
Type Description:	Retail Station
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	LIBERTY SURPLUS INSURANCE CORP
Effective Date:	02-APR-2009
Expire Date:	02-APR-2010
Owner ID:	45875
Onwer Name:	FIRST COAST ENERGY LLP
Owner Address:	7014 A C SKINNER PKY #290
Owner Address2:	ATTN: KATHY CLARK
Owner City,St,Zip:	JACKSONVILLE, FL 32256
Contact:	KATHY CLARK
Resp Party Phone:	(888) 247-3290

23
NW
1/2-1
0.522 mi.
2757 ft.

WITTMER ENVIRONMENTAL SERVICES
80 DEPOT AVE.
DELRAY BEACH, FL 33445

SWF/LF **S102409040**
N/A

Relative:
Higher

Actual:
19 ft.

SWF/LF:

Facility ID:	67708	
District:	SED	
Lat/Long:	26:27:42.7 / 80:5:34.34	
Class Type:	750	
Classification:	TRANSFER STATION	
Class Status:	INACTIVE	
Facility Status:	INACTIVE	
Section:	18	
Township:	46S	
Range:	43E	
Responsible Authority Name:		GEORGE WITTMER
Responsible Authority Address:		1791 BLOUNT ROAD
Responsible Authority City,St,Zip:		POMPANO BEACH, FL 33069
Responsible Authority Phone:		3059748214
Site Supervisor Name:		Not reported
Site Supervisor Addr:		Not reported
Site Supervisor City/State/Zip:		Not reported
Site Supervisor Telephone:		Not reported
Land Owner Name:		Not reported
Land Owner Address:		Not reported
Land Owner City/State/Zip:		Not reported
Land Owner Telephone:		Not reported

G24
NW
1/2-1
0.524 mi.
2765 ft.

DELRAY BEACH AUTO RECYCLING
110 NW 18TH AVE
DELRAY BEACH, FL 33445

Site 1 of 3 in cluster G

LUST **U001367838**
UST **N/A**
AST

Relative:
Lower

Actual:
12 ft.

LUST:

Region:	STATE	
Facility Id:	9202350	
Facility Status:	CLOSED	
Facility Type:	C - Fuel user/Non-retail -	
Facility Phone:	(407) 276-6262	
Facility Cleanup Rank:		Not reported
District:	Southeast District	
Lat/Long (dms):	26 27 49.77 / 80 5 29.43	
Section:	Not reported	
Township:	Not reported	
Range:	Not reported	
Feature:	Not reported	
Method:	AGPS	
Datum:	0	
Score:		30
Score Effective Date:		09-24-1999
Score When Ranked:		Not reported
Operator:	MIKE STOYKA	
Name Update:	06-02-2005	
Address Update:	Not reported	

Discharge Cleanup Summary:

Discharge Date:	01-27-1994

DELRAY BEACH AUTO RECYCLING (Continued) **U001367838**

PCT Discharge Combined: 06-30-1992
Cleanup Required: C - COMBINED CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 08-06-2001
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Eligibility Indicator: I
Site Manager: ROMERO_R
Site Mgr End Date: 08-22-2001
Tank Office: PCLP50 - Palm Beach County
Discharge Date: 06-30-1992
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 08-06-2001
Cleanup Work Status: COMPLETED
Information Source: A - ABANDONED TANK RESTORATION
Other Source Description: Not reported
Eligibility Indicator: E
Site Manager: ROMERO_R
Site Mgr End Date: 08-22-2001
Tank Office: PCLP50 - Palm Beach County

Petroleum Cleanup Program Eligibility:
Facility ID: 9202350
Discharge Date: 06-30-1992
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 08-06-2001
Cleanup Work Status: COMPLETED
Information Source: A - ABANDONED TANK RESTORATION
Other Source Description: Not reported
Application Received Date: 06-30-1992
Cleanup Program: A - ABANDONED TANK RESTORATION PROGRAM
Eligibility Status: 04-22-1994
Elig Status Date: 04-22-1994
Letter Of Intent Date: 06-30-1992
Redetermined: No
Inspection Date: 11-13-1993
Site Manager: ROMERO_R
Site Mgr End Date: 08-22-2001
Tank Office: PCLP50 - Palm Beach County
Deductible Amount: $500.00
Deductible Paid To Date: $500.00
Co-Pay Amount: $0.00
Co-Pay Paid To Date: $0.00
Cap Amount: Not reported

Contaminated Media:
Discharge Date: 01-27-1994
Pct Discharge Combined With: 06-30-1992
Cleanup Required: C - COMBINED CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 08-06-2001
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION

DELRAY BEACH AUTO RECYCLING (Continued) **U001367838**

Other Source Description:	Not reported
Elig Indicator:	I - INELIGIBLE
Site Manager:	ROMERO_R
Site Mgr End Date:	08-22-2001
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	Not reported
Contaminated Monitoring Well:	Not reported
Contaminated Soil:	Not reported
Contaminated Surface Water:	Not reported
Contaminated Ground Water:	Not reported
Pollutant:	A - LEADED GAS
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported
Discharge Date:	06-30-1992
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	NFA - NFA COMPLETE
Disch Cleanup Status Date:	08-06-2001
Cleanup Work Status:	COMPLETED
Information Source:	A - ABANDONED TANK RESTORATION
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	ROMERO_R
Site Mgr End Date:	08-22-2001
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	No
Contaminated Soil:	Yes
Contaminated Surface Water:	No
Contaminated Ground Water:	No
Pollutant:	P - GENERIC GASOLINE
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported

Task Information:

District:	SED
Facility ID:	9202350
Facility Status:	CLOSED
Facility Type:	C - Fuel user/Non-retail
County:	PALM BEACH
County ID:	50
Score Effective Date:	09/24/1999
Cleanup Eligibility Status:	P
Source Effective Date:	8/6/2001
Discharge Date:	6/30/1992
Cleanup Required:	R
Discharge Cleanup Status:	NFA
Disch Cleanup Status Date:	08/06/2001
SRC Action Type:	NFA
SRC Submit Date:	5/1/2001
SRC Review Date:	5/7/2001
SRC Completion Status:	A
SRC Issue Date:	8/22/2001
SRC Comment:	Not reported
District:	SED
Facility ID:	9202350
Facility Status:	CLOSED
Facility Type:	C - Fuel user/Non-retail

DELRAY BEACH AUTO RECYCLING (Continued) **U001367838**

County: PALM BEACH
County ID: 50
Score Effective Date: 09/24/1999
Cleanup Eligibility Status: Not reported
Source Effective Date: 8/6/2001
Discharge Date: 1/27/1994
Cleanup Required: C
Discharge Cleanup Status: NFA
Disch Cleanup Status Date: 08/06/2001
SRC Action Type: NFA
SRC Submit Date: 5/1/2001
SRC Review Date: 5/7/2001
SRC Completion Status: A
SRC Issue Date: 8/22/2001
SRC Comment: Not reported

UST:
Facility ID: 9202350
Facility Phone: (407) 276-6262
Facility Status: CLOSED
Facility Type: Fuel User / Non-retail
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 49 / 80 5 30
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 46191
Owner Name: COUSINS AUTO SALVAGE
Owner Address: 5325 NW 77TH AVE
Owner Address 2: Not reported
Owner City,St,Zip: MIAMI, FL 33166
Owner Contact: Not reported
Owner Phone: (561) 276-7558

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 1000
Install Date: Not reported
Status: Removed
Status Date: 31-JAN-1994

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

DELRAY BEACH AUTO RECYCLING (Continued) **U001367838**

AST:
Facility ID: 9202350
Facility Phone: (407) 276-6262
Facility Status: CLOSED
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 49 / 80 5 30
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 46191
Owner Name: COUSINS AUTO SALVAGE
Owner Address: 5325 NW 77TH AVE
Owner Address 2: Not reported
Owner City,St,Zip: MIAMI, FL 33166
Owner Contact: Not reported
Owner Phone: (561) 276-7558

Tank Id: 2
Gallons: 1000
Tank Location: ABOVEGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Install Date: Not reported
Status: Removed
Status Date: Removed

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

F25
West
1/2-1
0.534 mi.
2819 ft.

CHEVRON #50128 **LUST U001366396**
2001 W ATLANTIC AVE **UST N/A**
DELRAY BEACH, FL 33445

Site 3 of 3 in cluster F

Relative:
Lower

Actual:
12 ft.

LUST:
Region: STATE
Facility Id: 8520556
Facility Status: CLOSED
Facility Type: A - Retail Station -
Facility Phone: (561) 278-9353
Facility Cleanup Rank: Not reported
District: Southeast District
Lat/Long (dms): 26 27 38.67 / 80 5 38.41
Section: 018

CHEVRON #50128 (Continued) **U001366396**

Township: 46S
Range: 43E
Feature: Not reported
Method: AGPS
Datum: 0
Score: 56
Score Effective Date: 11-04-1997
Score When Ranked: Not reported
Operator: CUNLIFFE P STEEL
Name Update: Not reported
Address Update: Not reported

Discharge Cleanup Summary:
Discharge Date: 09-09-1991
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 10-06-1995
Cleanup Work Status: COMPLETED
Information Source: I - PLIRP (INSURANCE)
Other Source Description: Not reported
Eligibility Indicator: E
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -
Discharge Date: 02-03-1994
PCT Discharge Combined: 09-09-1991
Cleanup Required: C - COMBINED CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 10-06-1995
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Eligibility Indicator: I
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -

Petroleum Cleanup Program Eligibility:
Facility ID: 8520556
Discharge Date: 09-09-1991
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 10-06-1995
Cleanup Work Status: COMPLETED
Information Source: I - PLIRP (INSURANCE)
Other Source Description: Not reported
Application Received Date: 11-20-1991
Cleanup Program: P - PETROLEUM LIABILITY AND RESTORATION INSURANCE PROGRAM
Eligibility Status: 09-01-1992
Elig Status Date: 09-01-1992
Letter Of Intent Date: 12-30-1991
Redetermined: No
Inspection Date: 10-16-1991
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -

CHEVRON #50128 (Continued) **U001366396**

Deductible Amount:	$500.00
Deductible Paid To Date:	$500.00
Co-Pay Amount:	$0.00
Co-Pay Paid To Date:	$0.00
Cap Amount:	$1,000,000.00

Contaminated Media:

Discharge Date:	02-03-1994
Pct Discharge Combined With:	09-09-1991
Cleanup Required:	C - COMBINED CLEANUP REQUIRED
Discharge Cleanup Status:	SRCR - SRCR COMPLETE
Disch Cleanup Status Date:	10-06-1995
Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Elig Indicator:	I - INELIGIBLE
Site Manager:	Not reported
Site Mgr End Date:	Not reported
Tank Office:	-
Contaminated Drinking Wells:	Not reported
Contaminated Monitoring Well:	Not reported
Contaminated Soil:	Not reported
Contaminated Surface Water:	Not reported
Contaminated Ground Water:	Not reported
Pollutant:	B - UNLEADED GAS
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported
Discharge Date:	09-09-1991
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	SRCR - SRCR COMPLETE
Disch Cleanup Status Date:	10-06-1995
Cleanup Work Status:	COMPLETED
Information Source:	I - PLIRP (INSURANCE)
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	Not reported
Site Mgr End Date:	Not reported
Tank Office:	-
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	Yes
Contaminated Soil:	No
Contaminated Surface Water:	No
Contaminated Ground Water:	Yes
Pollutant:	Y - UNKNOWN/NOT REPORTED
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported

Task Information:

District:	SED
Facility ID:	8520556
Facility Status:	CLOSED
Facility Type:	A - Retail Station
County:	PALM BEACH
County ID:	50
Score Effective Date:	11/04/1997
Cleanup Eligibility Status:	E
Source Effective Date:	10/6/1995

CHEVRON #50128 (Continued) **U001366396**

Discharge Date:	9/9/1991
Cleanup Required:	R
Discharge Cleanup Status:	SRCR
Disch Cleanup Status Date:	10/06/1995
SRC Action Type:	SRCR
SRC Submit Date:	7/14/1995
SRC Review Date:	9/22/1995
SRC Completion Status:	A
SRC Issue Date:	10/6/1995
SRC Comment:	Not reported
District:	SED
Facility ID:	8520556
Facility Status:	CLOSED
Facility Type:	A - Retail Station
County:	PALM BEACH
County ID:	50
Score Effective Date:	11/04/1997
Cleanup Eligibility Status:	Not reported
Source Effective Date:	10/6/1995
Discharge Date:	2/3/1994
Cleanup Required:	C
Discharge Cleanup Status:	SRCR
Disch Cleanup Status Date:	10/06/1995
SRC Action Type:	SRCR
SRC Submit Date:	7/14/1995
SRC Review Date:	9/22/1995
SRC Completion Status:	A
SRC Issue Date:	10/6/1995
SRC Comment:	Not reported

UST:

Facility ID:	8520556
Facility Phone:	(561) 278-9353
Facility Status:	CLOSED
Facility Type:	Retail Station
Type Description:	Retail Station
DEP Contrctr Own:	No
Lat/Long (dms):	26 27 39 / 80 5 40
Positioning Method:	AGPS
Region:	STATE

Owner:

Owner Id:	3941
Owner Name:	CHEVRON PRODUCTS CO
Owner Address:	PO BOX 6004
Owner Address 2:	ATT: PERMIT DESK
Owner City,St,Zip:	SAN RAMON, CA 94583
Owner Contact:	CHARLES BITTLE
Owner Phone:	(925) 842-9002

Tank Id:	1
Tank Location:	UNDERGROUND
Substance:	Unleaded gas
Content Description:	Unleaded Gas
Vessel Indicator:	TANK
Gallons:	10000

CHEVRON #50128 (Continued) **U001366396**

Install Date: 01-JUL-1978
Status: Removed
Status Date: 31-OCT-1993

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-JUL-1978
Status: Removed
Status Date: 31-OCT-1993

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Leaded gas
Content Description: Leaded Gas
Vessel Indicator: TANK
Gallons: 10000
Install Date: 01-JUL-1978
Status: Removed
Status Date: 31-OCT-1993

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

CHEVRON #50128 (Continued) **U001366396**

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 4
Tank Location: UNDERGROUND
Substance: Waste oil
Content Description: Waste Oil
Vessel Indicator: TANK
Gallons: 550
Install Date: 01-JUL-1978
Status: Removed
Status Date: 31-MAR-1989

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

G26 **CRUMBO MORTAR SERVICE INC** **LUST S102533791**
NW **230 NW 18TH AVE** **AST N/A**
1/2-1 **DELRAY BEACH, FL 33444**
0.555 mi.
2930 ft. **Site 2 of 3 in cluster G**

Relative:
Lower

Actual:
12 ft.

LUST:
Region: STATE
Facility Id: 8838233
Facility Status: OPEN
Facility Type: C - Fuel user/Non-retail -
Facility Phone: (305) 265-0421
Facility Cleanup Rank: Not reported
District: Southeast District
Lat/Long (dms): 26 27 58.62 / 80 5 34.61
Section: 018
Township: 43S
Range: 46E
Feature: Not reported
Method: AGPS
Datum: 0
Score: Not reported
Score Effective Date: Not reported
Score When Ranked: Not reported
Operator: CRUMBO MORTAR SERVICE INC
Name Update: Not reported
Address Update: Not reported

Discharge Cleanup Summary:
Discharge Date: 12-20-1988

CRUMBO MORTAR SERVICE INC (Continued) **S102533791**

PCT Discharge Combined:	Not reported
Cleanup Required:	N - NO CLEANUP REQUIRED
Discharge Cleanup Status:	NREQ - CLEANUP NOT REQUIRED
Disch Cleanup Status Date:	05-29-2001
Cleanup Work Status:	COMPLETED
Information Source:	E - EDI
Other Source Description:	Not reported
Eligibility Indicator:	I
Site Manager:	Not reported
Site Mgr End Date:	Not reported
Tank Office:	-

Petroleum Cleanup Program Eligibility:

Facility ID:	Not reported
Discharge Date:	Not reported
Pct Discharge Combined With:	Not reported
Cleanup Required:	Not reported
Discharge Cleanup Status:	Not reported
Disch Cleanup Status Date:	Not reported
Cleanup Work Status:	Not reported
Information Source:	Not reported
Other Source Description:	Not reported
Application Received Date:	Not reported
Cleanup Program:	Not reported
Eligibility Status:	Not reported
Elig Status Date:	Not reported
Letter Of Intent Date:	Not reported
Redetermined:	Not reported
Inspection Date:	Not reported
Site Manager:	Not reported
Site Mgr End Date:	Not reported
Tank Office:	Not reported
Deductible Amount:	Not reported
Deductible Paid To Date:	Not reported
Co-Pay Amount:	Not reported
Co-Pay Paid To Date:	Not reported
Cap Amount:	Not reported

Contaminated Media:

Discharge Date:	12-20-1988
Pct Discharge Combined With:	Not reported
Cleanup Required:	N - NO CLEANUP REQUIRED
Discharge Cleanup Status:	NREQ - CLEANUP NOT REQUIRED
Disch Cleanup Status Date:	05-29-2001
Cleanup Work Status:	COMPLETED
Information Source:	E - EDI
Other Source Description:	Not reported
Elig Indicator:	I - INELIGIBLE
Site Manager:	Not reported
Site Mgr End Date:	Not reported
Tank Office:	-
Contaminated Drinking Wells:	Not reported
Contaminated Monitoring Well:	Not reported
Contaminated Soil:	Not reported
Contaminated Surface Water:	Not reported
Contaminated Ground Water:	Not reported
Pollutant:	M - FUEL OIL - ONSITE HEAT
Pollutant Other Description:	Not reported

CRUMBO MORTAR SERVICE INC (Continued) **S102533791**

Gallons Discharged: Not reported

Task Information:
District: SED
Facility ID: 8838233
Facility Status: OPEN
Facility Type: C - Fuel user/Non-retail
County: PALM BEACH
County ID: 50
Score Effective Date: Not reported
Cleanup Eligibility Status: I
Source Effective Date: Not reported
Discharge Date: 12/20/1988
Cleanup Required: N
Discharge Cleanup Status: NREQ
Disch Cleanup Status Date: 05/29/2001
SRC Action Type: Not reported
SRC Submit Date: Not reported
SRC Review Date: Not reported
SRC Completion Status: Not reported
SRC Issue Date: Not reported
SRC Comment: Not reported

AST:
Facility ID: 8838233
Facility Phone: (305) 265-0421
Facility Status: OPEN
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No

Owner:
Owner Id: 12542
Owner Name: LANK COMO OIL CO
Owner Address: PO BOX 100909
Owner Address 2: Not reported
Owner City,St,Zip: FORT LAUDERDALE, FL 33310
Owner Contact: WILLIAM LANK JR
Owner Phone: (305) 978-6600

Tank Id: 1
Gallons: 500
Tank Location: ABOVEGROUND
Substance: Fuel oil-distribution
Content Description: Fuel Oil - Distribution
Install Date: 01-JUL-1985
Status: Temp out of service
Status Date: Temp out of service

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported

CRUMBO MORTAR SERVICE INC (Continued) **S102533791**

Piping Description: Not reported

G27 **CONTINENTAL FL MATERIALS INC** **LUST** **U001366640**
WNW **1860 NW 1ST ST** **UST** **N/A**
1/2-1 **DELRAY BEACH, FL 33444** **AST**
0.559 mi. **FINANCIAL ASSURANCE**
2954 ft. **Site 3 of 3 in cluster G**

Relative:
Lower

Actual:
10 ft.

LUST:
Region: STATE
Facility Id: 8630529
Facility Status: OPEN
Facility Type: C - Fuel user/Non-retail -
Facility Phone: (561) 278-2807
Facility Cleanup Rank: Not reported
District: Southeast District
Lat/Long (dms): 26 27 46.99 / 80 5 31.98
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: AGPS
Datum: 0
Score: Not reported
Score Effective Date: Not reported
Score When Ranked: Not reported
Operator: ANDREW FINLAYSON
Name Update: 05-30-2001
Address Update: 06-03-2005

Discharge Cleanup Summary:
Discharge Date: 11-22-1991
PCT Discharge Combined: Not reported
Cleanup Required: N - NO CLEANUP REQUIRED
Discharge Cleanup Status: NREQ - CLEANUP NOT REQUIRED
Disch Cleanup Status Date: 05-29-2001
Cleanup Work Status: COMPLETED
Information Source: A - ABANDONED TANK RESTORATION
Other Source Description: Not reported
Eligibility Indicator: I
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -

Petroleum Cleanup Program Eligibility:
Facility ID: Not reported
Discharge Date: Not reported
Pct Discharge Combined With: Not reported
Cleanup Required: Not reported
Discharge Cleanup Status: Not reported
Disch Cleanup Status Date: Not reported
Cleanup Work Status: Not reported
Information Source: Not reported
Other Source Description: Not reported
Application Received Date: Not reported
Cleanup Program: Not reported
Eligibility Status: Not reported
Elig Status Date: Not reported

CONTINENTAL FL MATERIALS INC (Continued) **U001366640**

Letter Of Intent Date: Not reported
Redetermined: Not reported
Inspection Date: Not reported
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: Not reported
Deductible Amount: Not reported
Deductible Paid To Date: Not reported
Co-Pay Amount: Not reported
Co-Pay Paid To Date: Not reported
Cap Amount: Not reported

Contaminated Media:
Discharge Date: 11-22-1991
Pct Discharge Combined With: Not reported
Cleanup Required: N - NO CLEANUP REQUIRED
Discharge Cleanup Status: NREQ - CLEANUP NOT REQUIRED
Disch Cleanup Status Date: 05-29-2001
Cleanup Work Status: COMPLETED
Information Source: A - ABANDONED TANK RESTORATION
Other Source Description: Not reported
Elig Indicator: I - INELIGIBLE
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -
Contaminated Drinking Wells: 0
Contaminated Monitoring Well: No
Contaminated Soil: Yes
Contaminated Surface Water: No
Contaminated Ground Water: No
Pollutant: Z - OTHER NON REGULATED
Pollutant Other Description: DIESEL FUEL
Gallons Discharged: Not reported

Task Information:
District: SED
Facility ID: 8630529
Facility Status: OPEN
Facility Type: C - Fuel user/Non-retail
County: PALM BEACH
County ID: 50
Score Effective Date: Not reported
Cleanup Eligibility Status: I
Source Effective Date: Not reported
Discharge Date: 11/22/1991
Cleanup Required: N
Discharge Cleanup Status: NREQ
Disch Cleanup Status Date: 05/29/2001
SRC Action Type: Not reported
SRC Submit Date: Not reported
SRC Review Date: Not reported
SRC Completion Status: Not reported
SRC Issue Date: Not reported
SRC Comment: Not reported

UST:
Facility ID: 8630529
Facility Phone: (561) 278-2807

CONTINENTAL FL MATERIALS INC (Continued) **U001366640**

Facility Status: OPEN
Facility Type: Fuel User / Non-retail
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 47 / 80 5 34
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 45733
Owner Name: CONTINENTAL FLORIDA MATERIALS INC
Owner Address: 13450 W SUNRISE BLVD #430
Owner Address 2: ATTN: JACK RAIMONDI
Owner City,St,Zip: SUNRISE, FL 33323
Owner Contact: JACK RAIMONDI
Owner Phone: (954) 858-0788

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 4000
Install Date: Not reported
Status: Removed
Status Date: 30-JUN-1989

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 4000
Install Date: Not reported
Status: Removed
Status Date: 30-JUN-1989

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

CONTINENTAL FL MATERIALS INC (Continued) **U001366640**

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 2000
Install Date: Not reported
Status: Removed
Status Date: 30-JUN-1989

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 4
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 4000
Install Date: Not reported
Status: Removed
Status Date: 30-JUN-1989

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 5
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 4000
Install Date: Not reported

CONTINENTAL FL MATERIALS INC (Continued) **U001366640**

Status: Removed
Status Date: 30-JUN-1989

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

AST:
Facility ID: 8630529
Facility Phone: (561) 278-2807
Facility Status: OPEN
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 47 / 80 5 34
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 45733
Owner Name: CONTINENTAL FLORIDA MATERIALS INC
Owner Address: 13450 W SUNRISE BLVD #430
Owner Address 2: ATTN: JACK RAIMONDI
Owner City,St,Zip: SUNRISE, FL 33323
Owner Contact: JACK RAIMONDI
Owner Phone: (954) 858-0788

Tank Id: 6
Gallons: 4000
Tank Location: ABOVEGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Install Date: 01-AUG-1994
Status: In service
Status Date: In service

Construction:
Construction Category: Secondary Containment
Construction Description: Double wall

Construction Category: Overfill/Spill
Construction Description: Spill containment bucket

Construction Category: Primary Construction
Construction Description: Steel

Construction Category: Overfill/Spill
Construction Description: Level gauges/alarms

CONTINENTAL FL MATERIALS INC (Continued) **U001366640**

Monitoring:
Monitoring Description: Visual inspection of ASTs

Monitoring Description: Monitor dbl wall tank space

Piping:
Piping Category: Miscellaneous Attributes
Piping Description: Abv, no soil contact

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8630529
Facility Phone: (561) 278-2807
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: ZURICH-AMERICAN
Effective Date: 01-JAN-2009
Expire Date: 01-JAN-2010
Owner ID: 45733
Onwer Name: CONTINENTAL FLORIDA MATERIALS INC
Owner Address: 13450 W SUNRISE BLVD #430
Owner Address2: ATTN: JACK RAIMONDI
Owner City,St,Zip: SUNRISE, FL 33323
Contact: JACK RAIMONDI
Resp Party Phone: (954) 858-0788

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8630529
Facility Phone: (561) 278-2807
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: ZURICH-AMERICAN
Effective Date: 01-JAN-2009
Expire Date: 01-JAN-2010
Owner ID: 45733
Onwer Name: CONTINENTAL FLORIDA MATERIALS INC
Owner Address: 13450 W SUNRISE BLVD #430
Owner Address2: ATTN: JACK RAIMONDI
Owner City,St,Zip: SUNRISE, FL 33323
Contact: JACK RAIMONDI
Resp Party Phone: (954) 858-0788

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8630529
Facility Phone: (561) 278-2807
Facility Status: OPEN

CONTINENTAL FL MATERIALS INC (Continued) **U001366640**

Facility Type:	C
Type Description:	Fuel user/Non-retail
DEP CO:	N
Finaincial Responsibility:	INSURANCE
Insurance Company:	ZURICH-AMERICAN
Effective Date:	01-JAN-2009
Expire Date:	01-JAN-2010
Owner ID:	45733
Onwer Name:	CONTINENTAL FLORIDA MATERIALS INC
Owner Address:	13450 W SUNRISE BLVD #430
Owner Address2:	ATTN: JACK RAIMONDI
Owner City,St,Zip:	SUNRISE, FL 33323
Contact:	JACK RAIMONDI
Resp Party Phone:	(954) 858-0788

28
West
1/2-1
0.602 mi.
3178 ft.

HUNTER CRANE **LUST U001366608**
2189 W ATLANTIC AVE **UST N/A**
DELRAY BEACH, FL 33444 **AST**
FINANCIAL ASSURANCE

Relative:
Lower

Actual:
8 ft.

LUST:

Region:	STATE
Facility Id:	8630480
Facility Status:	OPEN
Facility Type:	C - Fuel user/Non-retail -
Facility Phone:	(561) 276-2709
Facility Cleanup Rank:	556
District:	Southeast District
Lat/Long (dms):	26 27 40.73 / 80 5 41.96
Section:	018
Township:	46S
Range:	43E
Feature:	Not reported
Method:	AGPS
Datum:	0
Score:	60
Score Effective Date:	06-12-2007
Score When Ranked:	76
Operator:	LULU APAEULAZA
Name Update:	02-11-2004
Address Update:	10-13-2009

Petroleum Cleanup PCT Facility Score:

Highest current score:	60
Facility Cleanup Status:	ONGO
Srp Stcm Related Party Id:	54158
Fprtc FacParty Related Type Id:	ACCOUNT OWNER
Contact:	RON FROETSCHEL
Contact Company:	HUNTER CRANE
Contact Address:	2189 W ATLANTIC
Contact City:	DELRAY BEACH
Contact Stat:	FL
Contact Zip:	33445
Phone:	9548183135
Bad Address Ind:	Not reported

HUNTER CRANE (Continued) **U001366608**

Discharge Cleanup Summary:

Discharge Date:	12-22-1988
PCT Discharge Combined:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	RA - RA ONGOING
Disch Cleanup Status Date:	10-16-2001
Cleanup Work Status:	ACTIVE
Information Source:	E - EDI
Other Source Description:	Not reported
Eligibility Indicator:	E
Site Manager:	ROMERO_R
Site Mgr End Date:	Not reported
Tank Office:	PCLP50 - Palm Beach County

Petroleum Cleanup Program Eligibility:

Facility ID:	8630480
Discharge Date:	12-22-1988
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	RA - RA ONGOING
Disch Cleanup Status Date:	10-16-2001
Cleanup Work Status:	ACTIVE
Information Source:	E - EDI
Other Source Description:	Not reported
Application Received Date:	12-28-1988
Cleanup Program:	E - EARLY DETECTION INCENTIVE
Eligibility Status:	11-21-1989
Elig Status Date:	11-21-1989
Letter Of Intent Date:	03-18-1994
Redetermined:	No
Inspection Date:	08-01-1989
Site Manager:	ROMERO_R
Site Mgr End Date:	Not reported
Tank Office:	PCLP50 - Palm Beach County
Deductible Amount:	Not reported
Deductible Paid To Date:	$0.00
Co-Pay Amount:	Not reported
Co-Pay Paid To Date:	$0.00
Cap Amount:	Not reported

Contaminated Media:

Discharge Date:	12-22-1988
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	RA - RA ONGOING
Disch Cleanup Status Date:	10-16-2001
Cleanup Work Status:	ACTIVE
Information Source:	E - EDI
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	ROMERO_R
Site Mgr End Date:	Not reported
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	Yes
Contaminated Soil:	Yes
Contaminated Surface Water:	No
Contaminated Ground Water:	Yes

HUNTER CRANE (Continued) **U001366608**

Pollutant:	A - LEADED GAS
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported
Discharge Date:	12-22-1988
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	RA - RA ONGOING
Disch Cleanup Status Date:	10-16-2001
Cleanup Work Status:	ACTIVE
Information Source:	E - EDI
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	ROMERO_R
Site Mgr End Date:	Not reported
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	Yes
Contaminated Soil:	Yes
Contaminated Surface Water:	No
Contaminated Ground Water:	Yes
Pollutant:	B - UNLEADED GAS
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported
Discharge Date:	12-22-1988
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	RA - RA ONGOING
Disch Cleanup Status Date:	10-16-2001
Cleanup Work Status:	ACTIVE
Information Source:	E - EDI
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	ROMERO_R
Site Mgr End Date:	Not reported
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	Yes
Contaminated Soil:	Yes
Contaminated Surface Water:	No
Contaminated Ground Water:	Yes
Pollutant:	D - VEHICULAR DIESEL
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported

Task Information:

District:	SED
Facility ID:	8630480
Facility Status:	OPEN
Facility Type:	C - Fuel user/Non-retail
County:	PALM BEACH
County ID:	50
Score Effective Date:	06/12/2007
Cleanup Eligibility Status:	E
Source Effective Date:	Not reported
Discharge Date:	12/22/1988
Cleanup Required:	R
Discharge Cleanup Status:	RA
Disch Cleanup Status Date:	10/16/2001

HUNTER CRANE (Continued) **U001366608**

SRC Action Type: Not reported
SRC Submit Date: Not reported
SRC Review Date: Not reported
SRC Completion Status: Not reported
SRC Issue Date: Not reported
SRC Comment: Not reported

UST:
Facility ID: 8630480
Facility Phone: (561) 276-2709
Facility Status: OPEN
Facility Type: Fuel User / Non-retail
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 39 / 80 5 41
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 54158
Owner Name: HUNTER CRANE
Owner Address: 2189 W ATLANTIC
Owner Address 2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33445
Owner Contact: RON FROETSCHEL
Owner Phone: (954) 818-3135

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 4000
Install Date: 01-JUL-1976
Status: Removed
Status Date: 30-NOV-1992

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 4000
Install Date: 01-JUL-1976

HUNTER CRANE (Continued) **U001366608**

Status: Removed
Status Date: 01-JAN-1995

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 4000
Install Date: 01-JUL-1980
Status: Removed
Status Date: 01-JAN-1995

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 4
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 4000
Install Date: 01-JUL-1980
Status: Removed
Status Date: 01-JAN-1995

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported

HUNTER CRANE (Continued) **U001366608**

Piping Description: Not reported

AST:
Facility ID: 8630480
Facility Phone: (561) 276-2709
Facility Status: OPEN
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 39 / 80 5 41
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 54158
Owner Name: HUNTER CRANE
Owner Address: 2189 W ATLANTIC
Owner Address 2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33445
Owner Contact: RON FROETSCHEL
Owner Phone: (954) 818-3135

Tank Id: 5
Gallons: 500
Tank Location: ABOVEGROUND
Substance: Waste oil
Content Description: Waste Oil
Install Date: 01-JUL-1980
Status: In service
Status Date: In service

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2R1
Gallons: 10000
Tank Location: ABOVEGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Install Date: 01-JAN-1995
Status: In service
Status Date: In service

Construction:
Construction Category: Overfill/Spill
Construction Description: Level gauges/alarms

Construction Category: Secondary Containment

HUNTER CRANE (Continued) **U001366608**

Construction Description: Double wall - tank jacket

Construction Category: Primary Construction
Construction Description: Steel

Construction Category: Overfill/Spill
Construction Description: Spill containment bucket

Monitoring:
Monitoring Description: Visual inspection of ASTs

Monitoring Description: Monitor dbl wall tank space

Piping:
Piping Category: Miscellaneous Attributes
Piping Description: Abv, no soil contact

Piping Category: Primary Construction
Piping Description: Steel/galvanized metal

Piping Category: Secondary Containment
Piping Description: Double wall

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8630480
Facility Phone: (561) 276-2709
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: COMMERCE & INDUSTRY
Effective Date: 18-JUL-2009
Expire Date: 18-JUL-2010
Owner ID: 54158
Onwer Name: HUNTER CRANE
Owner Address: 2189 W ATLANTIC
Owner Address2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33445
Contact: RON FROETSCHEL
Resp Party Phone: (954) 818-3135

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8630480
Facility Phone: (561) 276-2709
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: COMMERCE & INDUSTRY
Effective Date: 18-JUL-2009

HUNTER CRANE (Continued) **U001366608**

Expire Date: 18-JUL-2010
Owner ID: 54158
Onwer Name: HUNTER CRANE
Owner Address: 2189 W ATLANTIC
Owner Address2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33445
Contact: RON FROETSCHEL
Resp Party Phone: (954) 818-3135

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 8630480
Facility Phone: (561) 276-2709
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: N
Finaincial Responsibility: INSURANCE
Insurance Company: COMMERCE & INDUSTRY
Effective Date: 18-JUL-2009
Expire Date: 18-JUL-2010
Owner ID: 54158
Onwer Name: HUNTER CRANE
Owner Address: 2189 W ATLANTIC
Owner Address2: Not reported
Owner City,St,Zip: DELRAY BEACH, FL 33445
Contact: RON FROETSCHEL
Resp Party Phone: (954) 818-3135

---

29 **FORMER STAMDARD OIL FACILITY** **LUST** **S105064474**
NE **142-150 NW 4TH AVE** **N/A**
1/2-1 **DELRAY BEACH, FL 33444**
0.604 mi.
3188 ft.

Relative:
Higher

Actual:
19 ft.

LUST:
Region: STATE
Facility Id: 9804031
Facility Status: CLOSED
Facility Type: X - Contamination Site -
Facility Phone: Not reported
Facility Cleanup Rank: 674
District: Southeast District
Lat/Long (dms): 26 27 53.0532 / 80 4 10.1964
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: Not reported
Datum: Not reported
Score: 56
Score Effective Date: 06-04-2009
Score When Ranked: 75
Operator: Not reported
Name Update: Not reported
Address Update: Not reported

FORMER STAMDARD OIL FACILITY (Continued) **S105064474**

Discharge Cleanup Summary:

Discharge Date:	06-27-2001
PCT Discharge Combined:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	SRCR - SRCR COMPLETE
Disch Cleanup Status Date:	11-13-2009
Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Eligibility Indicator:	I
Site Manager:	GIBSON_D
Site Mgr End Date:	12-03-2009
Tank Office:	PCLP50 - Palm Beach County

Petroleum Cleanup Program Eligibility:

Facility ID:	Not reported
Discharge Date:	Not reported
Pct Discharge Combined With:	Not reported
Cleanup Required:	Not reported
Discharge Cleanup Status:	Not reported
Disch Cleanup Status Date:	Not reported
Cleanup Work Status:	Not reported
Information Source:	Not reported
Other Source Description:	Not reported
Application Received Date:	Not reported
Cleanup Program:	Not reported
Eligibility Status:	Not reported
Elig Status Date:	Not reported
Letter Of Intent Date:	Not reported
Redetermined:	Not reported
Inspection Date:	Not reported
Site Manager:	Not reported
Site Mgr End Date:	Not reported
Tank Office:	Not reported
Deductible Amount:	Not reported
Deductible Paid To Date:	Not reported
Co-Pay Amount:	Not reported
Co-Pay Paid To Date:	Not reported
Cap Amount:	Not reported

Contaminated Media:

Discharge Date:	06-27-2001
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	SRCR - SRCR COMPLETE
Disch Cleanup Status Date:	11-13-2009
Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Elig Indicator:	I - INELIGIBLE
Site Manager:	GIBSON_D
Site Mgr End Date:	12-03-2009
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	Not reported
Contaminated Monitoring Well:	Not reported
Contaminated Soil:	Not reported
Contaminated Surface Water:	Not reported
Contaminated Ground Water:	Yes

FORMER STAMDARD OIL FACILITY (Continued) **S105064474**

Pollutant:	B - UNLEADED GAS
Pollutant Other Description:	GW SAMPLES FROM AUDIT PRIOR
Gallons Discharged:	Not reported
Discharge Date:	06-27-2001
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	SRCR - SRCR COMPLETE
Disch Cleanup Status Date:	11-13-2009
Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Elig Indicator:	I - INELIGIBLE
Site Manager:	GIBSON_D
Site Mgr End Date:	12-03-2009
Tank Office:	PCLP50 - Palm Beach County
Contaminated Drinking Wells:	Not reported
Contaminated Monitoring Well:	Not reported
Contaminated Soil:	Not reported
Contaminated Surface Water:	Not reported
Contaminated Ground Water:	Yes
Pollutant:	D - VEHICULAR DIESEL
Pollutant Other Description:	TO REALESTATE TRANSACTION!
Gallons Discharged:	Not reported

Task Information:

District:	SED
Facility ID:	9804031
Facility Status:	CLOSED
Facility Type:	X - Contamination Site
County:	PALM BEACH
County ID:	50
Score Effective Date:	06/04/2009
Cleanup Eligibility Status:	Not reported
Source Effective Date:	11/13/2009
Discharge Date:	6/27/2001
Cleanup Required:	R
Discharge Cleanup Status:	SRCR
Disch Cleanup Status Date:	11/13/2009
SRC Action Type:	SRCR
SRC Submit Date:	11/4/2009
SRC Review Date:	11/13/2009
SRC Completion Status:	A
SRC Issue Date:	12/3/2009
SRC Comment:	Not reported

---

30 WNW 1/2-1 0.649 mi. 3425 ft. **MASTEC NORTH AMERICA INC** **LUST U001366667**
2020 NW 1ST ST **UST N/A**
DELRAY BEACH, FL 33445 **AST**

Relative: Lower

Actual: 9 ft.

LUST:

Region:	STATE
Facility Id:	8630561
Facility Status:	CLOSED
Facility Type:	C - Fuel user/Non-retail -
Facility Phone:	(561) 683-8311
Facility Cleanup Rank:	Not reported

MASTEC NORTH AMERICA INC (Continued) **U001366667**

District: Southeast District
Lat/Long (dms): 26 27 48.886 / 80 5 34.4121
Section: 018
Township: 46S
Range: 43E
Feature: Not reported
Method: AGPS
Datum: 0
Score: Not reported
Score Effective Date: Not reported
Score When Ranked: Not reported
Operator: TED HARMON
Name Update: 10-20-1998
Address Update: Not reported

Discharge Cleanup Summary:
Discharge Date: 09-23-1991
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 06-11-1993
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Eligibility Indicator: I
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -

Petroleum Cleanup Program Eligibility:
Facility ID: Not reported
Discharge Date: Not reported
Pct Discharge Combined With: Not reported
Cleanup Required: Not reported
Discharge Cleanup Status: Not reported
Disch Cleanup Status Date: Not reported
Cleanup Work Status: Not reported
Information Source: Not reported
Other Source Description: Not reported
Application Received Date: Not reported
Cleanup Program: Not reported
Eligibility Status: Not reported
Elig Status Date: Not reported
Letter Of Intent Date: Not reported
Redetermined: Not reported
Inspection Date: Not reported
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: Not reported
Deductible Amount: Not reported
Deductible Paid To Date: Not reported
Co-Pay Amount: Not reported
Co-Pay Paid To Date: Not reported
Cap Amount: Not reported

Contaminated Media:
Discharge Date: 09-23-1991
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED

MASTEC NORTH AMERICA INC (Continued) **U001366667**

Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 06-11-1993
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Elig Indicator: I - INELIGIBLE
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -
Contaminated Drinking Wells: 0
Contaminated Monitoring Well: Yes
Contaminated Soil: No
Contaminated Surface Water: No
Contaminated Ground Water: Yes
Pollutant: Z - OTHER NON REGULATED
Pollutant Other Description: DIESEL FUEL
Gallons Discharged: Not reported

Task Information:
District: SED
Facility ID: 8630561
Facility Status: CLOSED
Facility Type: C - Fuel user/Non-retail
County: PALM BEACH
County ID: 50
Score Effective Date: Not reported
Cleanup Eligibility Status: Not reported
Source Effective Date: 6/11/1993
Discharge Date: 9/23/1991
Cleanup Required: R
Discharge Cleanup Status: NFA
Disch Cleanup Status Date: 06/11/1993
SRC Action Type: NFA
SRC Submit Date: 4/14/1993
SRC Review Date: 5/26/1993
SRC Completion Status: A
SRC Issue Date: 6/11/1993
SRC Comment: Not reported

UST:
Facility ID: 8630561
Facility Phone: (561) 683-8311
Facility Status: CLOSED
Facility Type: Fuel User / Non-retail
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 47 / 80 5 43
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 3086
Owner Name: BURNUP & SIMS TELCOM INC
Owner Address: 7221 DR MARTIN LUTHER KING BLVD
Owner Address 2: Not reported
Owner City,St,Zip: TAMPA, FL 33619
Owner Contact: NEAL OVERTON

MASTEC NORTH AMERICA INC (Continued) **U001366667**

Owner Phone: (813) 621-0881

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 3000
Install Date: 01-JUN-1979
Status: Removed
Status Date: 30-APR-1990

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 4000
Install Date: 01-JUN-1979
Status: Removed
Status Date: 31-JAN-1992

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 4000
Install Date: 01-JUN-1979
Status: Removed
Status Date: 31-JAN-1992

MASTEC NORTH AMERICA INC (Continued) **U001366667**

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

AST:
Facility ID: 8630561
Facility Phone: (561) 683-8311
Facility Status: CLOSED
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 47 / 80 5 43
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 3086
Owner Name: BURNUP & SIMS TELCOM INC
Owner Address: 7221 DR MARTIN LUTHER KING BLVD
Owner Address 2: Not reported
Owner City,St,Zip: TAMPA, FL 33619
Owner Contact: NEAL OVERTON
Owner Phone: (813) 621-0881

Tank Id: 4
Gallons: 250
Tank Location: ABOVEGROUND
Substance: New/lube oil
Content Description: New/Lube Oil
Install Date: Not reported
Status: Removed
Status Date: Removed

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 5
Gallons: 250
Tank Location: ABOVEGROUND

MASTEC NORTH AMERICA INC (Continued) **U001366667**

Substance: Waste oil
Content Description: Waste Oil
Install Date: Not reported
Status: Removed
Status Date: Removed

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

31
West
1/2-1
0.676 mi.
3571 ft.

DAVID JONES BUILDER INC **LUST U001366735**
3401 W ATLANTIC AVE **UST N/A**
DELRAY BEACH, FL 33445

Relative:
Lower

Actual:
11 ft.

LUST:
Region: STATE
Facility Id: 8630645
Facility Status: CLOSED
Facility Type: C - Fuel user/Non-retail -
Facility Phone: (561) 278-9411
Facility Cleanup Rank: 6077
District: Southeast District
Lat/Long (dms): 26 27 35.85 / 80 5 46.2
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: AGPS
Datum: 0
Score: Not reported
Score Effective Date: 06-05-2007
Score When Ranked: 29
Operator: DAVID JONES BUILDER, INC.
Name Update: Not reported
Address Update: Not reported

Discharge Cleanup Summary:
Discharge Date: 12-01-1992
PCT Discharge Combined: Not reported
Cleanup Required: N - NO CLEANUP REQUIRED
Discharge Cleanup Status: NREQ - CLEANUP NOT REQUIRED
Disch Cleanup Status Date: 04-26-2010
Cleanup Work Status: COMPLETED
Information Source: C - CLOSURE REPORT
Other Source Description: Not reported
Eligibility Indicator: I
Site Manager: Not reported
Site Mgr End Date: Not reported

DAVID JONES BUILDER INC (Continued) **U001366735**

Tank Office: -

Petroleum Cleanup Program Eligibility:
Facility ID: Not reported
Discharge Date: Not reported
Pct Discharge Combined With: Not reported
Cleanup Required: Not reported
Discharge Cleanup Status: Not reported
Disch Cleanup Status Date: Not reported
Cleanup Work Status: Not reported
Information Source: Not reported
Other Source Description: Not reported
Application Received Date: Not reported
Cleanup Program: Not reported
Eligibility Status: Not reported
Elig Status Date: Not reported
Letter Of Intent Date: Not reported
Redetermined: Not reported
Inspection Date: Not reported
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: Not reported
Deductible Amount: Not reported
Deductible Paid To Date: Not reported
Co-Pay Amount: Not reported
Co-Pay Paid To Date: Not reported
Cap Amount: Not reported

Contaminated Media:
Discharge Date: 12-01-1992
Pct Discharge Combined With: Not reported
Cleanup Required: N - NO CLEANUP REQUIRED
Discharge Cleanup Status: NREQ - CLEANUP NOT REQUIRED
Disch Cleanup Status Date: 04-26-2010
Cleanup Work Status: COMPLETED
Information Source: C - CLOSURE REPORT
Other Source Description: Not reported
Elig Indicator: I - INELIGIBLE
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -
Contaminated Drinking Wells: Not reported
Contaminated Monitoring Well: Not reported
Contaminated Soil: Not reported
Contaminated Surface Water: Not reported
Contaminated Ground Water: Not reported
Pollutant: Y - UNKNOWN/NOT REPORTED
Pollutant Other Description: Not reported
Gallons Discharged: Not reported

Task Information:
District: SED
Facility ID: 8630645
Facility Status: CLOSED
Facility Type: C - Fuel user/Non-retail
County: PALM BEACH
County ID: 50
Score Effective Date: 06/05/2007
Cleanup Eligibility Status: Not reported

DAVID JONES BUILDER INC (Continued) **U001366735**

Source Effective Date: Not reported
Discharge Date: 12/1/1992
Cleanup Required: N
Discharge Cleanup Status: NREQ
Disch Cleanup Status Date: 04/26/2010
SRC Action Type: Not reported
SRC Submit Date: Not reported
SRC Review Date: Not reported
SRC Completion Status: Not reported
SRC Issue Date: Not reported
SRC Comment: Not reported

UST:
Facility ID: 8630645
Facility Phone: (561) 278-9411
Facility Status: CLOSED
Facility Type: Fuel User / Non-retail
Type Description: Fuel user/Non-retail
DEP Contrctr Own: No
Lat/Long (dms): 26 27 37 / 80 5 49
Positioning Method: AGPS
Region: STATE

Owner:
Owner Id: 5355
Owner Name: RESOLUTION TRUST CORP
Owner Address: 901 CLINT MOORE RD #927
Owner Address 2: Not reported
Owner City,St,Zip: BOCA RATON, FL 33487
Owner Contact: TONI MEYER
Owner Phone: (000) 000-0000

Tank Id: 1
Tank Location: UNDERGROUND
Substance: Unleaded gas
Content Description: Unleaded Gas
Vessel Indicator: TANK
Gallons: 3000
Install Date: 01-JUN-1983
Status: Removed
Status Date: 31-DEC-1992

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

Tank Id: 2
Tank Location: UNDERGROUND

DAVID JONES BUILDER INC (Continued) **U001366735**

Substance: Vehicular diesel
Content Description: Vehicular Diesel
Vessel Indicator: TANK
Gallons: 2000
Install Date: 01-JUN-1983
Status: Removed
Status Date: 31-DEC-1992

Construction:
Construction Category: Not reported
Construction Description: Not reported

Monitoring:
Monitoring Description: Not reported

Piping:
Piping Category: Not reported
Piping Description: Not reported

---

32 SSW 1/2-1 0.723 mi. 3817 ft. **DELRAY BEACH CITY-20 SERIES WELLFIELD** **LUST S101545510**
1449 SW 8TH ST **AST N/A**
DELRAY BEACH, FL **FINANCIAL ASSURANCE**

Relative: Lower

Actual: 12 ft.

LUST:
Region: STATE
Facility Id: 9102474
Facility Status: OPEN
Facility Type: H - Local Government -
Facility Phone: (561) 243-7302
Facility Cleanup Rank: Not reported
District: Southeast District
Lat/Long (dms): 26 26 52.56 / 80 5 17.04
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: AGPS
Datum: 0
Score: Not reported
Score Effective Date: Not reported
Score When Ranked: Not reported
Operator: PAUL DECAROLIS
Name Update: 06-02-2005
Address Update: 12-18-2002

Discharge Cleanup Summary:
Discharge Date: 02-03-1993
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 10-15-1993
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Eligibility Indicator: I

DELRAY BEACH CITY-20 SERIES WELLFIELD (Continued) **S101545510**

Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -

Petroleum Cleanup Program Eligibility:
Facility ID: Not reported
Discharge Date: Not reported
Pct Discharge Combined With: Not reported
Cleanup Required: Not reported
Discharge Cleanup Status: Not reported
Disch Cleanup Status Date: Not reported
Cleanup Work Status: Not reported
Information Source: Not reported
Other Source Description: Not reported
Application Received Date: Not reported
Cleanup Program: Not reported
Eligibility Status: Not reported
Elig Status Date: Not reported
Letter Of Intent Date: Not reported
Redetermined: Not reported
Inspection Date: Not reported
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: Not reported
Deductible Amount: Not reported
Deductible Paid To Date: Not reported
Co-Pay Amount: Not reported
Co-Pay Paid To Date: Not reported
Cap Amount: Not reported

Contaminated Media:
Discharge Date: 02-03-1993
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 10-15-1993
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Elig Indicator: I - INELIGIBLE
Site Manager: Not reported
Site Mgr End Date: Not reported
Tank Office: -
Contaminated Drinking Wells: 0
Contaminated Monitoring Well: No
Contaminated Soil: Yes
Contaminated Surface Water: No
Contaminated Ground Water: No
Pollutant: G - EMERG GENERATOR DIESEL
Pollutant Other Description: Not reported
Gallons Discharged: Not reported

Task Information:
District: SED
Facility ID: 9102474
Facility Status: OPEN
Facility Type: H - Local Government
County: PALM BEACH
County ID: 50

DELRAY BEACH CITY-20 SERIES WELLFIELD (Continued) **S101545510**

Score Effective Date:	Not reported
Cleanup Eligibility Status:	Not reported
Source Effective Date:	10/15/1993
Discharge Date:	2/3/1993
Cleanup Required:	R
Discharge Cleanup Status:	NFA
Disch Cleanup Status Date:	10/15/1993
SRC Action Type:	NFA
SRC Submit Date:	8/2/1993
SRC Review Date:	10/3/1993
SRC Completion Status:	A
SRC Issue Date:	10/15/1993
SRC Comment:	Not reported

AST:

Facility ID:	9102474
Facility Phone:	(561) 243-7302
Facility Status:	OPEN
Type Description:	Local Government
DEP Contrctr Own:	No

Owner:

Owner Id:	5594
Owner Name:	DELRAY BCH CITY
Owner Address:	434 S SWINTON AVE
Owner Address 2:	ATTN: RICHARD HASKO
Owner City,St,Zip:	DELRAY BEACH, FL 33444
Owner Contact:	RICHARD HASKO
Owner Phone:	(561) 243-7336

Tank Id:	1
Gallons:	2000
Tank Location:	ABOVEGROUND
Substance:	Diesel-emergen generator
Content Description:	Emerg Generator Diesel
Install Date:	01-JUN-1991
Status:	In service
Status Date:	In service

Construction:

Construction Category:	Primary Construction
Construction Description:	Steel
Construction Category:	Secondary Containment
Construction Description:	AST containment

Monitoring:

Monitoring Description:	Manually sampled wells
Monitoring Description:	Monitor dbl wall pipe space
Monitoring Description:	Continuous electronic sensing

Piping:

Piping Category:	Secondary Containment
Piping Description:	Double wall

DELRAY BEACH CITY-20 SERIES WELLFIELD (Continued) **S101545510**

Piping Category: Primary Construction
Piping Description: Fiberglass

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 9102474
Facility Phone: (561) 243-7302
Facility Status: OPEN
Facility Type: H
Type Description: Local Government
DEP CO: N
Finaincial Responsibility: LOCAL GOVERNMENTS - FINANCIAL TEST
Insurance Company: Not reported
Effective Date: 29-APR-2008
Expire Date: 29-APR-2010
Owner ID: 5594
Onwer Name: DELRAY BCH CITY
Owner Address: 434 S SWINTON AVE
Owner Address2: ATTN: RICHARD HASKO
Owner City,St,Zip: DELRAY BEACH, FL 33444
Contact: RICHARD HASKO
Resp Party Phone: (561) 243-7336

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 9102474
Facility Phone: (561) 243-7302
Facility Status: OPEN
Facility Type: H
Type Description: Local Government
DEP CO: N
Finaincial Responsibility: LOCAL GOVERNMENTS - FINANCIAL TEST
Insurance Company: Not reported
Effective Date: 29-APR-2008
Expire Date: 29-APR-2010
Owner ID: 5594
Onwer Name: DELRAY BCH CITY
Owner Address: 434 S SWINTON AVE
Owner Address2: ATTN: RICHARD HASKO
Owner City,St,Zip: DELRAY BEACH, FL 33444
Contact: RICHARD HASKO
Resp Party Phone: (561) 243-7336

FINANCIAL ASSURANCE 3:
Region: 3
Facility ID: 9102474
Facility Phone: (561) 243-7302
Facility Status: OPEN
Facility Type: H
Type Description: Local Government
DEP CO: N
Finaincial Responsibility: LOCAL GOVERNMENTS - FINANCIAL TEST
Insurance Company: Not reported
Effective Date: 29-APR-2008
Expire Date: 29-APR-2010

DELRAY BEACH CITY-20 SERIES WELLFIELD (Continued) **S101545510**

Owner ID:	5594
Onwer Name:	DELRAY BCH CITY
Owner Address:	434 S SWINTON AVE
Owner Address2:	ATTN: RICHARD HASKO
Owner City,St,Zip:	DELRAY BEACH, FL 33444
Contact:	RICHARD HASKO
Resp Party Phone:	(561) 243-7336

33
SSW
1/2-1
0.734 mi.
3878 ft.

ALL FLORIDA METALS RECYCLING LLC **SWRCY** **S109926294**
800 SOUTHWEST 17TH AVE. **N/A**
DELRAY BEACH, FL 33444

Relative:
Equal

Actual:
15 ft.

SWRCY:

Telephone Number:	(561) 278-5268
Company:	All Florida Metals Recycling
Name:	Robert Richardson

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
DELRAY BEACH	1000698949	SOUTHERN CROP SERVICES INC	W ATLANTIC AVE - W OF TURNPIKE	33447	CERCLIS-NFRAP,FINDS,RCRA-SQG
DELRAY BEACH	1003868789	JIM'S AUTO AIR AND REPAIR	401 N FEDERAL HWY	33444	CERCLIS-NFRAP
DELRAY BEACH	1005442719	DAVES AUTO BODY & REPAIRS INC	402 SE 5TH AVE (FEDERAL HWY)	33483	FINDS,RCRA-CESQG
DELRAY BCH	1007847354	MILESTONE	107-135 SE 1ST AVE ON E SIDE		FINDS,WW
DELRAY BEACH	1008156831	CITY WALK IN PINEAPPLE GROVE	NW CORNER OF NE 2ND STREET /		FINDS,WW
DELRAY BEACH	1008909526	DELRAY BEACH, CITY OF - ASR WELL R	DELRAY		FINDS
DELRAY BEACH	1009323209	DELRAY COLD STORAGE	785SOUTH CONGRESS AVENUE	33445	FINDS
DELRAY BEACH	1010500019	DELRAY TOYOTA - PHASE 1 & 2	2800 & 2850 S FEDERAL HWY	33483	FINDS
DELRAY BEACH	A100162827	STEVE MOORE CHEVROLET DELRAY	310 S FEDERAL HWY	33483	AST
DELRAY BEACH	A100279940	DENNIS FRONRATH CHEVROLET-ROSS OIL	310 S FEDERAL HWY	33483	AST
DELRAY BEACH	S107934423	O C TAYLOR MOTORS	707 N FEDERAL HWY	33483	FINANCIAL ASSURANCE
DELRAY BEACH	S107937686	TAYLOR MOTORS INC	700 N FEDERAL HWY	33483	FINANCIAL ASSURANCE
DELRAY BEACH	S108668050	DELRAY TOYOTA - PHASE 1 & 2	2800 / 2850 S FEDERAL HWY		WW
	S110334326	TUSCANY ON THE INTRACOASTAL	2220-2404 S. FEDERAL HIGHWAY		UIC
	S110335098	JUPITER OCEAN & RACQUET CLUB CONDO	1605 US HIGHWAY 1		UIC
DELRAY BEACH	U001367716	O C TAYLOR JEEP EAGLE	600 S FEDERAL HWY	33483	UST
DELRAY BEACH	U003798933	DELRAY BEACH CITY	SE 4TH ST & FEDERAL HWY	33444	UST
DELRAY BEACH	U004014353	O C TAYLOR MOTORS	707 N FEDERAL HWY	33483	UST
DELRAY BEACH	U004145479	PUBLIX SITE	500 N FEDERAL HWY		UST
DELRAY BEACH	U004145666	CARLOS TRUCKING SPILL SITE	US HWY 441 APPROX 2 MI SOUTH A		UST

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 03/31/2010
Date Data Arrived at EDR: 04/02/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 10

Source: EPA
Telephone: N/A
Last EDR Contact: 07/14/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 03/31/2010
Date Data Arrived at EDR: 04/02/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 10

Source: EPA
Telephone: N/A
Last EDR Contact: 07/14/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 05/17/2010
Next Scheduled EDR Contact: 08/30/2010
Data Release Frequency: No Update Planned

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 03/31/2010
Date Data Arrived at EDR: 04/02/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 10

Source: EPA
Telephone: N/A
Last EDR Contact: 07/14/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 01/29/2010
Date Data Arrived at EDR: 02/09/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 62

Source: EPA
Telephone: 703-412-9810
Last EDR Contact: 07/12/2010
Next Scheduled EDR Contact: 10/11/2010
Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPAa??s Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 06/23/2009
Date Data Arrived at EDR: 01/15/2010
Date Made Active in Reports: 02/10/2010
Number of Days to Update: 26

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 07/21/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 06/23/2009
Date Data Arrived at EDR: 09/02/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 19

Source: EPA
Telephone: 703-412-9810
Last EDR Contact: 07/12/2010
Next Scheduled EDR Contact: 09/13/2010
Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/25/2010
Date Data Arrived at EDR: 03/31/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 57

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 05/17/2010
Next Scheduled EDR Contact: 08/30/2010
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Varies

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 12/20/2009
Date Data Arrived at EDR: 01/20/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 82

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 06/14/2010
Next Scheduled EDR Contact: 09/27/2010
Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 12/20/2009
Date Data Arrived at EDR: 01/20/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 82

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 06/14/2010
Next Scheduled EDR Contact: 09/27/2010
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 01/22/2010
Date Made Active in Reports: 02/11/2010
Number of Days to Update: 20

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: Florida's State-Funded Action Sites

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 05/13/2010
Date Data Arrived at EDR: 06/02/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 16

Source: Department of Environmental Protection
Telephone: 850-488-0190
Last EDR Contact: 06/02/2010
Next Scheduled EDR Contact: 09/13/2010
Data Release Frequency: Semi-Annually

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Solid Waste Facility Database

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 04/26/2010
Date Data Arrived at EDR: 04/26/2010
Date Made Active in Reports: 05/12/2010
Number of Days to Update: 16

Source: Department of Environmental Protection
Telephone: 850-922-7121
Last EDR Contact: 07/27/2010
Next Scheduled EDR Contact: 11/08/2010
Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

LUST: Petroleum Contamination Detail Report

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 05/07/2010
Date Data Arrived at EDR: 05/12/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 37

Source: Department of Environmental Protection
Telephone: 850-245-8839
Last EDR Contact: 05/12/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Quarterly

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 02/01/2010
Date Data Arrived at EDR: 03/03/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Quarterly

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 03/10/2010
Date Data Arrived at EDR: 03/16/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 27

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Semi-Annually

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 05/04/2010
Date Data Arrived at EDR: 05/05/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 22

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 02/19/2009
Date Data Arrived at EDR: 02/19/2009
Date Made Active in Reports: 03/16/2009
Number of Days to Update: 25

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 05/03/2010
Date Data Arrived at EDR: 05/05/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 22

Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 11/04/2009
Date Data Arrived at EDR: 05/04/2010
Date Made Active in Reports: 07/07/2010
Number of Days to Update: 64

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 02/25/2010
Date Data Arrived at EDR: 02/25/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 46

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Quarterly

State and tribal registered storage tank lists

UST: STI02 - Facility/Owner/Tank Report
Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 05/07/2010
Date Data Arrived at EDR: 05/12/2010
Date Made Active in Reports: 06/23/2010
Number of Days to Update: 42

Source: Department of Environmental Protection
Telephone: 850-245-8839
Last EDR Contact: 05/12/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Quarterly

AST: STI02 - Facility/Owner/Tank Report
Registered Aboveground Storage Tanks.

Date of Government Version: 05/07/2010
Date Data Arrived at EDR: 05/12/2010
Date Made Active in Reports: 06/28/2010
Number of Days to Update: 47

Source: Department of Environmental Protection
Telephone: 850-245-8839
Last EDR Contact: 05/12/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 02/01/2010
Date Data Arrived at EDR: 03/03/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 40

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Quarterly

INDIAN UST R8: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 02/25/2010
Date Data Arrived at EDR: 02/25/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 46

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/01/2008
Date Data Arrived at EDR: 12/30/2008
Date Made Active in Reports: 03/16/2009
Number of Days to Update: 76

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 05/12/2010
Next Scheduled EDR Contact: 08/16/2010
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 05/04/2010
Date Data Arrived at EDR: 05/05/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 22

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 02/19/2009
Date Data Arrived at EDR: 02/19/2009
Date Made Active in Reports: 03/16/2009
Number of Days to Update: 25

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 03/10/2010
Date Data Arrived at EDR: 03/16/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 27

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 02/11/2010
Date Data Arrived at EDR: 02/11/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 60

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/03/2010
Date Data Arrived at EDR: 05/05/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 22

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Semi-Annually

FF TANKS: Federal Facilities Listing
A listing of federal facilities with storage tanks.

Date of Government Version: 07/09/2010
Date Data Arrived at EDR: 07/12/2010
Date Made Active in Reports: 07/30/2010
Number of Days to Update: 18
Source: Department of Environmental Protection
Telephone: 850-245-8250
Last EDR Contact: 07/08/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010
Date Data Arrived at EDR: 02/16/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 55
Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 07/19/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Institutional Controls Registry
The registry is a database of all contaminated sites in the state of Florida which are subject to engineering controls. Engineering Controls encompass a variety of engineered remedies to contain and/or reduce contamination, and/or physical barriers intended to limit access to property. ECs include fences, signs, guards, landfill caps, provision of potable water, slurry walls, sheet pile (vertical caps), pumping and treatment of groundwater, monitoring wells, and vapor extraction systems.

Date of Government Version: 07/07/2010
Date Data Arrived at EDR: 07/13/2010
Date Made Active in Reports: 07/30/2010
Number of Days to Update: 17
Source: Department of Environmental Protection
Telephone: 850-245-8927
Last EDR Contact: 07/12/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Semi-Annually

Inst Control: Institutional Controls Registry
The registry is a database of all contaminated sites in the state of Florida which are subject to institutional and engineering controls.

Date of Government Version: 07/07/2010
Date Data Arrived at EDR: 07/13/2010
Date Made Active in Reports: 07/30/2010
Number of Days to Update: 17
Source: Department of Environmental Protection
Telephone: 850-245-8927
Last EDR Contact: 07/12/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Semi-Annually

State and tribal voluntary cleanup sites

INDIAN VCP R1: Voluntary Cleanup Priority Listing
A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 04/02/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27
Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 07/08/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Varies

VCP: Voluntary Cleanup Sites
Listing of closed and active voluntary cleanup sites.

Date of Government Version: 06/01/2010
Date Data Arrived at EDR: 06/01/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 17
Source: Department of Environmental Protection
Telephone: 850-245-8705
Last EDR Contact: 06/01/2010
Next Scheduled EDR Contact: 09/13/2010
Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng
A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS: Brownfield Areas
Brownfields are abandoned, idled, or underused industrial and commercial facilities where expansion or redevelopment is complicated by real or perceived environmental contamination. Florida's Brownfields Redevelopment Acti primary goals are to reduce health and environmental hazards on existing commercial and industrial sites that are abandoned or underused due to these hazards and create financial and regulatory incentives to encourage voluntary cleanup and redevelopment of sites.

Date of Government Version: 07/12/2010
Date Data Arrived at EDR: 07/14/2010
Date Made Active in Reports: 07/30/2010
Number of Days to Update: 16

Source: Department of Environmental Protection
Telephone: 850-245-8927
Last EDR Contact: 07/14/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Semi-Annually

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites
Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 03/02/2010
Date Data Arrived at EDR: 03/23/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 55

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 06/25/2010
Next Scheduled EDR Contact: 10/11/2010
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

ODI: Open Dump Inventory
An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations
A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137
Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 07/28/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Varies

SWRCY: Recycling Centers
A listing of recycling centers located in the state of Florida.

Date of Government Version: 10/19/2009
Date Data Arrived at EDR: 10/23/2009
Date Made Active in Reports: 10/27/2009
Number of Days to Update: 4
Source: Department of Environmental Protection
Telephone: 850-245-8718
Last EDR Contact: 08/04/2010
Next Scheduled EDR Contact: 11/08/2010
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands
Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52
Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs
A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 08/19/2009
Date Data Arrived at EDR: 12/29/2009
Date Made Active in Reports: 02/10/2010
Number of Days to Update: 43
Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Quarterly

FL SITES: Sites List
This summary status report was developed from a number of lists including the Eckhardt list, the Moffit list, the EPA Hazardous Waste Sites list, EPA's Emergency & Remedial Response information System list (RCRA Section 3012) & existing department lists such as the obsolete uncontrolled Hazardous Waste Sites list. This list is no longer updated.

Date of Government Version: 12/31/1989
Date Data Arrived at EDR: 05/09/1994
Date Made Active in Reports: 08/04/1994
Number of Days to Update: 87
Source: Department of Environmental Protection
Telephone: 850-245-8705
Last EDR Contact: 03/24/1994
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

PRIORITYCLEANERS: Priority Ranking List
The Florida Legislature has established a state-funded program to cleanup properties that are contaminated as a result of the operations of a drycleaning facility.

Date of Government Version: 04/01/2010
Date Data Arrived at EDR: 05/25/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 24

Source: Department of Environmental Protection
Telephone: 850-245-8927
Last EDR Contact: 05/25/2010
Next Scheduled EDR Contact: 09/06/2010
Data Release Frequency: Varies

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007
Date Data Arrived at EDR: 11/19/2008
Date Made Active in Reports: 03/30/2009
Number of Days to Update: 131

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/05/2010
Date Data Arrived at EDR: 02/11/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 60

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005
Date Data Arrived at EDR: 12/11/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 31

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 05/24/2010
Next Scheduled EDR Contact: 09/06/2010
Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 04/06/2010
Date Data Arrived at EDR: 04/07/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 50

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Annually

SPILLS: Oil and Hazardous Materials Incidents

Statewide oil and hazardous materials inland incidents.

Date of Government Version: 04/19/2010
Date Data Arrived at EDR: 04/21/2010
Date Made Active in Reports: 05/12/2010
Number of Days to Update: 21

Source: Department of Environmental Protection
Telephone: 850-488-2974
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 08/02/2010
Data Release Frequency: Semi-Annually

Other Ascertainable Records

RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/12/2010
Date Data Arrived at EDR: 02/09/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 62

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 05/12/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 703-692-8801
Last EDR Contact: 07/22/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 09/30/2009
Date Made Active in Reports: 12/01/2009
Number of Days to Update: 62

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 06/16/2010
Next Scheduled EDR Contact: 09/27/2010
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 04/11/2010
Date Data Arrived at EDR: 04/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 28

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 07/08/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 04/29/2010
Date Data Arrived at EDR: 05/07/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 20

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 06/16/2010
Next Scheduled EDR Contact: 09/27/2010
Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 01/05/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 05/08/2009
Number of Days to Update: 1

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 06/01/2010
Next Scheduled EDR Contact: 09/13/2010
Data Release Frequency: Varies

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/12/2010
Date Data Arrived at EDR: 03/10/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 68

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 06/09/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 01/13/2010
Date Made Active in Reports: 02/18/2010
Number of Days to Update: 36

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 06/04/2010
Next Scheduled EDR Contact: 09/13/2010
Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002
Date Data Arrived at EDR: 04/14/2006
Date Made Active in Reports: 05/30/2006
Number of Days to Update: 46

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 07/07/2010
Next Scheduled EDR Contact: 10/11/2010
Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 06/01/2010
Next Scheduled EDR Contact: 09/13/2010
Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 06/01/2010
Next Scheduled EDR Contact: 09/13/2010
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 01/06/2010
Date Made Active in Reports: 02/10/2010
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 08/03/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 04/24/2010
Date Data Arrived at EDR: 04/29/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 18

Source: Environmental Protection Agency
Telephone: 202-564-5088
Last EDR Contact: 06/25/2010
Next Scheduled EDR Contact: 10/11/2010
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 09/01/2009
Date Data Arrived at EDR: 10/21/2009
Date Made Active in Reports: 12/01/2009
Number of Days to Update: 41

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 07/30/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/18/2010
Date Data Arrived at EDR: 04/06/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 51

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 06/14/2010
Next Scheduled EDR Contact: 09/27/2010
Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 04/13/2010
Date Data Arrived at EDR: 04/14/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 33

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 07/14/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/14/2010
Date Data Arrived at EDR: 04/16/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 41

Source: EPA
Telephone: (404) 562-9900
Last EDR Contact: 07/07/2010
Next Scheduled EDR Contact: 09/27/2010
Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 02/25/2010
Date Made Active in Reports: 05/12/2010
Number of Days to Update: 76

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 05/25/2010
Next Scheduled EDR Contact: 09/06/2010
Data Release Frequency: Biennially

UIC: Underground Injection Wells Database Listing
A listing of Class I wells. Class I wells are used to inject hazardous waste, nonhazardous waste, or municipal waste below the lowermost USDW.

Date of Government Version: 05/21/2010
Date Data Arrived at EDR: 05/25/2010
Date Made Active in Reports: 07/12/2010
Number of Days to Update: 48
Source: Department of Environmental Protection
Telephone: 850-245-8655
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Varies

DRYCLEANERS: Drycleaning Facilities
The Drycleaners database, maintained by the Department of Environmental Protection, provides information about permitted dry cleaner facilities.

Date of Government Version: 04/05/2010
Date Data Arrived at EDR: 05/04/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 45
Source: Department of Environmental Protection
Telephone: 850-245-8927
Last EDR Contact: 08/03/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Semi-Annually

DEDB: Ethylene Dibromide Database Results
Ethylene dibromide (EDB), a soil fumigant, that has been detected in drinking water wells. The amount found exceeds the maximum contaminant level as stated in Chapter 62-550 or 520. It is a potential threat to public health when present in drinking water.

Date of Government Version: 07/14/2010
Date Data Arrived at EDR: 07/16/2010
Date Made Active in Reports: 07/30/2010
Number of Days to Update: 14
Source: Department of Environmental Protection
Telephone: 850-245-8335
Last EDR Contact: 07/16/2010
Next Scheduled EDR Contact: 10/11/2010
Data Release Frequency: Varies

WASTEWATER: Wastewater Facility Regulation Database
Domestic and industrial wastewater facilities.

Date of Government Version: 05/07/2010
Date Data Arrived at EDR: 05/18/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 31
Source: Department of Environmental Protection
Telephone: 850-921-9495
Last EDR Contact: 05/18/2010
Next Scheduled EDR Contact: 08/30/2010
Data Release Frequency: Quarterly

AIRS: Permitted Facilities Listing
A listing of Air Resources Management permits.

Date of Government Version: 05/10/2010
Date Data Arrived at EDR: 05/11/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 38
Source: Department of Environmental Protection
Telephone: 850-921-9558
Last EDR Contact: 05/10/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Varies

FL Cattle Dip. Vats: Cattle Dipping Vats
From the 1910's through the 1950's, these vats were filled with an arsenic solution for the control and eradication of the cattle fever tick. Other pesticides, such as DDT, were also widely used. By State law, all cattle, horses, mules, goats, and other susceptible animals were required to be dipped every 14 days. Under certain circumstances, the arsenic and other pesticides remaining at the site may present an environmental or public health hazard.

Date of Government Version: 02/04/2005
Date Data Arrived at EDR: 06/29/2007
Date Made Active in Reports: 07/11/2007
Number of Days to Update: 12
Source: Department of Environmental Protection
Telephone: 850-488-3601
Last EDR Contact: 07/19/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: No Update Planned

TIER 2: Tier 2 Facility Listing
A listing of facilities which store or manufacture hazardous materials that submit a chemical inventory report.

Date of Government Version: 09/28/2009
Date Data Arrived at EDR: 10/08/2009
Date Made Active in Reports: 10/27/2009
Number of Days to Update: 19
Source: Department of Environmental Protection
Telephone: 850-413-9970
Last EDR Contact: 07/07/2010
Next Scheduled EDR Contact: 10/04/2010
Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations
This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34
Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 07/22/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing
The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 02/10/2010
Date Data Arrived at EDR: 02/11/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 60
Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 07/26/2010
Next Scheduled EDR Contact: 11/08/2010
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 01/01/2008
Date Data Arrived at EDR: 02/18/2009
Date Made Active in Reports: 05/29/2009
Number of Days to Update: 100
Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 05/14/2010
Next Scheduled EDR Contact: 08/16/2010
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 11/09/2009
Date Data Arrived at EDR: 12/18/2009
Date Made Active in Reports: 02/10/2010
Number of Days to Update: 54
Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 06/14/2010
Next Scheduled EDR Contact: 09/27/2010
Data Release Frequency: Varies

FINANCIAL ASSURANCE: Financial Assurance Information Listing
A list of hazardous waste facilities required to provide financial assurance under RCRA.

Date of Government Version: 06/15/2010
Date Data Arrived at EDR: 06/16/2010
Date Made Active in Reports: 07/12/2010
Number of Days to Update: 26
Source: Department of Environmental Protection
Telephone: 850-245-8793
Last EDR Contact: 06/11/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Varies

COAL ASH DOE: Sleam-Electric Plan Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 07/21/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: Varies

FINANCIAL ASSURANCE 3: Financial Assurance Information Listing
A listing of financial assurance information for storage tanks sites.

Date of Government Version: 05/07/2010
Date Data Arrived at EDR: 05/12/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 37

Source: Department of Environmental Protection
Telephone: 850-245-8853
Last EDR Contact: 05/12/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Quarterly

FEDLAND: Federal and Indian Lands
Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 07/22/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: N/A

FINANCIAL ASSURANCE 2: Financial Assurance Information Listing
A listing of financial assurance information for solid waste facilities.

Date of Government Version: 05/10/2010
Date Data Arrived at EDR: 05/11/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 38

Source: Department of Environmental Protection
Telephone: 850-245-8743
Last EDR Contact: 05/10/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Varies

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants
The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

COUNTY RECORDS

ALACHUA COUNTY:

Facility List
List of all regulated facilities in Alachua County.

Date of Government Version: 04/01/2010
Date Data Arrived at EDR: 04/19/2010
Date Made Active in Reports: 05/12/2010
Number of Days to Update: 23
Source: Alachua County Environmental Protection Department
Telephone: 352-264-6800
Last EDR Contact: 06/01/2010
Next Scheduled EDR Contact: 09/13/2010
Data Release Frequency: Annually

BROWARD COUNTY:

Aboveground Storage Tanks
Aboveground storage tank locations in Broward County.

Date of Government Version: 03/18/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/28/2010
Number of Days to Update: 20
Source: Broward County Environmental Protection Department
Telephone: 954-818-7509
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Varies

Semi-Annual Inventory Report on Contaminated Locations
Early Detection Incentive/Environmental Assessment Remediation. This report monitors the status and remediation progress of known contaminated locations within Broward County. Sites listed by the US EPA, the Florida Department of Environmental Protection, and sites licensed for contamination assessment and cleanup by the Division of Pollution Prevention and Remediation Programs of the Department.

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10
Source: Broward County Environmental Protection Department
Telephone: 954-818-7509
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Semi-Annually

Hazardous Material Sites
HM sites use or store greater than 25 gallons of hazardous materials per month.

Date of Government Version: 03/18/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10
Source: Broward County Environmental Protection Department
Telephone: 954-818-7509
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Annually

Notice Of Violations Sites
NOV facilities have received a notice of violation letter under the Broward County Chapter 27 Code.

Date of Government Version: 03/18/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10
Source: Broward County Environmental Protection Department
Telephone: 954-818-7509
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Annually

Underground Storage Tanks
All known regulated storage tanks within Broward County, including those tanks that have been closed

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/23/2010
Number of Days to Update: 15
Source: Broward County Environmental Protection Department
Telephone: 954-818-7509
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Annually

MIAMI-DADE COUNTY:

Air Permit Sites

Facilities that release or have a potential to release pollutants.

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10

Source: Department of Environmental Resources Management
Telephone: 305-372-6755
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Semi-Annually

Grease Trap Sites

Any non-residential facility that discharges waste to a sanitary sewer.

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10

Source: Dade County Dept. of Env. Resources Mgmt.
Telephone: 305-372-6508
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Semi-Annually

Marine Facilities Operating Permit

What is this permit used for? Miami-Dade County Ordinance 89-104 and Section 24-18 of the Code of Miami-Dade County require the following types of marine facilities to obtain annual operating permits from DERM: All recreational boat docking facilities with ten (10) or more boat slips, moorings, davit spaces, and vessel tie-up spaces. All boat storage facilities contiguous to tidal waters in Miami-Dade County with ten (10) or more dry storage spaces including boatyards and boat manufacturing facilities.

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10

Source: DERM
Telephone: 305-372-3576
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Quarterly

Maimi River Enforcement

The Miami River Enforcement database files were created for facilities and in some instances vessels that were inspected by a workgroup within the Department that was identified as the Miami River Enforcement Group. The files do not all necessarily reflect enforcement cases and some were created for locations that were permitted by other Sections within the Department.

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10

Source: DERM
Telephone: 305-372-3576
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Quarterly

Hazardous Waste Sites

Sites with the potential to generate waste

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10

Source: Dade County Department of Environmental Resources Management
Telephone: 305-372-6755
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Semi-Annually

Industrial Waste Type 2-4 Sites

IW2s are facilities having reclaim or recycling systems with no discharges, aboveground holding tanks or spill prevention and countermeasure plans. IW4s are facilities that discharge an effluent to the ground.

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10

Source: Department of Environmental Resources Management
Telephone: 305-372-6700
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Semi-Annually

Industrial Waste Type 5 Sites

Generally these facilities fall under the category of "conditionally exempt small quantity generator" or "small quantity generator".

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10

Source: Department of Environmental Resources Management
Telephone: 305-372-6700
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Semi-Annually

Industrial Waste Type 6

Permits issued to those non-residential land uses located within the major drinking water wellfield protection areas that are not served by sanitary sewers. These facilities do not handle hazardous materials but are regulated because of the env. sensitivity of the areas where they are located.

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10

Source: Department of Environmental Resources Management
Telephone: 305-372-6700
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Semi-Annually

Industrial Waste Permit Sites

Facilities that either generate more than 25,000 of wastewater per day to sanitary sewers or are pre-defined by EPA.

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10

Source: Department of Environmental Resources Management
Telephone: 305-372-6700
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Semi-Annually

Enforcement Case Tracking System Sites

Enforcement cases monitored by the Dade County Department of Environmental Resources Management.

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/18/2010
Number of Days to Update: 10

Source: Department of Environmental Resources Management
Telephone: 305-372-6755
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Semi-Annually

Fuel Spills Cases

DERM documents fuel spills of sites that are not in a state program.

Date of Government Version: 01/08/2009
Date Data Arrived at EDR: 01/13/2009
Date Made Active in Reports: 02/05/2009
Number of Days to Update: 23

Source: Department of Environmental Resources Management
Telephone: 305-372-6755
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Semi-Annually

Underground Storage Tanks

The facility has on-site underground storage tanks which stores petroleum product.

Date of Government Version: 06/07/2010
Date Data Arrived at EDR: 06/08/2010
Date Made Active in Reports: 06/23/2010
Number of Days to Update: 15

Source: Department of Environmental Resource Management
Telephone: 305-372-6700
Last EDR Contact: 06/08/2010
Next Scheduled EDR Contact: 09/20/2010
Data Release Frequency: Semi-Annually

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 08/26/2009
Date Made Active in Reports: 09/11/2009
Number of Days to Update: 16

Source: Department of Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 06/04/2010
Next Scheduled EDR Contact: 09/06/2010
Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 01/20/2010
Date Made Active in Reports: 02/05/2010
Number of Days to Update: 16

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 07/22/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 04/30/2010
Date Data Arrived at EDR: 05/13/2010
Date Made Active in Reports: 06/21/2010
Number of Days to Update: 39

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 05/13/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 12/01/2009
Date Made Active in Reports: 12/14/2009
Number of Days to Update: 13

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 05/24/2010
Next Scheduled EDR Contact: 09/06/2010
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 11/03/2009
Date Data Arrived at EDR: 02/12/2010
Date Made Active in Reports: 02/22/2010
Number of Days to Update: 10

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 06/01/2010
Next Scheduled EDR Contact: 09/13/2010
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 07/06/2010
Date Made Active in Reports: 07/26/2010
Number of Days to Update: 20

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 06/21/2010
Next Scheduled EDR Contact: 10/04/2010
Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data
Source: Rextag Strategies Corp.
Telephone: (281) 769-2247
U.S. Electric Transmission and Power Plants Systems Digital GIS Data

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Department of Children & Families
Source: Provider Information
Telephone: 850-488-4900

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory
Source: Department of Environmental Protection
Telephone: 850-245-8238

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

DELRAY BEACH CRA ACQUISITIONS
SW 12TH AVENUE
DELRAY BEACH, FL 33444

TARGET PROPERTY COORDINATES

Latitude (North):	26.45931 - 26° 27' 33.5''
Longitude (West):	80.0853 - 80° 5' 7.1''
Universal Tranverse Mercator:	Zone 17
UTM X (Meters):	591186.1
UTM Y (Meters):	2926710.8
Elevation:	15 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	26080-D1 DELRAY BEACH, FL
Most Recent Revision:	1986

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General East

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Target Property County	FEMA Flood Electronic Data
PALM BEACH, FL	YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property:	1251020004D - FEMA Q3 Flood data
Additional Panels in search area:	1201920205B - FEMA Q3 Flood data 1251020002D - FEMA Q3 Flood data 1251020001D - FEMA Q3 Flood data 1251020003D - FEMA Q3 Flood data 1201920220B - FEMA Q3 Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
DELRAY BEACH	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
1	1/4 - 1/2 Mile NE	SE
E17	1/4 - 1/2 Mile ENE	SE
G19	1/2 - 1 Mile West	NE
G21	1/2 - 1 Mile West	SE
L31	1/2 - 1 Mile West	NW

* ©1996 Site−specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
110	1/2 - 1 Mile East	SW

For additional site information, refer to Physical Setting Source Map Findings.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era:	Cenozoic
System:	Quaternary
Series:	Pleistocene
Code:	Qp *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratifed Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 2833930.1s



Target Property
SSURGO Soil
Water

0 1/16 1/8 1/4 Miles

N

SITE NAME:	Delray Beach CRA Acquisitions	CLIENT:	Enviro Design Assoc., Inc.
ADDRESS:	SW 12th Avenue Delray Beach FL 33444	CONTACT:	Scot Wehmeyer
LAT/LONG:	26.4593 / 80.0853	INQUIRY #:	2833930.1s
		DATE:	August 04, 2010 1:22 pm

Copyright © 2010 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Myakka

Soil Surface Texture: fine sand

Hydrologic Group: Class B/D - Drained/undrained hydrology class of soils that can be drained and are classified.

Soil Drainage Class: Poorly drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 31 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	5 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 6.5 Min: 3.6
2	5 inches	20 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 6.5 Min: 3.6
3	20 inches	35 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 6.5 Min: 3.6
4	35 inches	79 inches	sand	Not reported	Not reported	Max: 141 Min: 42	Max: 6.5 Min: 3.6

Soil Map ID: 2

Soil Component Name: Pomello

Soil Surface Texture: fine sand

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Moderately well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 84 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	42 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 6 Min: 4.5
2	42 inches	64 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 6 Min: 4.5
3	64 inches	79 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 6 Min: 4.5

Soil Map ID: 3

Soil Component Name: St. Lucie

Soil Surface Texture: sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Excessively drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	4 inches	sand	Not reported	Not reported	Max: 141 Min: 141	Max: 7.3 Min: 3.6
2	4 inches	79 inches	sand	Not reported	Not reported	Max: 141 Min: 141	Max: 7.3 Min: 3.6

Soil Map ID: 4

Soil Component Name: Arents

Soil Surface Texture: sand

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Somewhat poorly drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 76 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	9 inches	sand	Not reported	Not reported	Max: 141 Min: 42	Max: 6.5 Min: 5.6
2	9 inches	31 inches	sand	Not reported	Not reported	Max: 141 Min: 42	Max: 6.5 Min: 5.6
3	31 inches	72 inches	sand	Not reported	Not reported	Max: 141 Min: 42	Max: 6.5 Min: 5.6

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
U63	USGS2257308	1/2 - 1 Mile SE
W69	USGS2257322	1/2 - 1 Mile East
75	USGS2257328	1/2 - 1 Mile NE
AB83	USGS2257321	1/2 - 1 Mile East
AB84	USGS2257320	1/2 - 1 Mile East
93	USGS2257141	1/2 - 1 Mile North
AG98	USGS2257309	1/2 - 1 Mile ESE
103	USGS2257290	1/2 - 1 Mile South
104	USGS2257307	1/2 - 1 Mile SW
AC105	USGS2257316	1/2 - 1 Mile ESE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
6	FL4500351	1/4 - 1/2 Mile WSW

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A2	FLSO50000022095	1/4 - 1/2 Mile SSW
A3	FLSO50000022096	1/4 - 1/2 Mile SSW
A4	FLSO50000022087	1/4 - 1/2 Mile SSW
B5	FLSO50000022368	1/4 - 1/2 Mile WNW
B7	FLSO50000022359	1/4 - 1/2 Mile West
B8	FLSO50000022360	1/4 - 1/2 Mile West
B9	FLSO50000022351	1/4 - 1/2 Mile West
B10	FLSO50000022352	1/4 - 1/2 Mile West
C11	FLSO50000022470	1/4 - 1/2 Mile NW
C12	FLSO50000022471	1/4 - 1/2 Mile NW
A13	FLSO50000022025	1/4 - 1/2 Mile SSW
D14	FLSO50000021996	1/4 - 1/2 Mile SSW
D15	FLSO50000021997	1/4 - 1/2 Mile SSW
E16	FLSO50000022474	1/4 - 1/2 Mile ENE
F18	FLSO50000022105	1/4 - 1/2 Mile SW
F20	FLSO50000022066	1/2 - 1 Mile SW
H22	FLSO50000021922	1/2 - 1 Mile SSW
I23	FLSO50000021898	1/2 - 1 Mile South
I24	FLSO50000021899	1/2 - 1 Mile South
H25	FLSA50000005456	1/2 - 1 Mile South
J26	FLSO50000022297	1/2 - 1 Mile East
J27	FLSO50000022298	1/2 - 1 Mile East
I28	FLSO50000021831	1/2 - 1 Mile South
K29	FLSO50000022164	1/2 - 1 Mile WSW
J30	FLSA50000005550	1/2 - 1 Mile East
M32	FLSO50000022233	1/2 - 1 Mile WSW
N33	FLSO50000021817	1/2 - 1 Mile SSW


STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
N34	FLSO50000021818	1/2 - 1 Mile SSW
O35	FLSO50000022194	1/2 - 1 Mile ESE
O36	FLSO50000022195	1/2 - 1 Mile ESE
L37	FLSO50000022308	1/2 - 1 Mile West
38	FLSO50000022629	1/2 - 1 Mile NW
O39	FLSA50000005543	1/2 - 1 Mile ESE
P40	FLSO50000022703	1/2 - 1 Mile NNE
N41	FLSA50000005449	1/2 - 1 Mile SSW
K42	FLSO50000022138	1/2 - 1 Mile WSW
Q43	FLSO50000022435	1/2 - 1 Mile ENE
P44	FLSO50000022704	1/2 - 1 Mile NNE
M45	FLSO50000022200	1/2 - 1 Mile WSW
N46	FLSO50000021770	1/2 - 1 Mile SSW
N47	FLSO50000021771	1/2 - 1 Mile SSW
P48	FLSO50000022726	1/2 - 1 Mile NNE
Q49	FLSA50000005611	1/2 - 1 Mile ENE
50	FLSA50000005612	1/2 - 1 Mile ENE
Q51	FLSO50000022488	1/2 - 1 Mile ENE
Q52	FLSO50000022489	1/2 - 1 Mile ENE
53	FLSA50000005445	1/2 - 1 Mile South
54	FLSO50000022742	1/2 - 1 Mile North
R55	FLSO50000022596	1/2 - 1 Mile NE
56	FLSA50000005439	1/2 - 1 Mile SSW
57	FLSO50000022603	1/2 - 1 Mile NW
S58	FLSO50000022547	1/2 - 1 Mile ENE
S59	FLSO50000022548	1/2 - 1 Mile ENE
R60	FLSA50000005618	1/2 - 1 Mile ENE
T61	FLSO50000022053	1/2 - 1 Mile ESE
T62	FLSO50000022054	1/2 - 1 Mile ESE
64	FLSO50000022729	1/2 - 1 Mile NNW
V65	FLSO50000022654	1/2 - 1 Mile NE
V66	FLSO50000022655	1/2 - 1 Mile NE
V67	FLSO50000022656	1/2 - 1 Mile NE
U68	FLSA50000005476	1/2 - 1 Mile SE
T70	FLSO50000022068	1/2 - 1 Mile ESE
V71	FLSA50000005635	1/2 - 1 Mile NE
X72	FLSO50000021840	1/2 - 1 Mile SW
X73	FLSO50000021841	1/2 - 1 Mile SW
74	FLSO50000022815	1/2 - 1 Mile North
Y76	FLSA50000005433	1/2 - 1 Mile SSW
77	FLSO50000022818	1/2 - 1 Mile North
X78	FLSA50000005454	1/2 - 1 Mile SW
Z79	FLSO50000022013	1/2 - 1 Mile WSW
Z80	FLSO50000022014	1/2 - 1 Mile WSW
T81	FLSA50000005499	1/2 - 1 Mile ESE
AA82	FLSO50000022303	1/2 - 1 Mile West
AC85	FLSO50000022086	1/2 - 1 Mile ESE
AD86	FLSO50000022781	1/2 - 1 Mile NNW
AD87	FLSO50000022782	1/2 - 1 Mile NNW
Z88	FLSA50000005489	1/2 - 1 Mile WSW
W89	FLSO50000022405	1/2 - 1 Mile East
90	FLSO50000021679	1/2 - 1 Mile SSW

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
AE91	FLSO50000021776	1/2 - 1 Mile SE
AE92	FLSO50000021777	1/2 - 1 Mile SE
AA94	FLSO50000022342	1/2 - 1 Mile West
AA95	FLSO50000022350	1/2 - 1 Mile West
AA96	FLSO50000022349	1/2 - 1 Mile West
AF97	FLSA50000005536	1/2 - 1 Mile WSW
99	FLSA50000005645	1/2 - 1 Mile NE
100	FLSO50000022825	1/2 - 1 Mile NNW
AF101	FLSO50000022149	1/2 - 1 Mile WSW
AF102	FLSO50000022150	1/2 - 1 Mile WSW
AG106	FLSO50000021950	1/2 - 1 Mile ESE
Y107	FLSA50000005425	1/2 - 1 Mile South
AG108	FLSO50000021948	1/2 - 1 Mile ESE
AG109	FLSO50000021949	1/2 - 1 Mile ESE
111	FLSO50000022647	1/2 - 1 Mile NW
AH112	FLSO50000021536	1/2 - 1 Mile South
AH113	FLSO50000021537	1/2 - 1 Mile South
AH114	FLSO50000021538	1/2 - 1 Mile South
AI115	FLSA50000005444	1/2 - 1 Mile SW
116	FLSO50000022335	1/2 - 1 Mile West
117	FLSA50000005453	1/2 - 1 Mile SE
AJ118	FLSA50000005492	1/2 - 1 Mile WSW
AE119	FLSA50000005441	1/2 - 1 Mile SE
120	FLSO50000022059	1/2 - 1 Mile ESE
121	FLSO50000022787	1/2 - 1 Mile NW
122	FLSO50000022558	1/2 - 1 Mile WNW
AK123	FLSO50000021646	1/2 - 1 Mile SSW
AK124	FLSO50000021647	1/2 - 1 Mile SSW
125	FLSO50000021519	1/2 - 1 Mile South
AJ126	FLSO50000022026	1/2 - 1 Mile WSW
AJ127	FLSO50000022027	1/2 - 1 Mile WSW
AI128	FLSO50000021741	1/2 - 1 Mile SW
AI129	FLSO50000021742	1/2 - 1 Mile SW
130	FLSA50000005465	1/2 - 1 Mile SE
AK131	FLSA50000005431	1/2 - 1 Mile SSW

PHYSICAL SETTING SOURCE MAP - 2833930.1s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- GI Indeterminate Groundwater Flow at Location
- GV Groundwater Flow Varies at Location
- HD Closest Hydrogeological Data
- Oil, gas or related wells
- Sink holes

SITE NAME:	Delray Beach CRA Acquisitions	CLIENT:	Enviro Design Assoc., Inc.
ADDRESS:	SW 12th Avenue Delray Beach FL 33444	CONTACT:	Scot Wehmeyer
LAT/LONG:	26.4593 / 80.0853	INQUIRY #:	2833930.1s
		DATE:	August 04, 2010 1:22 pm

Copyright © 2010 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

			Database	EDR ID Number
1 **NE** **1/4 - 1/2 Mile** **Higher**	Site ID: Groundwater Flow: Water Table Depth: Date:	8514219 SE 12.10-12.81 ft. 8/94	**AQUIFLOW**	**1857**

A2
SSW
1/4 - 1/2 Mile
Lower

FL WELLS **FLSO50000022095**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	168452		
Facil type:	WELL		
Facil name:	26A 20 Series Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	1000		
X coord:	955081		
Y coord:	771992		
Well depth:	150		
Case depth:	110		
Use status:	secondary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022095

A3
SSW
1/4 - 1/2 Mile
Lower

FL WELLS **FLSO50000022096**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	168452		
Facil type:	WELL		
Facil name:	26A 20 Series Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		

Pump capac:	1000		
X coord:	955081		
Y coord:	771992		
Well depth:	150		
Case depth:	110		
Use status:	secondary	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022096

A4
SSW
1/4 - 1/2 Mile
Lower

FL WELLS **FLSO50000022087**

Permit no:	50-04674-W	App no:	060427-5
Permit typ:	WU		
Project na:	VILLAGE ACADEMY		
Land Use:	landscape		
Acres serv:	4.5		
Facil id:	193297		
Facil type:	WELL		
Facil name:	2		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	150		
X coord:	954939		
Y coord:	771929		
Well depth:	120		
Case depth:	110		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Adrienne Charbonneau		
Secno:	20		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022087

B5
WNW
1/4 - 1/2 Mile
Higher

FL WELLS **FLSO50000022368**

Permit no:	50-06630-W	App no:	080718-10
Permit typ:	WU		
Project na:	PALM BEACH COUNTY TRI-RAIL		
Land Use:	landscape		
Acres serv:	2.7		
Facil id:	180482		
Facil type:	WELL		
Facil name:	Delray Beach Station		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		

Pump capac:	30		
X coord:	953496		
Y coord:	774142		
Well depth:	80		
Case depth:	60		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Morgan LeLay		
Secno:	21		
Twp:	43		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022368

6
WSW **FRDS PWS** **FL4500351**
1/4 - 1/2 Mile
Higher

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	95629351		
Facility name:	WELL # 24		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	95639351		
Facility name:	WELL # 25		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	95649351		
Facility name:	WELL # 26		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	956525598		
Facility name:	WELL # 27		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	956625598		
Facility name:	WELL # 28		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	956725598		
Facility name:	WELL # 29		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	956825598		
Facility name:	WELL # 30		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	956925598		
Facility name:	WELL # 31		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957025598		
Facility name:	WELL # 32		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957125598		
Facility name:	WELL # 34		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957225598		
Facility name:	WELL # 35		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957325598		
Facility name:	WELL # 36		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957425599		
Facility name:	WELL # 38		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957525599		
Facility name:	WELL # 40		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957625599		
Facility name:	WELL # 44		
Facility type:	Well	Treatment process:	aeration, packed tower
Treatment objective:	organics removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	82394500351		
Facility name:	DELRAY BEACH WATER DEPARTMENT		
Facility type:	Treatment_plant	Treatment process:	sequestration
Treatment objective:	iron removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	954525597		
Facility name:	WELL # 2		
Facility type:	Well	Treatment process:	sequestration
Treatment objective:	iron removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	954625597		
Facility name:	WELL # 3		
Facility type:	Well	Treatment process:	sequestration
Treatment objective:	iron removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	954725597		
Facility name:	WELL # 5		
Facility type:	Well	Treatment process:	sequestration
Treatment objective:	iron removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	954825597		
Facility name:	WELL # 6		
Facility type:	Well	Treatment process:	sequestration
Treatment objective:	iron removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	954925597		
Facility name:	WELL # 4A		
Facility type:	Well	Treatment process:	sequestration
Treatment objective:	iron removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	955025597		
Facility name:	WELL # 8		
Facility type:	Well	Treatment process:	sequestration
Treatment objective:	iron removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	955125597		
Facility name:	WELL # 9		
Facility type:	Well	Treatment process:	sequestration
Treatment objective:	iron removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	955325597		
Facility name:	WELL # 12		
Facility type:	Well	Treatment process:	sequestration
Treatment objective:	iron removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	955525597		
Facility name:	WELL # 14		
Facility type:	Well	Treatment process:	sequestration
Treatment objective:	iron removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	955625597		
Facility name:	WELL # 15		
Facility type:	Well	Treatment process:	sequestration
Treatment objective:	iron removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	955725597		
Facility name:	WELL # 16		
Facility type:	Well	Treatment process:	sequestration
Treatment objective:	iron removal		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	95619351		
Facility name:	WELL # 23		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	95629351		
Facility name:	WELL # 24		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	95639351		
Facility name:	WELL # 25		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	95649351		
Facility name:	WELL # 26		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	956525598		
Facility name:	WELL # 27		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	956625598		
Facility name:	WELL # 28		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	956725598		
Facility name:	WELL # 29		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	956825598		
Facility name:	WELL # 30		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	956925598		
Facility name:	WELL # 31		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957025598		
Facility name:	WELL # 32		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957125598		
Facility name:	WELL # 34		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957225598		
Facility name:	WELL # 35		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957325598		
Facility name:	WELL # 36		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957425599		
Facility name:	WELL # 38		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957525599		
Facility name:	WELL # 40		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	957625599		
Facility name:	WELL # 44		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	82394500351		
Facility name:	DELRAY BEACH WATER DEPARTMENT		
Facility type:	Treatment_plant	Treatment process:	chloramines
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	954525597		
Facility name:	WELL # 2		
Facility type:	Well	Treatment process:	chloramines
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	954625597		
Facility name:	WELL # 3		
Facility type:	Well	Treatment process:	chloramines
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	954725597		
Facility name:	WELL # 5		
Facility type:	Well	Treatment process:	chloramines
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	954825597		
Facility name:	WELL # 6		
Facility type:	Well	Treatment process:	chloramines
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	955725597		
Facility name:	WELL # 16		
Facility type:	Well	Treatment process:	chloramines
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

Pwsid:	FL4500351	Epa region:	04
State:	FL	County:	Palm Beach
Pws name:	DELRAY BEACH WATER DEPARTMENT		
Population Served:	60200	Pwssvcconn:	20584
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	955825597		
Facility name:	WELL # 17		
Facility type:	Well	Treatment process:	chloramines
Treatment objective:	disinfection		
Contact name:	DAN BEATTY		
Original name:	CITY OF DELRAY BEACH-ES DEPT.		
Contact phone:	561-243-7000	Contact address1:	434 SOUTH SWINTON AVENUE
Contact address2:	Not Reported		
Contact city:	DELRAY BEACH		
Contact zip:	33444		

PWS ID:	FL4500351		
Date Initiated:	Not Reported	Date Deactivated:	Not Reported
PWS Name:	DELRAY BEACH WATER DEPARTMENT 200 SW 6TH STREET DELRAY BEACH, FL 33444		

Addressee / Facility: System Owner/Responsible Party
CITY OF DELRAY BEACH-ES DEPT.
DON HALEY
434 SOUTH SWINTON AVENUE
DELRAY BEACH, FL 33444

Facility Latitude: 26 27 28.0000 Facility Longitude: 80 5 30.0000
City Served: Not Reported
Treatment Class: Treated Population: 56000

Violations information not reported.

ENFORCEMENT INFORMATION:

Truedate: 03/31/2009 Pwsid: FL4500351
Pwsname: DELRAY BEACH WATER DEPARTMENT
Retpopsrvd: 60200 Pwstypecod: C
Vioid: 0111847 Contaminant: COLIFORM (TCR)
Viol. Type: Monitoring, Routine Major (TCR)
Complperbe: 3/1/2001 0:00:00
Complperen: 3/31/2001 0:00:00 Enfdate: 3/29/2001 0:00:00
Enf action: State Compliance Achieved
Violmeasur: 0

System Name: DELRAY BEACH WATER DEPARTMENT
Violation Type: Monitoring, Routine Major (TCR)
Contaminant: COLIFORM (TCR)
Compliance Period: 3/1/2001 0:00:00 - 3/31/2001 0:00:00
Violation ID: 0111847
Enforcement Date: 3/29/2001 0:00:00 Enf. Action: State Compliance Achieved

System Name: DELRAY BEACH WATER DEPARTMENT
Violation Type: Monitoring, Routine Major (TCR)
Contaminant: COLIFORM (TCR)
Compliance Period: 3/1/2001 0:00:00 - 3/31/2001 0:00:00
Violation ID: 0111847
Enforcement Date: 3/29/2001 0:00:00 Enf. Action: State Compliance Achieved

CONTACT INFORMATION:

Name: DELRAY BEACH WATER DEPARTMENT Population: 60200
Contact: DAN BEATTY Phone: Not Reported

Address: 434 SOUTH SWINTON AVENUE
Address 2: DELRAY BEACH
FL, 33 561-2

B7
West
1/4 - 1/2 Mile
Higher

FL WELLS **FLSO50000022359**

Permit no: 50-02087-W App no: 010614-28
Permit typ: WU
Project na: CEMEX - DELRAY BEACH READY-MIX & BLOCK
Land Use: industrial
Acres serv: 7.1
Facil id: 108614
Facil type: WELL
Facil name: Well 2
Pump type: SUB
Diameter: 0
Pump depth: 63

Pump capac:	225		
X coord:	953375.87		
Y coord:	774070.2		
Well depth:	104		
Case depth:	82		
Use status:	stand-by	Fac status:	Existing
Water use:	Industrial		
Source:	Surficial Aquifer System		
Reviewer:	Nancy Demonstranti, P.G.		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022359

B8
West
1/4 - 1/2 Mile
Higher

FL WELLS **FLSO50000022360**

Permit no:	50-02087-W	App no:	090928-13
Permit typ:	WU		
Project na:	CEMEX DELRAY BEACH READY MIX AND BLOCK		
Land Use:	industrial		
Acres serv:	7.1		
Facil id:	108614		
Facil type:	WELL		
Facil name:	Well 2		
Pump type:	SUB		
Diameter:	0		
Pump depth:	63		
Pump capac:	225		
X coord:	953375.87		
Y coord:	774070.2		
Well depth:	104		
Case depth:	82		
Use status:	stand-by	Fac status:	Existing
Water use:	Industrial		
Source:	Surficial Aquifer System		
Reviewer:	Nexhip Maska, P.G.		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022360

B9
West
1/4 - 1/2 Mile
Higher

FL WELLS **FLSO50000022351**

Permit no:	50-02087-W	App no:	010614-28
Permit typ:	WU		
Project na:	CEMEX - DELRAY BEACH READY-MIX & BLOCK		
Land Use:	industrial		
Acres serv:	7.1		
Facil id:	108615		
Facil type:	WELL		
Facil name:	Well 3		
Pump type:	SUB		
Diameter:	0		
Pump depth:	65		

Pump capac:	200		
X coord:	953325.24		
Y coord:	773987.92		
Well depth:	100		
Case depth:	80		
Use status:	Primary	Fac status:	Existing
Water use:	Industrial		
Source:	Surficial Aquifer System		
Reviewer:	Nancy Demonstranti, P.G.		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022351

B10
West
1/4 - 1/2 Mile
Higher

FL WELLS **FLSO50000022352**

Permit no:	50-02087-W	App no:	090928-13
Permit typ:	WU		
Project na:	CEMEX DELRAY BEACH READY MIX AND BLOCK		
Land Use:	industrial		
Acres serv:	7.1		
Facil id:	108615		
Facil type:	WELL		
Facil name:	Well 3		
Pump type:	SUB		
Diameter:	0		
Pump depth:	65		
Pump capac:	200		
X coord:	953325.24		
Y coord:	773987.92		
Well depth:	100		
Case depth:	80		
Use status:	Primary	Fac status:	Existing
Water use:	Industrial		
Source:	Surficial Aquifer System		
Reviewer:	Nexhip Maska, P.G.		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022352

C11
NW
1/4 - 1/2 Mile
Higher

FL WELLS **FLSO50000022470**

Permit no:	50-05481-W	App no:	060901-20
Permit typ:	WU		
Project na:	DELRAY WEST		
Land Use:	landscape		
Acres serv:	17.96		
Facil id:	131638		
Facil type:	WELL		
Facil name:	Well 13		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		

Pump capac:	30		
X coord:	953667		
Y coord:	774920		
Well depth:	30		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Nancy Demonstranti, P.G.		
Secno:	7, 21,31		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022470

C12
NW
1/4 - 1/2 Mile
Higher

FL WELLS **FLSO50000022471**

Permit no:	50-05481-W	App no:	060901-20
Permit typ:	WU		
Project na:	DELRAY WEST		
Land Use:	landscape		
Acres serv:	17.96		
Facil id:	131638		
Facil type:	WELL		
Facil name:	Well 13		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	30		
X coord:	953667		
Y coord:	774920		
Well depth:	30		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Nancy Demonstranti, P.G.		
Secno:	7, 21,31		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022471

A13
SSW
1/4 - 1/2 Mile
Lower

FL WELLS **FLSO50000022025**

Permit no:	50-04674-W	App no:	060427-5
Permit typ:	WU		
Project na:	VILLAGE ACADEMY		
Land Use:	landscape		
Acres serv:	4.5		
Facil id:	101273		
Facil type:	WELL		
Facil name:	1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		

Pump capac:	200		
X coord:	954858		
Y coord:	771619		
Well depth:	120		
Case depth:	110		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Adrienne Charbonneau		
Secno:	20		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022025

D14
SSW
1/4 - 1/2 Mile
Lower

FL WELLS **FLSO50000021996**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28243		
Facil type:	WELL		
Facil name:	22 20 Series Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	800		
X coord:	954927		
Y coord:	771413		
Well depth:	150		
Case depth:	110		
Use status:	Primary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021996

D15
SSW
1/4 - 1/2 Mile
Lower

FL WELLS **FLSO50000021997**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28243		
Facil type:	WELL		
Facil name:	22 20 Series Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		

Pump capac:	800		
X coord:	954927		
Y coord:	771413		
Well depth:	150		
Case depth:	110		
Use status:	Primary	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021997

E16
ENE
1/4 - 1/2 Mile
Higher

FL WELLS **FLSO50000022474**

Permit no:	50-07304-W	App no:	060227-30
Permit typ:	WU		
Project na:	DONNIE'S GOLDEN SPOON RESTAURANT		
Land Use:	landscape		
Acres serv:	.13		
Facil id:	191407		
Facil type:	WELL		
Facil name:	WELL 1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	50		
X coord:	957447		
Y coord:	774950		
Well depth:	90		
Case depth:	80		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Adrienne Charbonneau		
Secno:	17		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022474

E17
ENE
1/4 - 1/2 Mile
Higher

Site ID:	9100127
Groundwater Flow:	SE
Water Table Depth:	10-11 ft.
Date:	10/11/90

AQUIFLOW **1851**

F18
SW
1/4 - 1/2 Mile
Higher

FL WELLS **FLSO50000022105**

Permit no:	50-07627-W	App no:	061020-23
Permit typ:	WU		
Project na:	SOUTH COUNTY ADMINISTRATION		
Land Use:	landscape		
Acres serv:	13.65		
Facil id:	195333		
Facil type:	WELL		
Facil name:	W-1		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	80		
X coord:	953427		
Y coord:	772035		
Well depth:	150		
Case depth:	130		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Barbara Fronczek		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022105

G19
West
1/2 - 1 Mile
Lower

Site ID:	8514636	**AQUIFLOW**	**1831**
Groundwater Flow:	NE		
Water Table Depth:	Avg. 17.5 ft.		
Date:	1/17/95		

F20
SW
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022066**

Permit no:	50-04788-W	App no:	010118-7
Permit typ:	WU		
Project na:	SOUTH EMS TOWER SITE #2		
Land Use:	landscape		
Acres serv:	.08		
Facil id:	104372		
Facil type:	WELL		
Facil name:	1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	15		
X coord:	953439		
Y coord:	771788		
Well depth:	60		
Case depth:	40		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Jeffery Scott		
Secno:	18		

Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022066

G21
West
1/2 - 1 Mile
Lower

Site ID:	8520556		**AQUIFLOW**	**1843**
Groundwater Flow:	SE			
Water Table Depth:	Avg. 6 ft.			
Date:	11/93			

H22
SSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000021922**

Permit no:	50-06510-W	App no:	041108-16
Permit typ:	WU		
Project na:	BOYS & GIRLS CLUB OF PALM BEACH COUNTY		
Land Use:	landscape		
Acres serv:	1		
Facil id:	152988		
Facil type:	WELL		
Facil name:	Well 1		
Pump type:	SUB		
Diameter:	0		
Pump depth:	26		
Pump capac:	30		
X coord:	954654		
Y coord:	770909		
Well depth:	140		
Case depth:	120		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Nikki Carlson		
Secno:	20		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000021922

I23
South
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000021898**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28242		
Facil type:	WELL		
Facil name:	21 20 Series Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		

Pump capac:	800		
X coord:	955214		
Y coord:	770803		
Well depth:	150		
Case depth:	110		
Use status:	Primary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021898

I24
South
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000021899**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28242		
Facil type:	WELL		
Facil name:	21 20 Series Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	800		
X coord:	955214		
Y coord:	770803		
Well depth:	150		
Case depth:	110		
Use status:	Primary	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021899

H25
South
1/2 - 1 Mile
Lower

FL WELLS **FLSA50000005456**

Fluwid:	AAH8964	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.08712		
Latitude:	26.45082		
Well depth:	160		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported

Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156076		
Gps id:	156076		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005456		

J26
East
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022297**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28238		
Facil type:	WELL		
Facil name:	8 Eastern Wellfield		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	800		
X coord:	958589		
Y coord:	773603		
Well depth:	100		
Case depth:	70		
Use status:	stand-by	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022297

Map ID Direction Distance Elevation		Database	EDR ID Number
J27 **East** **1/2 - 1 Mile** **Higher**		**FL WELLS**	**FLSO50000022298**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28238		
Facil type:	WELL		
Facil name:	8 Eastern Wellfield		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	800		
X coord:	958589		
Y coord:	773603		
Well depth:	100		
Case depth:	70		
Use status:	stand-by	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022298

I28 **South** **1/2 - 1 Mile** **Lower**		**FL WELLS**	**FLSO50000021831**

Permit no:	50-08593-W	App no:	080513-13
Permit typ:	WU		
Project na:	THE VILLAGES AT VILLAGE SQUARE-DELRAY BEACH HOUSING AUTH.		
Land Use:	landscape		
Acres serv:	6.1		
Facil id:	222950		
Facil type:	WELL		
Facil name:	I		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	40		
X coord:	955166		
Y coord:	770524		
Well depth:	100		
Case depth:	80		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Biscayne Aquifer		
Reviewer:	Krista Reger		
Secno:	20		

Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000021831

K29
WSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022164**

Permit no:	50-05033-W	App no:	010611-4
Permit typ:	WU		
Project na:	CONGRESS PARK NORTH		
Land Use:	landscape		
Acres serv:	2		
Facil id:	108911		
Facil type:	PUMP		
Facil name:	Pump 2		
Pump type:	CEN		
Diameter:	3		
Pump depth:	0		
Pump capac:	100		
X coord:	952447		
Y coord:	772483		
Well depth:	0		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	On-site Lake(s)		
Reviewer:	Alex Glebocki		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022164

J30
East
1/2 - 1 Mile
Higher

FL WELLS **FLSA50000005550**

Fluwid:	AAE7604	Well type:	40
Status:	ACTIVE	Casing mat:	Steel
Longitude:	-80.0754		
Latitude:	26.45893		
Well depth:	100		
Length:	70		
Diameter:	12	Permit num:	4500351
Sanit seal:	Yes	Name:	Deiray Beach WTP Well #8
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	8.93		
Gps date:	12/11/00	Loc method:	DGPS
Project id:	SUPER	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	124 SW 2nd Ave.
Number :	Not Reported	Predir:	Not Reported

Prefix:	Not Reported	Street:	124 SW 2nd Ave.
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	Delray Beach
Loc id:	305664		
Gps id:	305664		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005550		

L31
West
1/2 - 1 Mile
Lower

Site ID:	8630480		**AQUIFLOW**	**1846**
Groundwater Flow:	NW			
Water Table Depth:	Avg. 5 ft.			
Date:	5/90			

M32
WSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022233**

Permit no:	50-05033-W	App no:	010611-4
Permit typ:	WU		
Project na:	CONGRESS PARK NORTH		
Land Use:	landscape		
Acres serv:	2		
Facil id:	108907		
Facil type:	PUMP		
Facil name:	Pump 1		
Pump type:	CEN		
Diameter:	3		
Pump depth:	0		
Pump capac:	100		
X coord:	952234		
Y coord:	773013		
Well depth:	0		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	On-site Lake(s)		
Reviewer:	Alex Glebocki		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022233

N33
SSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000021817**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28244		
Facil type:	WELL		
Facil name:	23 20 Series Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	1000		
X coord:	954747		
Y coord:	770444		
Well depth:	140		
Case depth:	100		
Use status:	Primary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021817

N34
SSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000021818**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28244		
Facil type:	WELL		
Facil name:	23 20 Series Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	1000		
X coord:	954747		
Y coord:	770444		
Well depth:	140		
Case depth:	100		
Use status:	Primary	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021818

Map ID Direction Distance Elevation			Database	EDR ID Number
O35 **ESE** **1/2 - 1 Mile** **Higher**			**FL WELLS**	**FLSO50000022194**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28324		
Facil type:	WELL		
Facil name:	9 Eastern		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	470		
X coord:	958661		
Y coord:	772777		
Well depth:	100		
Case depth:	50		
Use status:	stand-by	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022194

O36 **ESE** **1/2 - 1 Mile** **Higher**			**FL WELLS**	**FLSO50000022195**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28324		
Facil type:	WELL		
Facil name:	9 Eastern		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	470		
X coord:	958661		
Y coord:	772777		
Well depth:	100		
Case depth:	50		
Use status:	stand-by	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		

Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022195

L37
West
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022308**

Permit no:	50-08122-W	App no:	070910-1
Permit typ:	WU		
Project na:	CONGRESS SQUARE BANK BUILDING		
Land Use:	landscape		
Acres serv:	.14		
Facil id:	216734		
Facil type:	WELL		
Facil name:	Well 1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	45		
X coord:	952032		
Y coord:	773641		
Well depth:	80		
Case depth:	75		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Edy Ortiz		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022308

38
NW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022629**

Permit no:	50-07715-W	App no:	061107-15
Permit typ:	WU		
Project na:	KINSWORTH BUILDING		
Land Use:	landscape		
Acres serv:	.2		
Facil id:	196307		
Facil type:	WELL		
Facil name:	Well 1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	71		

Pump capac:	80		
X coord:	953305		
Y coord:	776381		
Well depth:	70		
Case depth:	50		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Morgan LeLay		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022629

O39
ESE
1/2 - 1 Mile
Higher

FL WELLS **FLSA50000005543**

Fluwid:	AAH8967	Well type:	40
Status:	INACTIVE	Casing mat:	Not Reported
Longitude:	-80.07535		
Latitude:	26.45608		
Well depth:	100		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84 OUT OF SERVICE		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156082		
Gps id:	156082		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005543		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

P40
NNE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022703**

Permit no:	50-02443-W	App no:	040301-11
Permit typ:	WU		
Project na:	S D SPADY ELEMENTARY SCHOOL		
Land Use:	landscape		
Acres serv:	7		
Facil id:	152752		
Facil type:	WELL		
Facil name:	2		
Pump type:	TUR		
Diameter:	0		
Pump depth:	-64		
Pump capac:	0		
X coord:	956306		
Y coord:	777063		
Well depth:	180		
Case depth:	150		
Use status:	to-be-plugged-and-abandoned	Fac status:	Existing
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Saleh M. Popalzai, P.G.		
Secno:	17		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022703

N41
SSW
1/2 - 1 Mile
Lower

FL WELLS **FLSA50000005449**

Fluwid:	AAH8962	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.08808		
Latitude:	26.45001		
Well depth:	150		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported

Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156072		
Gps id:	156072		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005449		

K42
WSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022138**

Permit no:	50-08211-W	App no:	071017-4
Permit typ:	WU		
Project na:	ALTA CONGRESS		
Land Use:	landscape		
Acres serv:	3.73		
Facil id:	218082		
Facil type:	PUMP		
Facil name:	pump 1		
Pump type:	CEN		
Diameter:	3		
Pump depth:	0		
Pump capac:	50		
X coord:	952220		
Y coord:	772280		
Well depth:	0		
Case depth:	0		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	On-site Lake(s)		
Reviewer:	Lindy Cerar, P.G.		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022138

Q43
ENE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022435**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	150780		
Facil type:	WELL		
Facil name:	7		
Pump type:	N/A		
Diameter:	0		
Pump depth:	0		

Pump capac:	0		
X coord:	958775		
Y coord:	774765		
Well depth:	0		
Case depth:	0		
Use status:	monitor	Fac status:	Existing
Water use:	Monitor		
Source:	Biscayne Aquifer		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022435

P44
NNE **FL WELLS** **FLSO50000022704**
1/2 - 1 Mile
Higher

Permit no:	50-02443-W	App no:	040301-11
Permit typ:	WU		
Project na:	S D SPADY ELEMENTARY SCHOOL		
Land Use:	landscape		
Acres serv:	7		
Facil id:	29914		
Facil type:	WELL		
Facil name:	1		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	0		
X coord:	956456		
Y coord:	777093		
Well depth:	0		
Case depth:	0		
Use status:	to-be-plugged-and-abandoned	Fac status:	Existing
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Saleh M. Popalzai, P.G.		
Secno:	17		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022704

M45
WSW **FL WELLS** **FLSO50000022200**
1/2 - 1 Mile
Lower

Permit no:	50-05033-W	App no:	010611-4
Permit typ:	WU		
Project na:	CONGRESS PARK NORTH		
Land Use:	landscape		
Acres serv:	2		
Facil id:	108912		
Facil type:	PUMP		
Facil name:	Pump 3		
Pump type:	CEN		
Diameter:	3		
Pump depth:	0		

Pump capac:	100		
X coord:	951907		
Y coord:	772752		
Well depth:	0		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	On-site Lake(s)		
Reviewer:	Alex Glebocki		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022200

N46
SSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000021770**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28245		
Facil type:	WELL		
Facil name:	24 20 Series Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	1000		
X coord:	954675		
Y coord:	770120		
Well depth:	150		
Case depth:	110		
Use status:	Primary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021770

N47
SSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000021771**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28245		
Facil type:	WELL		
Facil name:	24 20 Series Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		

Pump capac:	1000		
X coord:	954675		
Y coord:	770120		
Well depth:	150		
Case depth:	110		
Use status:	Primary	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021771

P48
NNE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022726**

Permit no:	50-02443-W	App no:	040301-11
Permit typ:	WU		
Project na:	S D SPADY ELEMENTARY SCHOOL		
Land Use:	landscape		
Acres serv:	7		
Facil id:	29915		
Facil type:	WELL		
Facil name:	3		
Pump type:	TUR		
Diameter:	0		
Pump depth:	-64		
Pump capac:	60		
X coord:	956300		
Y coord:	777257		
Well depth:	120		
Case depth:	100		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Saleh M. Popalzai, P.G.		
Secno:	17		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022726

Q49
ENE
1/2 - 1 Mile
Higher

FL WELLS **FLSA50000005611**

Fluwid:	AAG1760	Well type:	40
Status:	RETAGGED	Casing mat:	Galvanized
Longitude:	-80.0749		
Latitude:	26.46334		
Well depth:	0		
Length:	0		
Diameter:	4	Permit num:	Not Reported
Comments:	Retagged as AAH8968		
Sanit seal:	Yes	Name:	CITY OF DELRAY BEACH
First name:	Not Reported	Last name:	Not Reported

Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	0		
Datum:	WS1984		
Hae:	9.59		
Gps date:	10/14/02	Loc method:	DGPS
Project id:	SUPER	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	100 NW 1ST AVE
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	100 NW 1ST AVE
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	Delray Beach
Loc id:	318358		
Gps id:	318358		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	0		
Pws verify:	0		
Site id:	FLSA50000005611		

50
ENE **FL WELLS** **FLSA50000005612**
1/2 - 1 Mile
Higher

Fluwid:	AAH8968	Well type:	40
Status:	ABANDONED	Casing mat:	Not Reported
Longitude:	-80.07494		
Latitude:	26.46344		
Well depth:	100		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156084		
Gps id:	156084		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	NON-POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		

Pws design:	26000000
Pws verify:	0
Site id:	FLSA50000005612

Q51
ENE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022488**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28237		
Facil type:	WELL		
Facil name:	6 Eastern Wellfield		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	700		
X coord:	958876		
Y coord:	775075		
Well depth:	100		
Case depth:	72		
Use status:	stand-by	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022488

Q52
ENE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022489**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28237		
Facil type:	WELL		
Facil name:	6 Eastern Wellfield		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	700		
X coord:	958876		
Y coord:	775075		
Well depth:	100		
Case depth:	72		
Use status:	stand-by	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		

Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022489

53
South
1/2 - 1 Mile
Lower

FL WELLS **FLSA50000005445**

Fluwid:	AAH8963	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.08673		
Latitude:	26.44913		
Well depth:	150		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156074		
Gps id:	156074		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005445		

54
North
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022742**

Permit no:	50-06285-W	App no:	040106-1
Permit typ:	WU		
Project na:	LAKE IDA CHURCH OF CHRIST AND SANCTUARY		
Land Use:	landscape		
Acres serv:	1		
Facil id:	144985		
Facil type:	WELL		
Facil name:	Well 1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		

Pump capac:	40		
X coord:	954952		
Y coord:	777413		
Well depth:	63		
Case depth:	42		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Alex Glebocki		
Secno:	8		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022742

R55
NE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022596**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28327		
Facil type:	WELL		
Facil name:	UFA-1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	0		
X coord:	958495		
Y coord:	776130		
Well depth:	1200		
Case depth:	1020		
Use status:	stand-by	Fac status:	Existing
Water use:	Public water supply		
Source:	Upper Floridan Aquifer		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022596

56
SSW
1/2 - 1 Mile
Lower

FL WELLS **FLSA50000005439**

Fluwid:	AAH8961	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.08808		
Latitude:	26.44864		
Well depth:	140		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported

Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156070		
Gps id:	156070		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005439		

57
NW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022603**

Permit no:	50-08208-W	App no:	071113-5
Permit typ:	WU		
Project na:	NATURE OF MARBLE		
Land Use:	landscape		
Acres serv:	.4		
Facil id:	218042		
Facil type:	PUMP		
Facil name:	P-1		
Pump type:	CEN		
Diameter:	2		
Pump depth:	0		
Pump capac:	40		
X coord:	952281		
Y coord:	776146		
Well depth:	0		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	Off-site Canal(s)		
Reviewer:	Adrienne Charbonneau		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022603

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

S58
ENE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022547**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28236		
Facil type:	WELL		
Facil name:	5 Eastern Wellfield		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	594		
X coord:	958876		
Y coord:	775721		
Well depth:	107		
Case depth:	67		
Use status:	stand-by	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022547

S59
ENE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022548**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28236		
Facil type:	WELL		
Facil name:	5 Eastern Wellfield		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	594		
X coord:	958876		
Y coord:	775721		
Well depth:	107		
Case depth:	67		
Use status:	stand-by	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		

Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022548

R60
ENE
1/2 - 1 Mile
Higher

FL WELLS **FLSA50000005618**

Fluwid:	AAH2292	Well type:	40
Status:	ACTIVE	Casing mat:	Galvanized
Longitude:	-80.0748		
Latitude:	26.46541		
Well depth:	107		
Length:	67		
Diameter:	20	Permit num:	4500351
Comments:	GPS taken at well site		
Sanit seal:	Yes	Name:	City of Delral Beach Well 5
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	10.17		
Gps date:	04/30/02	Loc method:	DGPS
Project id:	SUPER	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	NW 2nd Ave and NW 2nd ST
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	NW 2nd Ave and NW 2nd ST
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	Not Reported	City:	West Palm Beach
Loc id:	324862		
Gps id:	324862		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005618		

T61
ESE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022053**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28325		
Facil type:	WELL		
Facil name:	12 Eastern		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		

Pump capac:	400		
X coord:	959091		
Y coord:	771772		
Well depth:	88		
Case depth:	48		
Use status:	stand-by	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022053

T62
ESE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022054**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28325		
Facil type:	WELL		
Facil name:	12 Eastern		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	400		
X coord:	959091		
Y coord:	771772		
Well depth:	88		
Case depth:	48		
Use status:	stand-by	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022054

U63
SE
1/2 - 1 Mile
Higher

FED USGS **USGS2257308**

Agency cd:	USGS	Site no:	262707080043201
Site name:	PB - 96		
Latitude:	262707	EDR Site id:	USGS2257308
Longitude:	0800432	Dec lat:	26.45229619
Dec lon:	-80.07532013	Coor meth:	M
Coor accr:	U	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	122
State:	12	County:	099
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Everglades. Florida. Area = 8400 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	19460801
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	98.0	Hole depth:	145
Source of depth data:	Not Reported		
Project number:	459832500		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1946-09-00
Water quality data end date:	1946-09-00	Water quality data count:	1
Ground water data begin date:	0000-00-00	Ground water data end date:	0000-00-00
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0

64
NNW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022729**

Permit no:	50-05842-W	App no:	030218-22
Permit typ:	WU		
Project na:	CONGRESS COMMERCE CENTER		
Land Use:	landscape		
Acres serv:	12.61		
Facil id:	129407		
Facil type:	PUMP		
Facil name:	1		
Pump type:	CEN		
Diameter:	4		
Pump depth:	0		
Pump capac:	210		
X coord:	953257		
Y coord:	777266		
Well depth:	0		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	LWDD Canal (L-32)		
Reviewer:	Kevin P. Rohrer, P.G.		
Secno:	7		

Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022729

V65
NE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022654**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28323		
Facil type:	WELL		
Facil name:	4A Eastern		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	700		
X coord:	958589		
Y coord:	776619		
Well depth:	115		
Case depth:	75		
Use status:	stand-by	Fac status:	Existing
Water use:	WS-SENT		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022654

V66
NE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022655**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28323		
Facil type:	WELL		
Facil name:	4A Eastern		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		

Pump capac:	700		
X coord:	958589		
Y coord:	776619		
Well depth:	115		
Case depth:	75		
Use status:	stand-by	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022655

V67
NE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022656**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28323		
Facil type:	WELL		
Facil name:	4A Eastern		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	700		
X coord:	958589		
Y coord:	776619		
Well depth:	115		
Case depth:	75		
Use status:	stand-by	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022656

U68
SE
1/2 - 1 Mile
Higher

FL WELLS **FLSA50000005476**

Fluwid:	500006101	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.07487		
Latitude:	26.452		
Well depth:	0		
Length:	0		
Diameter:	0	Permit num:	Not Reported
Sanit seal:	Not Reported	Name:	Not Reported
First name:	Not Reported	Last name:	Not Reported

Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	0		
Datum:	WS1984		
Hae:	0		
Gps date:	02/06/09	Loc method:	ADDR
Project id:	ANDREW	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	PALM BEACH	Address:	200 S.W. 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 S.W. 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	Not Reported	City:	DELRAY BEACH
Loc id:	468430		
Gps id:	468430		
Wsrp id:	500006101	Action:	UNFILTERED
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	0		
Pws verify:	0		
Site id:	FLSA50000005476		

W69
East
1/2 - 1 Mile
Higher

FED USGS **USGS2257322**

Agency cd:	USGS	Site no:	262741080042001
Site name:	PB -1711		
Latitude:	262741	EDR Site id:	USGS2257322
Longitude:	0800420	Dec lat:	26.46138889
Dec lon:	-80.07222222	Coor meth:	G
Coor accr:	T	Latlong datum:	NAD83
Dec latlong datum:	NAD83	District:	122
State:	12	County:	099
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Everglades. Florida. Area = 8400 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	115.00	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

Peak flow data count:	0	Water quality data begin date:	1997-09-12
Water quality data end date:	1997-09-12	Water quality data count:	1
Ground water data begin date:	0000-00-00	Ground water data end date:	0000-00-00
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0

T70
ESE **FL WELLS** **FLSO50000022068**
1/2 - 1 Mile
Higher

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	136688		
Facil type:	WELL		
Facil name:	DBC5		
Pump type:	N/A		
Diameter:	0		
Pump depth:	0		
Pump capac:	0		
X coord:	959383.65		
Y coord:	771852.33		
Well depth:	115		
Case depth:	105		
Use status:	monitor	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022068

V71
NE **FL WELLS** **FLSA50000005635**
1/2 - 1 Mile
Higher

Fluwid:	AAH8969	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.07496		
Latitude:	26.46693		
Well depth:	115		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT WELL 4A
First name:	Not Reported	Last name:	Not Reported

Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	NW 2nd AVE and NW 2nd ST
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	NW 2nd AVE and NW 2nd ST
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156086		
Gps id:	156086		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005635		

X72
SW
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000021840**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28251		
Facil type:	WELL		
Facil name:	30 Golf Course Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	700		
X coord:	952359		
Y coord:	770543		
Well depth:	165		
Case depth:	70		
Use status:	secondary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021840

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
X73 **SW** **1/2 - 1 Mile** **Higher**	**FL WELLS**	**FLSO50000021841**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28251		
Facil type:	WELL		
Facil name:	30 Golf Course Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	700		
X coord:	952359		
Y coord:	770543		
Well depth:	165		
Case depth:	70		
Use status:	secondary	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021841

	Database	EDR ID Number
74 **North** **1/2 - 1 Mile** **Lower**	**FL WELLS**	**FLSO50000022815**

Permit no:	50-04362-W	App no:	990616-3
Permit typ:	WU		
Project na:	DELRAY LAKES		
Land Use:	landscape		
Acres serv:	7		
Facil id:	30716		
Facil type:	WELL		
Facil name:	1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	62		
X coord:	955177		
Y coord:	778101		
Well depth:	120		
Case depth:	105		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Saleh M. Popalzai, P.G.		
Secno:	8		

Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022815

75
NE **FED USGS** **USGS2257328**
1/2 - 1 Mile
Higher

Agency cd:	USGS	Site no:	262758080042801
Site name:	PB - 243		
Latitude:	262758	EDR Site id:	USGS2257328
Longitude:	0800428	Dec lat:	26.46646234
Dec lon:	-80.07420895	Coor meth:	M
Coor accr:	U	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	122
State:	12	County:	099
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Everglades. Florida. Area = 8400 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	65	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1940-10-21
Water quality data end date:	1975-06-09	Water quality data count:	8
Ground water data begin date:	0000-00-00	Ground water data end date:	0000-00-00
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0

Y76
SSW **FL WELLS** **FLSA50000005433**
1/2 - 1 Mile
Lower

Fluwid:	AAH8960	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.08809		
Latitude:	26.44727		
Well depth:	160		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported

Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156068		
Gps id:	156068		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005433		

77
North
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022818**

Permit no:	50-04362-W	App no:	990616-3
Permit typ:	WU		
Project na:	DELRAY LAKES		
Land Use:	landscape		
Acres serv:	7		
Facil id:	30717		
Facil type:	WELL		
Facil name:	1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	60		
X coord:	955982		
Y coord:	778136		
Well depth:	120		
Case depth:	105		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Saleh M. Popalzai, P.G.		
Secno:	8		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022818

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

X78
SW
1/2 - 1 Mile
Higher

FL WELLS **FLSA50000005454**

Fluwid:	AAH8952	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.09489		
Latitude:	26.45047		
Well depth:	165		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156052		
Gps id:	156052		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005454		

Z79
WSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022013**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28252		
Facil type:	WELL		
Facil name:	31 Golf Course Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		

Pump capac:	900		
X coord:	951463		
Y coord:	771517		
Well depth:	165		
Case depth:	80		
Use status:	secondary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022013

Z80
WSW **FL WELLS** **FLSO50000022014**
1/2 - 1 Mile
Lower

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28252		
Facil type:	WELL		
Facil name:	31 Golf Course Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	900		
X coord:	951463		
Y coord:	771517		
Well depth:	165		
Case depth:	80		
Use status:	secondary	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022014

T81
ESE **FL WELLS** **FLSA50000005499**
1/2 - 1 Mile
Higher

Fluwid:	AAE7605	Well type:	40
Status:	INACTIVE	Casing mat:	Steel
Longitude:	-80.07312		
Latitude:	26.45335		
Well depth:	88		
Length:	48		
Diameter:	12	Permit num:	4500351
Comments:	OUT OF SERVICE		
Sanit seal:	Yes	Name:	Delray Beach WTP Well #12
First name:	Not Reported	Last name:	Not Reported

Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	11.75		
Gps date:	12/11/00	Loc method:	DGPS
Project id:	SUPER	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	522 S. Swinton Ave
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	522 S. Swinton Ave
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33483	City:	Delray Beach
Loc id:	305666		
Gps id:	305666		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005499		

AA82
West
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022303**

Permit no:	50-04350-W	App no:	990614-17
Permit typ:	WU		
Project na:	TEMPLE SINAI OF PALM BEACH COUNTY		
Land Use:	landscape		
Acres serv:	4		
Facil id:	30484		
Facil type:	WELL		
Facil name:	2		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	100		
X coord:	950888		
Y coord:	773579		
Well depth:	90		
Case depth:	70		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Alex Glebocki		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022303

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

AB83
East
1/2 - 1 Mile
Higher | **FED USGS** | **USGS2257321**

Agency cd:	USGS	Site no:	262736080041802
Site name:	PB -1647		
Latitude:	262736	EDR Site id:	USGS2257321
Longitude:	0800418	Dec lat:	26.46035145
Dec lon:	-80.07143111	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	122
State:	12	County:	099
Country:	US	Land net:	NWNWSWS16T46SR43E
Location map:	DELRAY BEACH	Map scale:	24000
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Everglades. Florida. Area = 8400 sq.mi.		
Topographic:	Flat surface		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	19880501	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Unconfined single aquifer		
Aquifer:	SURFICIAL AQUIFER SYSTEM		
Well depth:	113.00	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)		
Project number:	459800200		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1988-05-17
Water quality data end date:	1995-07-13	Water quality data count:	23
Ground water data begin date:	1988-05-17	Ground water data end date:	1995-07-13
Ground water data count:	21		

Ground-water levels, Number of Measurements: 21

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1995-07-13		4.10	1995-04-25		4.26
1995-01-26		6.88	1994-10-20		4.76
1994-07-28		3.86	1994-04-21		3.06
1994-01-27		3.19	1993-11-24		3.67
1993-08-31		4.86	1993-04-28		5.74
1993-02-24		5.92	1992-11-30		6.22
1992-05-06		3.61	1991-10-30		5.08
1991-05-08		4.17	1990-10-24		5.40
1990-05-09		3.77	1989-10-24		1.91
1989-05-04		0.14	1988-10-26		1.17
1988-05-17		-0.80			

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

AB84
East
1/2 - 1 Mile
Higher

FED USGS **USGS2257320**

Agency cd:	USGS	Site no:	262736080041801
Site name:	PB -1624		
Latitude:	262736	EDR Site id:	USGS2257320
Longitude:	0800418	Dec lat:	26.46035145
Dec lon:	-80.07143111	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	122
State:	12	County:	099
Country:	US	Land net:	NWNWSWS16T46SR43E
Location map:	DELRAY BEACH	Map scale:	24000
Altitude:	18.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	Not Reported		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Everglades. Florida. Area = 8400 sq.mi.		
Topographic:	Flat surface		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	19880912	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Unconfined single aquifer		
Aquifer:	SURFICIAL AQUIFER SYSTEM		
Well depth:	21.00	Hole depth:	21.00
Source of depth data:	driller		
Project number:	459800200		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1988-05-17
Water quality data end date:	1995-01-26	Water quality data count:	15
Ground water data begin date:	1988-05-17	Ground water data end date:	1994-04-21
Ground water data count:	14		

Ground-water levels, Number of Measurements: 14

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1994-04-21		3.16	1994-01-27		3.18
1993-11-24		3.96	1993-04-28		5.62
1992-11-30		6.15	1992-05-06		3.61
1991-10-30		5.31	1991-05-08		4.16
1990-10-24		5.34	1990-05-09		3.69
1989-10-24		1.88	1989-05-02		0.12
1988-10-26		1.26	1988-05-17		-0.64

AC85
ESE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022086**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	136685		
Facil type:	WELL		
Facil name:	DBPW11		
Pump type:	N/A		
Diameter:	0		
Pump depth:	0		
Pump capac:	0		
X coord:	959641		
Y coord:	771958		
Well depth:	93		
Case depth:	0		
Use status:	monitor	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022086

AD86
NNW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022781**

Permit no:	50-05481-W	App no:	060901-20
Permit typ:	WU		
Project na:	DELRAY WEST		
Land Use:	landscape		
Acres serv:	17.96		
Facil id:	194577		
Facil type:	WELL		
Facil name:	Ida 1		
Pump type:	N/A		
Diameter:	0		
Pump depth:	0		
Pump capac:	30		
X coord:	953343		
Y coord:	777765		
Well depth:	30		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Nancy Demonstranti, P.G.		
Secno:	7, 21,31		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022781

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

AD87
NNW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022782**

Permit no:	50-05481-W	App no:	060901-20
Permit typ:	WU		
Project na:	DELRAY WEST		
Land Use:	landscape		
Acres serv:	17.96		
Facil id:	194577		
Facil type:	WELL		
Facil name:	Ida 1		
Pump type:	N/A		
Diameter:	0		
Pump depth:	0		
Pump capac:	30		
X coord:	953343		
Y coord:	777765		
Well depth:	30		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Nancy Demonstranti, P.G.		
Secno:	7, 21,31		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022782

Z88
WSW
1/2 - 1 Mile
Lower

FL WELLS **FLSA50000005489**

Fluwid:	AAH8953	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.09748		
Latitude:	26.45309		
Well depth:	165		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported

Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156054		
Gps id:	156054		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005489		

W89
East
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022405**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	150782		
Facil type:	WELL		
Facil name:	DBM#2		
Pump type:	N/A		
Diameter:	0		
Pump depth:	0		
Pump capac:	0		
X coord:	960027		
Y coord:	774477		
Well depth:	220		
Case depth:	100		
Use status:	monitor	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022405

90
SSW
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000021679**

Permit no:	50-07689-W	App no:	061023-8
Permit typ:	WU		
Project na:	ARCHER-LINPRO		
Land Use:	landscape		
Acres serv:	1		
Facil id:	196038		
Facil type:	WELL		
Facil name:	Well 1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		

Pump capac:	65		
X coord:	953290		
Y coord:	769520		
Well depth:	150		
Case depth:	130		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Morgan LeLay		
Secno:	19		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000021679

AE91
SE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000021776**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28240		
Facil type:	WELL		
Facil name:	16 Eastern Wellfield		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	690		
X coord:	958553		
Y coord:	770192		
Well depth:	90		
Case depth:	63		
Use status:	stand-by	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021776

AE92
SE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000021777**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28240		
Facil type:	WELL		
Facil name:	16 Eastern Wellfield		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		

Pump capac:	690		
X coord:	958553		
Y coord:	770192		
Well depth:	90		
Case depth:	63		
Use status:	stand-by	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021777

93
North
1/2 - 1 Mile
Lower

FED USGS **USGS2257141**

Agency cd:	USGS	Site no:	262818080051801
Site name:	PB - 675		
Latitude:	262818	EDR Site id:	USGS2257141
Longitude:	0800518	Dec lat:	26.47201771
Dec lon:	-80.08809822	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	122
State:	12	County:	099
Country:	US	Land net:	SWSWNWS08T46SR43ET
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	14.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5.		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Everglades. Florida. Area = 8400 sq.mi.		
Topographic:	Flat surface		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	387	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

AA94
West
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022342**

Permit no:	50-04350-W	App no:	990614-17
Permit typ:	WU		
Project na:	TEMPLE SINAI OF PALM BEACH COUNTY		
Land Use:	landscape		
Acres serv:	4		
Facil id:	30485		
Facil type:	WELL		
Facil name:	1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	40		
X coord:	950710		
Y coord:	773867		
Well depth:	100		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Alex Glebocki		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022342

AA95
West
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022350**

Permit no:	50-04350-W	App no:	990614-17
Permit typ:	WU		
Project na:	TEMPLE SINAI OF PALM BEACH COUNTY		
Land Use:	landscape		
Acres serv:	4		
Facil id:	42302		
Facil type:	PUMP		
Facil name:	2		
Pump type:	CEN		
Diameter:	2		
Pump depth:	0		
Pump capac:	30		
X coord:	950696		
Y coord:	773963		
Well depth:	0		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	On-site Lake(s)/Pond(s)		
Reviewer:	Alex Glebocki		
Secno:	18		

Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022350

AA96
West
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022349**

Permit no:	50-04350-W	App no:	990614-17
Permit typ:	WU		
Project na:	TEMPLE SINAI OF PALM BEACH COUNTY		
Land Use:	landscape		
Acres serv:	4		
Facil id:	42301		
Facil type:	PUMP		
Facil name:	1		
Pump type:	CEN		
Diameter:	2		
Pump depth:	0		
Pump capac:	80		
X coord:	950684		
Y coord:	773958		
Well depth:	0		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	On-site Lake(s)/Pond(s)		
Reviewer:	Alex Glebocki		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022349

AF97
WSW
1/2 - 1 Mile
Lower

FL WELLS **FLSA50000005536**

Fluwid:	AAH8954	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.09916		
Latitude:	26.45538		
Well depth:	150		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported

Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156056		
Gps id:	156056		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005536		

AG98
ESE **FED USGS** **USGS2257309**
1/2 - 1 Mile
Higher

Agency cd:	USGS	Site no:	262708080042301
Site name:	PB - 97		
Latitude:	262708	EDR Site id:	USGS2257309
Longitude:	0800423	Dec lat:	26.45257396
Dec lon:	-80.07282006	Coor meth:	M
Coor accr:	U	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	122
State:	12	County:	099
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Everglades. Florida. Area = 8400 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	19460901
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	62.3	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	459832500		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1946-09-00
Water quality data end date:	1946-09-00	Water quality data count:	1
Ground water data begin date:	0000-00-00	Ground water data end date:	0000-00-00
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0

99
NE **FL WELLS** **FLSA50000005645**
1/2 - 1 Mile
Higher

Fluwid:	AAH8970	Well type:	40
Status:	ABANDONED	Casing mat:	Not Reported
Longitude:	-80.07446		
Latitude:	26.46807		
Well depth:	110		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84 OUT OF SERVICE		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT WELL 6
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156088		
Gps id:	156088		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	NON-POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005645		

100
NNW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022825**

Permit no:	50-07252-W	App no:	060109-6
Permit typ:	WU		
Project na:	CROSSROADS CLUB		
Land Use:	landscape		
Acres serv:	1		
Facil id:	190550		
Facil type:	WELL		
Facil name:	WELL 1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	30		
X coord:	953703		
Y coord:	778195		
Well depth:	60		
Case depth:	40		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Adrienne Charbonneau		
Secno:	7		

Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022825

AF101
WSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022149**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28320		
Facil type:	WELL		
Facil name:	34 Golf Course		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	700		
X coord:	950799		
Y coord:	772350		
Well depth:	150		
Case depth:	100		
Use status:	secondary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022149

AF102
WSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022150**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28320		
Facil type:	WELL		
Facil name:	34 Golf Course		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		

Pump capac:	700		
X coord:	950799		
Y coord:	772350		
Well depth:	150		
Case depth:	100		
Use status:	secondary	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022150

103
South
1/2 - 1 Mile
Lower

FED USGS **USGS2257290**

Agency cd:	USGS	Site no:	262602080054901
Site name:	PB - 262		
Latitude:	262645	EDR Site id:	USGS2257290
Longitude:	0800500	Dec lat:	26.44618532
Dec lon:	-80.08309816	Coor meth:	M
Coor accr:	U	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	122
State:	12	County:	099
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Everglades. Florida. Area = 8400 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	20.0	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	459832500		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1941-04-17
Water quality data end date:	1941-04-17	Water quality data count:	1
Ground water data begin date:	0000-00-00	Ground water data end date:	0000-00-00
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

104
SW
1/2 - 1 Mile
Lower

FED USGS **USGS2257307**

Agency cd:	USGS	Site no:	262703080055001
Site name:	PB - 263		
Latitude:	262703	EDR Site id:	USGS2257307
Longitude:	0800550	Dec lat:	26.45118516
Dec lon:	-80.09698743	Coor meth:	M
Coor accr:	U	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	122
State:	12	County:	099
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Everglades. Florida. Area = 8400 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	19410417
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	459832500		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1941-04-17
Water quality data end date:	1941-04-17	Water quality data count:	1
Ground water data begin date:	0000-00-00	Ground water data end date:	0000-00-00
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0

AC105
ESE
1/2 - 1 Mile
Higher

FED USGS **USGS2257316**

Agency cd:	USGS	Site no:	262713080041901
Site name:	PB -1710		
Latitude:	262713	EDR Site id:	USGS2257316
Longitude:	0800419	Dec lat:	26.45396279
Dec lon:	-80.07170891	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	122
State:	12	County:	099
Country:	US	Land net:	NWNWNWS21 T46S R43E
Location map:	Delray Beach	Map scale:	24000

Altitude:	17.2		
Altitude method:	Unknown		
Altitude accuracy:	Not Reported		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Everglades. Florida. Area = 8400 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SURFICIAL AQUIFER SYSTEM		
Well depth:	222.00	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1997-09-12
Water quality data end date:	2003-08-28	Water quality data count:	37
Ground water data begin date:	2000-09-12	Ground water data end date:	2004-07-09
Ground water data count:	46		

Ground-water levels, Number of Measurements: 46

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2004-07-09		2.12	2004-05-27		2.35
2004-05-06		2.86	2004-04-06		3.07
2004-03-08		3.21	2004-02-05		3.72
2004-01-08		3.42	2003-12-04		3.97
2003-11-04		3.67	2003-10-09		3.89
2003-08-28		2.88	2003-07-30		2.80
2003-07-02		3.68	2003-06-04		3.98
2003-05-14		3.37	2003-04-02		3.42
2003-03-04		3.42	2003-02-06		3.44
2003-01-14		3.76	2002-12-13		4.45
2002-11-13		3.81	2002-10-08		4.45
2002-08-30		5.09	2002-07-23		5.10
2002-06-28		4.76	2002-05-30		2.83
2002-04-26		2.78	2002-03-28		3.38
2002-03-06		3.82	2002-02-07		3.96
2002-01-07		3.77	2001-12-06		4.97
2001-11-13		5.37	2001-10-05		5.72
2001-08-28		5.07	2001-07-26		4.82
2001-06-25		3.23	2001-05-23		2.50
2001-04-18		2.86	2001-03-22		3.14
2001-02-21		3.53	2001-01-24		4.14
2000-12-27		4.82	2000-11-28		6.15
2000-10-25		6.17	2000-09-12		3.68

AG106
ESE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000021950**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	136699		
Facil type:	WELL		
Facil name:	DBM10-S		
Pump type:	N/A		
Diameter:	0		
Pump depth:	0		
Pump capac:	0		
X coord:	959549		
Y coord:	771128		
Well depth:	76		
Case depth:	36		
Use status:	monitor	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021950

Y107
South
1/2 - 1 Mile
Lower

FL WELLS **FLSA50000005425**

Fluwid:	AAH8959	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.08816		
Latitude:	26.44618		
Well depth:	150		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156066		
Gps id:	156066		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		

Pws design:	26000000
Pws verify:	0
Site id:	FLSA50000005425

AG108
ESE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000021948**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28256		
Facil type:	WELL		
Facil name:	14 Eastern Wellfield		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	580		
X coord:	959558		
Y coord:	771126		
Well depth:	76		
Case depth:	36		
Use status:	stand-by	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021948

AG109
ESE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000021949**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28256		
Facil type:	WELL		
Facil name:	14 Eastern Wellfield		
Pump type:	TUR		
Diameter:	0		
Pump depth:	0		
Pump capac:	580		
X coord:	959558		
Y coord:	771126		
Well depth:	76		
Case depth:	36		
Use status:	stand-by	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		

Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021949

110
East
1/2 - 1 Mile
Higher

Site ID:	8942634	**AQUIFLOW**	**1848**
Groundwater Flow:	SW		
Water Table Depth:	Avg. 12.5 ft.		
Date:	11/30/92		

111
NW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022647**

Permit no:	50-04968-W	App no:	010522-19
Permit typ:	WU		
Project na:	CORAL TRACE		
Land Use:	landscape		
Acres serv:	19		
Facil id:	108144		
Facil type:	PUMP		
Facil name:	2-East Lake		
Pump type:	CEN		
Diameter:	6		
Pump depth:	0		
Pump capac:	120		
X coord:	951378		
Y coord:	776498		
Well depth:	0		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	On-site Lake(s)		
Reviewer:	Christina Shaw		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022647

AH112
South
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000021536**

Permit no:	50-07833-W	App no:	070316-9
Permit typ:	WU		
Project na:	PARK TEN BUSINESS PARK		
Land Use:	landscape		
Acres serv:	1		
Facil id:	198938		
Facil type:	WELL		
Facil name:	W-1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		

Pump capac:	85		
X coord:	954714		
Y coord:	768756		
Well depth:	170		
Case depth:	145		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Barbara Fronczek		
Secno:	12		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000021536

AH113
South
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000021537**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28246		
Facil type:	WELL		
Facil name:	25 20 Series Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	1000		
X coord:	954675		
Y coord:	768756		
Well depth:	150		
Case depth:	110		
Use status:	Primary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021537

AH114
South
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000021538**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28246		
Facil type:	WELL		
Facil name:	25 20 Series Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		

Pump capac:	1000		
X coord:	954675		
Y coord:	768756		
Well depth:	150		
Case depth:	110		
Use status:	Primary	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021538

AI115
SW
1/2 - 1 Mile
Higher

FL WELLS **FLSA50000005444**

Fluwid:	AAH8951	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.09544		
Latitude:	26.44902		
Well depth:	165		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156050		
Gps id:	156050		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005444		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

116
West
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022335**

Permit no:	50-06945-W	App no:	050513-6
Permit typ:	WU		
Project na:	CORAL TRACE OFFICE PARK		
Land Use:	landscape		
Acres serv:	.7		
Facil id:	173133		
Facil type:	WELL		
Facil name:	Well 1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	50		
X coord:	950431		
Y coord:	773807		
Well depth:	100		
Case depth:	80		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Alex Glebocki		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP MIN	Site id:	FLSO50000022335

117
SE
1/2 - 1 Mile
Higher

FL WELLS **FLSA50000005453**

Fluwid:	500000401	Well type:	42
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.07356		
Latitude:	26.45044		
Well depth:	0		
Length:	0		
Diameter:	0	Permit num:	Not Reported
Sanit seal:	Not Reported	Name:	Not Reported
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	0		
Datum:	WS1984		
Hae:	0		
Gps date:	02/06/09	Loc method:	ADDR
Project id:	ANDREW	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	PALM BEACH	Address:	710 S. SWINTON AVE.
Number :	Not Reported	Predir:	Not Reported

Prefix:	Not Reported	Street:	710 S. SWINTON AVE.
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	Not Reported	City:	DELRAY BEACH
Loc id:	468208		
Gps id:	468208		
Wsrp id:	500000401	Action:	UNFILTERED
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	0		
Pws verify:	0		
Site id:	FLSA50000005453		

AJ118
WSW
1/2 - 1 Mile
Lower

FL WELLS **FLSA50000005492**

Fluwid:	AAH8955	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.09914		
Latitude:	26.45321		
Well depth:	165		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156058		
Gps id:	156058		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005492		

AE119
SE
1/2 - 1 Mile
Higher

FL WELLS **FLSA50000005441**

Fluwid:	AAH8965	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.07507		
Latitude:	26.44892		
Well depth:	90		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156078		
Gps id:	156078		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005441		

120
ESE
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022059**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	136670		
Facil type:	WELL		
Facil name:	PB690S		
Pump type:	N/A		
Diameter:	0		
Pump depth:	0		
Pump capac:	0		
X coord:	960111.28		
Y coord:	771811.14		
Well depth:	72		
Case depth:	69		
Use status:	monitor	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		

Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022059

121
NW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022787**

Permit no:	50-03856-W	App no:	970508-9
Permit typ:	WU		
Project na:	WATERS EDGE AT DELRAY BEACH		
Land Use:	landscape		
Acres serv:	7.93		
Facil id:	40413		
Facil type:	PUMP		
Facil name:	1		
Pump type:	CEN		
Diameter:	4		
Pump depth:	0		
Pump capac:	125		
X coord:	952459		
Y coord:	777795		
Well depth:	0		
Case depth:	0		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	LAKE		
Reviewer:	Thais Spence		
Secno:	7		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022787

122
WNW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000022558**

Permit no:	50-04968-W	App no:	010522-19
Permit typ:	WU		
Project na:	CORAL TRACE		
Land Use:	landscape		
Acres serv:	19		
Facil id:	108145		
Facil type:	PUMP		
Facil name:	3-South Lake		
Pump type:	CEN		
Diameter:	6		
Pump depth:	0		

Pump capac:	80		
X coord:	950762		
Y coord:	775711		
Well depth:	0		
Case depth:	0		
Use status:	Primary	Fac status:	Existing
Water use:	Irrigation		
Source:	On-site Lake(s)		
Reviewer:	Christina Shaw		
Secno:	18		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000022558

AK123
SSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000021646**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28249		
Facil type:	WELL		
Facil name:	28 Golf Course Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	1200		
X coord:	952724		
Y coord:	769393		
Well depth:	165		
Case depth:	75		
Use status:	secondary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021646

AK124
SSW
1/2 - 1 Mile
Lower

FL WELLS **FLSO50000021647**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28249		
Facil type:	WELL		
Facil name:	28 Golf Course Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		

Pump capac:	1200		
X coord:	952724		
Y coord:	769393		
Well depth:	165		
Case depth:	75		
Use status:	secondary	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021647

125
South
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000021519**

Permit no:	50-05112-W	App no:	010713-1
Permit typ:	WU		
Project na:	TENTH STREET COMMERCE PARK		
Land Use:	landscape		
Acres serv:	1		
Facil id:	110463		
Facil type:	WELL		
Facil name:	1		
Pump type:	CEN		
Diameter:	0		
Pump depth:	0		
Pump capac:	30		
X coord:	955501		
Y coord:	768613		
Well depth:	120		
Case depth:	110		
Use status:	Primary	Fac status:	Proposed
Water use:	Irrigation		
Source:	Surficial Aquifer System		
Reviewer:	Paulette M. Glebocki, P.G.		
Secno:	20		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	GP	Site id:	FLSO50000021519

AJ126
WSW
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022026**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28253		
Facil type:	WELL		
Facil name:	32 Golf Course Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		

Pump capac:	500		
X coord:	950700		
Y coord:	771594		
Well depth:	165		
Case depth:	105		
Use status:	secondary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022026

AJ127
WSW
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000022027**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28253		
Facil type:	WELL		
Facil name:	32 Golf Course Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	500		
X coord:	950700		
Y coord:	771594		
Well depth:	165		
Case depth:	105		
Use status:	secondary	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000022027

AI128
SW
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000021741**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28250		
Facil type:	WELL		
Facil name:	29 Golf Course Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		

Pump capac:	1000		
X coord:	951895		
Y coord:	769902		
Well depth:	165		
Case depth:	70		
Use status:	secondary	Fac status:	Existing
Water use:	Public water supply		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021741

AI129
SW
1/2 - 1 Mile
Higher

FL WELLS **FLSO50000021742**

Permit no:	50-00177-W	App no:	030710-11
Permit typ:	WU		
Project na:	DELRAY BEACH CITY OF		
Land Use:	public-water-supply		
Acres serv:	11500		
Facil id:	28250		
Facil type:	WELL		
Facil name:	29 Golf Course Wellfield		
Pump type:	SUB		
Diameter:	0		
Pump depth:	0		
Pump capac:	1000		
X coord:	951895		
Y coord:	769902		
Well depth:	165		
Case depth:	70		
Use status:	secondary	Fac status:	Existing
Water use:	Monitor		
Source:	Surficial Aquifer System		
Reviewer:	Steven J. Memberg, P.G.		
Secno:	1-36		
Twp:	46		
Rge:	43		
County:	Palm Beach		
Fee catego:	IND	Site id:	FLSO50000021742

130
SE
1/2 - 1 Mile
Higher

FL WELLS **FLSA50000005465**

Fluwid:	AAE7602	Well type:	40
Status:	ACTIVE	Casing mat:	Steel
Longitude:	-80.07216		
Latitude:	26.45121		
Well depth:	76		
Length:	36		
Diameter:	16	Permit num:	4500351
Sanit seal:	Yes	Name:	Delray Beach WTP Well #14
First name:	Not Reported	Last name:	Not Reported

Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	10.09		
Gps date:	12/11/00	Loc method:	DGPS
Project id:	SUPER	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	701 Swinton Ave.@Railroad
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	701 Swinton Ave.@Railroad
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	Delray Beach
Loc id:	305660		
Gps id:	305660		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		
Pws design:	26000000		
Pws verify:	0		
Site id:	FLSA50000005465		

AK131
SSW
1/2 - 1 Mile
Lower

FL WELLS **FLSA50000005431**

Fluwid:	AAH8958	Well type:	40
Status:	ACTIVE	Casing mat:	Not Reported
Longitude:	-80.09378		
Latitude:	26.44705		
Well depth:	165		
Length:	0		
Diameter:	Not Reported	Permit num:	4500351
Comments:	Population served: 60200 - DATUM 84		
Sanit seal:	Not Reported	Name:	DELRAY BEACH WATER DEPARTMENT
First name:	Not Reported	Last name:	Not Reported
Phone:	Not Reported	Phone ext:	Not Reported
Lg pws:	1		
Datum:	WS1984		
Hae:	0		
Gps date:	02/05/03	Loc method:	DGPS
Project id:	DEP	Insp fname:	Not Reported
Insp lname:	Not Reported	Insp chd:	Not Reported
Req numb:	Not Reported	Property i:	Not Reported
County:	Palm Beach	Address:	200 SW 6TH STREET
Number :	Not Reported	Predir:	Not Reported
Prefix:	Not Reported	Street:	200 SW 6TH STREET
Suffix:	Not Reported	Postdir:	Not Reported
Zipcode:	33444	City:	DELRAY BEACH
Loc id:	156064		
Gps id:	156064		
Wsrp id:	Not Reported	Action:	Not Reported
Port stat:	POTABLE	Res type:	Not Reported
Other id:	Not Reported	Software:	Not Reported
Streetside:	Not Reported	Agency:	Not Reported
Parcel id:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pws design: 26000000
Pws verify: 0
Site id: FLSA50000005431

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: FL Radon

Radon Test Results

Zip	Total Buildings	% of sites>4pCi/L	Data Source
33444	227	36.6	Certified Residential Database
33444	42	0.0	Mandatory Non-Residential Database
33444	11	9.1	Mandatory Residential Database

Federal EPA Radon Zone for PALM BEACH County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for PALM BEACH COUNTY, FL

Number of sites tested: 104

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.650 pCi/L	99%	1%	0%
Basement	Not Reported	Not Reported	Not Reported	Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory
Source: Department of Environmental Protection
Telephone: 850-245-8238

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Services
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

DEP GWIS - Generalized Water Information System Well Data
Source: Department of Environmental Protection
Telephone: 850-245-8507
Data collected for the Watersed Monitoring Section of the Department of Environmental Protection.

DOH and DEP Historic Study of Private Wells
Source: Department of Environmental Protection
Telephone: 850-559-0901
Historic database for private supply wells.

Well Construction Permitting Database
Source: Northwest Florida Water Management District
Telephone: 850-539-5999

Consumptive Use Permit Well Database
Source: St. Johns River Water Management District
Telephone: 386-329-4841

Permitted Well Location Database
Source: South Florida Water Management District
Telephone: 561-682-6877

Super Act Program Well Data
This table consists of data relating to all privately and publicly owned potable wells investigated as part of the SUPER Act program. The Florida Department of Health's SUPER Act Program (per Chapter 376.3071(4)(g), Florida Statutes), was given authority to provide field and laboratory services, toxicological risk assessments, investiagations of drinking water contamination complaints and education of the public
Source: Department of Health
Telephone: 850-245-4250

Water Well Location Information
Source: Suwannee River Water Management District
Telephone: 386-796-7211

Water Well Permit Database
Source: Southwest Water Management District
Telephone: 352-796-7211

OTHER STATE DATABASE INFORMATION

Florida Sinkholes
Source: Department of Environmental Protection, Geological Survey
The sinkhole data was gathered by the Florida Sinkhole Research Institute, University of Florida.

Oil and Gas Permit Database
Source: Department of Environmental Protection
Telephone: 850-245-3194
Locations of all permitted wells in the state of Florida.

RADON

State Database: FL Radon
Source: Department of Health
Telephone: 850-245-4288
Zip Code Based Radon Data

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

"Linking Technology with Tradition"®

Sanborn® Map Report

Ship To: Scot Wehmeyer
Enviro Design Assoc., Inc.
298 Pineapple Grove Way
Delray, FL 33444

Order Date: 1/12/2006 **Completion Date:** 1/16/2006
Inquiry #: 1591686.2S
P.O. #: NA
Site Name: Atlantic Avenue Parcel
Address: 640 W Atlantic Avenue
City/State: Delray Beach, FL 33444
Cross Streets:

Customer Project: 05106
1019094ROM 561-274-6500

Based on client-supplied information, fire insurance maps for the following years were identified

1922 - 1 Map
1926 - 3 Maps
1949 - 3 Maps
1963 - 3 Maps

Limited Permission to Photocopy Total Maps: 10

Enviro Design Assoc., Inc. (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission. EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

USER'S GUIDE

This User's Guide provides guidelines for accessing Sanborn Map® images and for transferring them to your Word Processor.


Reading Sanborn Maps

- Sanborn Maps document historical property use by displaying property information through words, abbreviations, and map symbols. The Sanborn Map Key provides information to help interpret the symbols and abbreviations used on Sanborn Maps. The Key is available from EDR's Web Site at: http://www.edrnet.com/reports/samples/key.pdf

Organization of Electronic Sanborn Image File

- Sanborn Map Report, listing years of coverage
- User's Guide
- Oldest Sanborn Map Image
- Most recent Sanborn Map Image

Navigating the Electronic Sanborn Image File




1. Open file on screen.
2. Identify TP (Target Property) on the most recent map.
3. Find TP on older printed images.
4. Using Acrobat® Reader®, zoom to 250% in order to view more clearly. (200-250% is the approximate equivalent scale of hardcopy Sanborn Maps.)
   A. On the menu bar, click "View" and then "Zoom to..."
   B. Or, use the magnifying tool and drag a box around the TP

Printing a Sanborn Map From the Electonic File


- EDR recommends printing images at 300 dpi (300 dpi prints faster than 600 dpi)
- To print only the TP area, cut and paste from Acrobat to your word processor application.

Acrobat Versions 6 and 7



1. Go to the menu bar
2. Click the "Select Tool"
3. Draw a box around the area selected
4. "Right click" on your mouse
5. Select "Copy Image to Clipboard"
6. Go to Word Processor such as Microsoft Word, paste and print.

Acrobat Version 5



1. Go to the menu bar
2. Click the "Graphics Select Tool"
3. Draw a box around the area selected
4. Go to "Menu"
5. Highlight "Edit"
6. Highlight "Copy"
7. Go to Word Processor such as Microsoft Word, paste and print.


Important Information about Email Delivery of Electronic Sanborn Map Images


- Images are grouped intro one file, up to 2MB.
- In cases where in excess of 6-7 map years are available, the file size typically exceeds 2MB. In these cases, you will receive multiple files, labeled as "1 of 3", "2 of 3", etc. including all available map years.
- Due to file size limitations, certain ISPs, including AOL, may occasionally delay or decline to deliver files. Please contact your ISP to identify their specific file size limitations.

The Sanborn Library, LLC

Copyright© 1922 The Sanborn Library, LLC LHE
Year EDR Research Associate

Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.







The Sanborn Library, LLC

Copyright© 1926 The Sanborn Library, LLC LHE
Year EDR Research Associate


Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.




The Sanborn Library, LLC
Copyright© 1926 The Sanborn Library, LLC LHE
Year EDR Research Associate
Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.



The Sanborn Library, LLC
Copyright© 1926 The Sanborn Library, LLC LHE
Year EDR Research Associate
Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.




The Sanborn Library, LLC
Copyright© 1949 The Sanborn Library, LLC LHE
Year EDR Research Associate
Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.



The Sanborn Library, LLC

Copyright© 1949 The Sanborn Library, LLC LHE
Year EDR Research Associate


Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.



The Sanborn Library, LLC

Copyright© 1949 The Sanborn Library, LLC LHE
Year EDR Research Associate


Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.



The Sanborn Library, LLC

Copyright© 1963 The Sanborn Library, LLC LHE
Year EDR Research Associate


Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.



The Sanborn Library, LLC

Copyright© 1963 The Sanborn Library, LLC LHE
Year EDR Research Associate

Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.



The Sanborn Library, LLC

Copyright© 1963 The Sanborn Library, LLC LHE
Year EDR Research Associate

Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.